

Type Specimens in the Macleay Museum, University of Sydney

VIII. Insects: Beetles (Insecta: Coleoptera)

E. B. BRITTON and P. J. STANBURY

BRITTON, E. B., & STANBURY, P. J. Type specimens in the Macleay Museum, University of Sydney. VIII. Insects: beetles (Insecta: Coleoptera). *Proc. Linn. Soc. N.S.W.* 105 (4), (1980) 1981: 241-293.

This paper, the first of a series on the insects, describes the transfer, on permanent loan, of 5619 type specimens, representing 2907 species of Coleoptera, from the Macleay Museum to the Australian National Insect Collection in Canberra. The types of Coleoptera are listed and their origin and status are discussed.

E. B. Britton, Division of Entomology, Commonwealth Scientific and Industrial Research Organization, Canberra City, Australia 2601, and P. J. Stanbury, The Macleay Museum, University of Sydney, Australia 2006; manuscript received 2 April 1981, accepted for publication 20 May 1981.

INTRODUCTION

The Macleay Museum at the University of Sydney contains a comprehensive zoological collection, comprised, in the main, of those collections given to the University by Sir William Macleay in 1888, some three years before his death. These collections contain many types. Lists of the recognized types of fish (Stanbury 1969a), reptiles (Goldman, Hill and Stanbury, 1969), birds (Stanbury 1969b), mammals (Stanbury, 1969c), decapod crustaceans (Griffin and Stanbury, 1970) and molluscs (Ponder and Stanbury, 1972) have been published. In addition a paper (Whitley and Stanbury, 1976) discusses the identification of a Johansson orthopteran type dated 1756, and a preliminary list of insect types (Hahn, 1962) has been issued by the Macleay Museum in duplicated form.

The Macleay insect collections have been estimated to contain about one million specimens (Anderson, 1965) — although the total is now thought to be less — housed in 936 cabinet drawers, largely untouched since the days of Sir William Macleay and his curator, George Masters.

As the result of an agreement between the Professor of Biological Sciences, Professor L. C. Birch, and the Chief Curator of the Australian National Insect Collection, all insect type specimens so far recognizable in the Macleay Museum Collection have been transferred to the Australian National Insect Collection in Canberra.

THE TRANSFER

The transfer of type specimens of insects was initiated in 1969 by a suggestion from the Curator of the Macleay Museum (P.J.S.) to the Professor of Biological Sciences at the University of Sydney, Professor L. C. Birch, who wrote to the Chief Curator of the Australian National Insect Collection, Canberra. Professor Birch considered it appropriate that this scientifically-valuable material should be housed in the National Collection where it could be adequately cared for and indicated that this could be done by transferring it on permanent loan. The point was made that the

specimens, where necessary, should be remounted for safe preservation and that this should be done under the supervision of competent taxonomists. On 16th May 1969 it was agreed that the transfer of type material should be made to the ANIC on a 'permanent loan' basis. This would imply that transferred material could in principle be recalled, and that specimens could not be given away, but ANIC staff would have authority to lend specimens and could exercise discretion in remounting specimens. It was further agreed that ANIC staff would prepare and publish a full list of the types and that in addition to types, material transferred should include 'specimens from classical sites now destroyed, specimens of rare species, specimens from critical localities, and material that formed the basis of monographic works.'

Before any specimens were removed from the collection every drawer and storebox of insect specimens in the Macleay Museum (936 in all) was photographed by the Department of Photographic Illustration of the University of Sydney. One copy of the set of photographic prints (25 cm x 18 cm) is stored in the Macleay Museum and one in the Australian National Insect Collection.

The coleopteran type material was extracted from the Macleay Collection and its type status determined by one of us (EBB). As each specimen was removed its image on the corresponding photograph was ringed in ink and labelled with its specific name. Specimens were pinned in order of removal in stout wooden storage boxes. The removal of the boxes to Canberra was arranged and carried out by Mr M. S. Upton, Manager of the Australian National Insect Collection. In Canberra the label 'On permanent loan from the Macleay Museum, University of Sydney' was affixed to every specimen and the species were transferred each to a separate unit tray and housed in steel cabinets. Stainless steel pins were used to replace pins that had corroded. This was especially necessary in the case of types of Curculionidae-Amycterinae in the Ferguson Collection.

The delicate work of repinning specimens, the reorganization of the card catalogue and the final typing of the alphabetical list of the coleopteran species was undertaken voluntarily by Joyce Britton. Stefan Misko carried out the responsible and time-consuming work of labelling, transferring to trays and the final organization and incorporation of the coleopteran material into the Australian National Insect Collection.

THE ORIGIN AND STATUS OF THE TYPES OF COLEOPTERA IN THE MACLEAY COLLECTION

The number of specimens of Coleoptera transferred to the Australian National Collection stands at 5619, representing 2907 species. The types include 584 holotypes, 94 allotypes, 36 lectotypes, 2077 syntypes (of 853 species), 1980 paratypes (of 1035 species), 65 paralectotypes (of 35 species). In addition there were 783 tototypes representing 364 species.

Included are types of species described by W. S. Macleay, W. J. Macleay, A. M. Lea, E. W. Ferguson, T. Sloane, R. L. King, J. Thomson, T. Blackburn, H. J. Carter, M. Cameron, E. Donovan, G. C. Champion, P. B. Carne, W. Kirby, A. Raffray, F. H. Uther Baker, E. B. Britton, W. T. Armstrong, E. Brown, R. Charpentier and O. E. Jansen. There are in addition, topotypes of species described by J. S. Baly, E. P. Pascoe, F. De Bréme, A. S. Olliff, L. J. Reiche, F. Bates, H. W. Bates, F. Laporte de Castelnau and A. White.

The precise status as types of specimens as old as those in the Macleay Museum is often difficult to determine. It has appeared reasonable to us to accept as types specimens labelled as species described by W. J. Macleay and bearing the type

locality. Where such species are represented by a single specimen we have accepted and labelled this as the holotype. Where there is more than one specimen we have labelled these as syntypes. Some specimens, e.g. those of species described by Lea, bear the author's labels 'Type' and 'Cotype'. These have been accepted here as the equivalents of 'Holotype' and 'Paratype' and labelled accordingly although Lea did not designate types in his published descriptions. Strict interpretation of the International Code of Zoological Nomenclature will require that these 'Holotypes' should be designated as lectotypes when opportunity offers.

With regard to the species described by Pascoe, Castelnau, Olliff and Sloane, however, there are difficulties. The species described by Pascoe are almost all represented by unique 'types' in the British Museum, but the specimens of these species in the Macleay Collection are labelled with the type localities, and it is known that Pascoe received his material from Masters. Pascoe (1870:445) wrote:

'I am indebted for a great many of the species to my valued correspondent Mr George Masters of Sydney, and it is a great advantage that these were accompanied by their exact localities.'

Macleay or Masters either (a) sorted their material into species and sent one or more specimens of each to Pascoe in London, who described the species and returned the name for the remaining series of each species in Sydney, or (b) sent all specimens to Pascoe who retained one of each species and returned the remainder with the name. If (a) then the Macleay Collection specimens are not syntypes, whereas if (b) occurred then they are syntypes. Blackburn and Lea clearly treated the Macleay Museum specimens of Pascoe species as having the significance of types. Blackburn (1893:301) states:

'I have to acknowledge with much gratitude the extremely valuable assistance I am receiving in the preparation of the articles on Erihininae and other Curculionidae by the co-operation of George Masters Esq . . . who is allowing me to examine his collection of authentic types of Mr Pascoe's genera.'

Lea (1898:449) wrote:

'For the gift or loan of specimens from various parts of Australia I have to thank . . . in particular Mr George Masters. The latter gentleman has supplied me with specimens (which might almost be regarded as cotypes) of a number of species described by Mr Pascoe.'

A similar uncertainty presents itself with regard to the specimens of Castelnau species labelled with the type locality. These are treated here as topotypes but it is noteworthy that none of the Castelnau species represented in the Macleay collection is also in the National Museum of Victoria, where the bulk of the Castelnau collection is deposited. This suggests that the specimens of Castelnau species in the Macleay Collection may be of more than the topotypic status granted them here.

The Macleay Collection includes a number of species of Carabidae described by T. G. Sloane. These are of special importance because the original Sloane Collection, which contained most of the type material, suffered considerable damage before it was acquired by the CSIRO and moved to Canberra. Some specimens in the Macleay Collection and identified and labelled by Sloane are found to represent species of which the type in the Sloane collection is destroyed. These specimens must therefore assume much of the value of types until such times as neotypes may be designated.

Olliff was a member of the staff of the Australian Museum (1885-1890) so that it is to be expected that most of his types are to be found there. Nevertheless, it is possible that parts of the type series were acquired by Macleay. Unless additional evidence is available these specimens are treated here as 'topotypes' but they are clearly of

considerable taxonomic importance, being contemporary specimens, almost certainly identified by the author of the species.

It is quite possible, indeed likely, that types of other species may yet be recognized in the Macleay Museum collection, especially among the extensive exotic collection which was brought to Australia in 1825 by Alexander Macleay. These specimens, however, lack data and identification labels and any types could therefore be recognized only from original drawings or descriptions of individual peculiarities and with evidence of purchase by Alexander Macleay in annotated catalogues of auction sales of insect collections in the early 19th century.

THE LIST OF COLEOPTERA TYPES

The types are listed in alphabetical order of specific name, together with original genus, family, type locality, number of specimens, and kind of type.

CATALOGUE OF TYPES OF COLEOPTERA TRANSFERRED ON PERMANENT LOAN FROM THE MACLEAY MUSEUM TO THE AUSTRALIAN NATIONAL INSECT COLLECTION, CANBERRA

Abbreviations Used in the List

A = allotype; H = holotype; L = lectotype; P = paratype;
 PL = paralectotype; S = syntype; T = topotype;
 "Macleay" = W. J. Macleay

Specific Name	Original Genus	Family	Type Locality	Types
<i>abaceta</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Dorrigo, NSW	2 P
<i>abdominalis</i> Lea 1921	<i>Dasytes</i>	Melyridae	Yilgarn, WA	2 P
<i>abdominalis</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	NSW	2 P
<i>aberrans</i> Lea 1907	<i>Crepidomenus</i>	Elateridae	Tas	1 P
<i>aberrans</i> Lea 1899	<i>Melanterius</i>	Curculionidae	Rockhampton, Q	H
<i>aberrans</i> Macleay 1872	<i>Anthicus (Macratria)</i>	Anthicidae	Gayndah, Q	4 S
<i>aberrans</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	Vic	2 S
<i>abjectus</i> Lea 1915	<i>Agetinus</i>	Chrysomelidae	Galston, NSW	2 P
<i>abnormalis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	2 S
<i>abnormalis</i> Macleay 1873	<i>Anoplognathus</i>	Scarabaeidae	Southern parts of Queensland, Wide Bay	H, A
<i>abruptus</i> Pascoe 1882	<i>Atelicus</i>	Curculionidae	Tas	2 T
<i>absonus</i> Lea 1904	<i>Loxopleurus</i>	Chrysomelidae	Kiama, NSW	2 P
<i>abundans</i> Lea 1910	<i>Acacicus</i>	Curculionidae	Hobart, Tas	2 P
<i>abundans</i> Lea 1922	<i>Anthicus</i>	Anthicidae	Cairns district, Q	2 P
<i>abundans</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Adelaide, SA	4 P
<i>abundans</i> Lea 1915	<i>Phagonophana</i>	Scydmaenidae	Tas	2 P
<i>abundans</i> Lea 1925	<i>Platysoma</i>	Histeridae	Lord Howe I.	3 P
<i>abundans</i> Lea 1928	<i>Tapinocis</i>	Curculionidae	Lord Howe I.	2 P
<i>abundans</i> Lea 1917	<i>Xylophilus</i>	Aderidae	Lord Howe I.	2 P
<i>acaciae</i> Lea 1916	<i>Chrysomela</i>	Chrysomelidae	SA	1 P
<i>acaciae</i> Lea 1910	<i>Phloeophorus</i>	Curculionidae	Hobart, Tas	2 P
<i>acaciae</i> Lea 1917	<i>Xylophilus</i>	Aderidae	Tas	2 P
<i>acaciaei</i> Pascoe 1873	<i>Hypera</i>	Curculionidae	Gayndah, Q	2 T
<i>acanthomera</i> Lea 1915	<i>Lepidocolaspis</i>	Chrysomelidae	Cairns district, Q	2 P
<i>acentetus</i> Lea 1904	<i>Loxopleurus</i>	Chrysomelidae	Tas	2 P
<i>acromialis</i> Ferguson 1912	<i>Talauminus</i>	Curculionidae	Q	H
<i>aculeatus</i> Ferguson 1921	<i>Hyborrhynchus</i>	Curculionidae	WA	H
<i>acuminata</i> Pascoe 1870	<i>Evas</i>	Curculionidae	King George Sound, WA	2 T
<i>acuminatus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	2 S
<i>acuticeps</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	King Sound, WA	2 S
<i>acuticollis</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Endeavour R., Q	H
<i>acutipennis</i> Ferguson 1913	<i>Talauminus</i>	Curculionidae	Vic	H
<i>adelaidae</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	SA	H
<i>adelaidae</i> Macleay 1866	<i>Sclerorinus</i>	Curculionidae	SA	4 S
<i>adeps</i> Olliff 1886	<i>Ptinus</i>	Ptinidae	Morpeth, NSW	2 T

Specific Name	Original Genus	Family	Type Locality	Types
<i>adusta</i> Pascoe 1860	<i>Leperina</i>	Trogossitidae	Vic	2 S
<i>aenea</i> Fabricius 1792	<i>Lamprima</i>	Lucanidae	Norfolk I.	2 T
<i>aenea</i> Macleay 1873	<i>Cymindis</i> (<i>Anomotarus</i>)	Carabidae	Monaro, NSW	3 S
<i>aeneus</i> Macleay 1873	<i>Scopodes</i>	Carabidae	Gayndah, Q	4 S
<i>aequalis</i> Lea 1904	<i>Balaninus</i>	Curculionidae	Cairns, Q	H
<i>aequalis</i> Sloane 1893	<i>Talaurinus</i>	Curculionidae	Central Australia	H, A
<i>aequata</i> King 1865	<i>Bryaxis</i> (<i>Eupines</i>)	Pselaphidae	Elizabeth Bay, Sydney, NSW	H
<i>aerata</i> Lea 1915	<i>Tomyris</i>	Chrysomelidae	Sydney, NSW	1 P
<i>aericollis</i> Pascoe 1869	<i>Cardiothorax</i>	Tenebrionidae	NSW	1 P
<i>aesalon</i> Pascoe 1870	<i>Polyphrades</i>	Curculionidae	King George Sound, WA	2 T
<i>affine</i> Macleay 1864	<i>Carenum</i>	Carabidae	NSW	H
<i>affinis</i> W. S. Macleay 1821	<i>Scarabaeus</i> (<i>Gymnopleurus</i>)	Scarabaeidae	Senegal (Africa)	H
<i>alata</i> Castelnau 1869	<i>Nephris</i>	Cucujidae	King George Sound, WA	2 S
<i>alaticornis</i> Ferguson 1914	<i>Talaurinus</i>	Curculionidae	NSW	H, A
<i>alatus</i> Macleay 1888	<i>Trox</i>	Trogidae	King George Sound, WA	L
<i>albatus</i> Lea 1924	<i>Dryophilodes</i>	Anobiidae	SA	2 P
<i>albifasciatus</i> Lea 1909	<i>Menios</i>	Curculionidae	Endeavour R., Q	1 P
<i>albifrons</i> Lea 1907	<i>Sympediosoma</i>	Curculionidae	Endeavour R., Q	1 P
<i>albigutta</i> Lea 1906	<i>Baris</i>	Curculionidae	Cairns, Q	H
<i>alboguttatus</i> Macleay 1888	<i>Lacon</i>	Elateridae	King Sound, WA	L, 2 PL
<i>albohirtus</i> Macleay 1863	<i>Liparetrus</i>	Scarabaeidae	Port Denison, Q	H
<i>albolineata</i> Macleay 1888	<i>Cicindela</i>	Carabidae	King Sound, WA	2 S
<i>albopicta</i> Lea	<i>Baris</i>	Curculionidae	Q	H
<i>alboscutellaris</i> Lea 1911	<i>Poropterus</i>	Curculionidae	Tas	2 P
<i>alborvilloa</i> Macleay 1888	<i>Lagria</i>	Lagriidae	Q, Mossman R.	2 S
<i>albovittatus</i> Ferguson 1914	<i>Sclerorinus</i>	Curculionidae	Eucla, WA	H, A
<i>albus</i> Lea 1913	<i>Microberosiris</i>	Curculionidae	SA	2 P
<i>alcione</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Port Darwin, NT	2 P
<i>algarum</i> Pascoe 1870	<i>Aphela</i>	Curelioniidae	King George Sound, WA	3 T
<i>alleni</i> Lea 1910	<i>Eurychirus</i>	Curculionidae	Cairns, Q	2 P
<i>alleni</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Cairns, Q	1 P
<i>alleni</i> Lea 1908	<i>Stenocorynus</i>	Curculionidae	Cairns, Q	2 P
<i>allyensis</i> Carter 1926	<i>Helmis</i>	Helminthidae	Allyn R., NSW	2 S
<i>alphabetica</i> Lea 1917	<i>Mordella</i>	Mordellidae	Cairns district, Q	2 P
<i>alphabetica</i> Lea 1925	<i>Orchesia</i>	Melandryidae	Tas	2 P
<i>alphabetica</i> Lea 1917	<i>Oxyps</i>	Curculionidae	Oodnadatta, SA	1 P
<i>alphabeticus</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	SA	2 P
<i>alpicola</i> Ferguson 1915	<i>Acantholophus</i>	Curculionidae	NSW	H, 1 P
<i>alpicola</i> Ferguson 1915 (1914)	<i>Sclerorinus</i>	Curculionidae	Vic	H, A, 2 P
<i>alternans</i> Castelnau 1867	<i>Eudema</i> (<i>Craspedia-phorus</i> , <i>Epicosmus</i>)	Carabidae	Rockhampton, Q	2 T
<i>alternans</i> Macleay 1872	<i>Lacon</i>	Elateridae	Gayndah, Q	1 P
<i>alternans</i> Macleay 1865	<i>Talaurinus</i>	Curculionidae	Clyde R., NSW	H
<i>alternans</i> W. S. Macleay 1827	<i>Trox</i>	Trogidae	"New Holland"	H
<i>alternans</i> Pascoe 1870	<i>Phloeoglymma</i>	Curculionidae	Rope's Creek, NSW	2 T
<i>alternata</i> Carter 1929	<i>Phoracantha</i>	Cerambycidae	NSW	H
<i>alternata</i> Lea 1923	<i>Pedaria</i>	Scarabaeidae	Groote Eylandt, NT	2 P
<i>alternata</i> , var. <i>biceps</i> Lea 1903	<i>Phyllocharis</i>	Chrysomelidae	Brisbane, Q	H
<i>alternata</i> Lea 1908	<i>Telephorus</i>	Cantharidae	King Sound, WA	3 P
<i>alternatus</i> Macleay 1865	<i>Talaurinus</i>	Curculionidae	New Holland	H
<i>alternus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	Wagga Wagga, NSW	H
<i>amaroides</i> Pascoe 1862	<i>Chariotheca</i> (<i>Apterotheca</i>)	Tenebrionidae	Lizard I., Q	4 T
<i>ambiguum</i> Macleay 1865	<i>Carenum</i>	Carabidae	King George Sound, WA	3 S
<i>ambiguus</i> Macleay 1865	<i>Talaurinus</i>	Curculionidae	Darling Downs, Q	H
<i>ambiguus</i> Sloane 1890	<i>Laccogenus</i>	Carabidae	Dunoon, Richmond R., NSW	H
<i>amethystina</i> Lea 1903	<i>Calomela</i>	Chrysomelidae	Geraldton, WA	1 P
<i>amophilus</i> Lea 1909	<i>Mandalotus</i>	Curculionidae	Sydney, NSW	2 P
<i>amphibia</i> Pascoe 1870	<i>Scymena</i>	Tenebrionidae	King George Sound, WA	3 T
<i>ampliatus</i> Macleay 1887	<i>Xylobanus</i>	Lycidae	Barron R., Q	H
<i>amplicollis</i> Ferguson 1909	<i>Phalidura</i>	Curculionidae	Tas	H, A
<i>amplicollis</i> var <i>A</i> Lea 1906	<i>Misophrice</i>	Curculionidae	Gayndah, Q	2 P
<i>amplipenne</i> Macleay 1871	<i>Bemidium</i> (<i>Tachys</i>)	Carabidae	King George Sound, WA	2 S
<i>amplipenne</i> Macleay 1873	<i>Platolytron</i>	Carabidae	King George Sound, WA	3 S
<i>amplipennis</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	Darling Downs, Q	H

Specific Name	Original Genus	Family	Type Locality	Types
<i>amplipennis</i> Lea 1925	<i>Ellozia</i>	Chrysomelidae	Ben Lomond, NSW	2 P
<i>amplipennis</i> Lea 1915	<i>Misophrice</i>	Curculionidae	Adelaide, SA	1 P
<i>amplipennis</i> Lea 1925	<i>Rhamphus</i>	Curculionidae	SA	1 P
<i>amplipennis</i> Lea 1915	<i>Scydmeneus</i>	Scydmaenidae	NSW	1 P
<i>amplipennis</i> Macleay 1871	<i>Districhothorax</i> (<i>Ambytelus</i>)	Carabidae	Wide Bay, Q	2 S
<i>amplipes</i> Raffray 1901	<i>Eupinoda</i>	Pselaphidae	King George Sound, WA	1 T
<i>amycteroides</i> Ferguson 1914	<i>Sclerorinus</i>	Curculionidae	Portland, Vic	H, A, 2 P
<i>amycteroides</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	King George Sound, WA	4 S
<i>analis</i> Macleay 1871	<i>Adelotopus</i>	Carabidae	Gayndah, Q	1 S
<i>analis</i> Macleay 1871	<i>Quedius</i>	Staphylinidae	Gayndah, Q	2 S
<i>anchomenoides</i> Macleay 1871	<i>Badister</i> (= <i>Microferonia</i>)	Carabidae	Gayndah, Q	2 S
<i>angasi</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	SA	H
<i>angasi</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	2 S
<i>angasi</i> Pascoe 1863	<i>Symplyletes</i>	Cerambycidae	SA	2 T
<i>angophorae</i> Lea 1906	<i>Baris</i>	Curculionidae	NSW	2 P
<i>angularis</i> Ferguson 1912	<i>Talaurinus</i>	Curculionidae	Q	H, A
<i>angularis</i> Lea 1908	<i>Euryporopterus</i>	Curculionidae	NSW	1 P
<i>angularis</i> Macleay 1866	<i>Cubicorrhynchus</i>	Curculionidae	Swan R., WA	2 S
<i>angulata</i> Olliff 1889	<i>Howea</i>	Cerambycidae	Lord Howe I.	1 T
<i>angulatus</i> Carter 1939	<i>Limonius</i>	Elateridae	Mt Irvine, NSW	2 P
<i>angulatus</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	Rockhampton, Q	2 S
<i>angulatus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Sydney, NSW	2 S
<i>angulicollis</i> Macleay 1871	<i>Paederus</i>	Staphylinidae	Gayndah, Q	4 S
<i>angulicorne</i> Macleay 1873	<i>Bolboceras</i>	Geotrupidae	Port Curtis, Q	L, 1 PL
<i>angusta</i> Lea 1917	<i>Serapta</i>	Seraptidae	Tas	1 P
<i>angustata</i> Macleay 1887	<i>Hybrenia</i>	Alleculidae	Cairns, Q	H
<i>angustatus</i> Lea 1917	<i>Belus</i>	Curculionidae	Strathalbyn, Bull I., SA	2 P
<i>angustatus</i> Macleay 1865	<i>Talaurinus</i>	Curculionidae	King George Sound, WA	4 S
<i>angustibasis</i> Lea 1921	<i>Neocarphurus</i>	Melyridae	Cairns district, Q	2 P
<i>angusticeps</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	NSW	H
<i>angusticollis</i> Carter 1906	<i>Cardiothorax</i>	Tenebrionidae	NSW	3 S
<i>angusticollis</i> Ferguson 1915	<i>Acantholophus</i>	Curculionidae	Vic	H, 3 P
<i>angusticollis</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Cairns, Q	H
<i>angusticollis</i> Macleay 1888	<i>Casnonia (Clarence)</i>	Carabidae	King Sound, WA	3 S
<i>angusticollis</i> Macleay 1864	<i>Xanthophoea</i>	Carabidae	Port Denison, Q	2 S
<i>angusticornis</i> Macleay 1871	<i>Arthropterus</i>	Carabidae	Gayndah, Q	3 S
<i>angustior</i> Ferguson 1916	<i>Sclerorinus</i>	Curculionidae	WA	H, 2 P
<i>angustior</i> Macleay 1871	<i>Cyclothorax</i> (<i>Abacetus</i>)	Carabidae	Gayndah, Q	2 S
<i>angustipennis</i> Macleay 1871	<i>Notonomus</i>	Carabidae	Gayndah, Q	1 S
<i>angustipictus</i> Lea 1911	<i>Mandalotus</i>	Curculionidae	Stanley, Tas	4 P
<i>angustulus</i> Macleay 1887	<i>Trichalus</i>	Lycidae	Cairns, Q	H
<i>angustulus</i> Macleay 1888	<i>Rhyti sternus</i>	Carabidae	King Sound, WA	2 S
<i>angustus</i> Ferguson 1865	<i>Talaurinus</i>	Curculionidae	Vic	H, A, 2 P
<i>angustus</i> Lea 1914	<i>Cyllorhamphus</i>	Curculionidae	Q	2 P
<i>angustus</i> Lea 1911	<i>Prypnus</i>	Curculionidae	Mt Victoria, NSW	2 P
<i>angustus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	Lower Murrumbidgee, NSW	H
<i>anomala</i> Carter 1925	<i>Serotrana</i>	Tenebrionidae	Barrington, NSW	2 S
<i>anomogastra</i> Lea 1915	<i>Colaspoides</i>	Chrysomelidae	Q	H
<i>anopla</i> Lea 1908	<i>Tentegia</i>	Curculionidae	Darling River, NSW	2 P
<i>antennalis</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Groote Eylandt, NT	2 P
<i>anthracinum</i> Macleay 1864	<i>Carenum</i>	Carabidae	SA	4 S
<i>anthracinus</i> Macleay 1873	<i>Promecoderus</i>	Carabidae	Lower Murrumbidgee, NSW	2 S
<i>anthrocoides</i> Ferguson 1921	<i>Talaurinus</i>	Curculionidae	Vic	H, A, 1 P
<i>aphodioides</i> Macleay 1864	<i>Cheiragra</i>	Scarabaeidae	NSW	4 S
<i>apicalis</i> Macleay 1871	<i>Cryptobium</i>	Staphylinidae	Gayndah, Q	4 S
<i>apicalis</i> King 1869	<i>Anthicus</i>	Anthicidae	Port Denison, Q	2 T
<i>apicalis</i> Lea 1911	<i>Bubaris</i>	Curculionidae	Port Denison, Q	3 P
<i>apicalis</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	SA	2 S
<i>apicalis</i> Macleay 1864	<i>Adelotopus</i>	Carabidae	Port Denison, Q	4 S
<i>apicalis</i> Macleay 1888	<i>Cisseis</i>	Buprestidae	King Sound, WA	2 S
<i>apicalis</i> Macleay 1873	<i>Eleale</i>	Cleridae	Gayndah district, Q	2 S
<i>apicalis</i> Macleay 1864	<i>Phylloctonus</i>	Scarabaeidae	Port Denison, Q	2 S
<i>apicalis</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	NSW	H
<i>apicalis</i> Macleay 1887	<i>Selenurus</i>	Cantharidae	Mossman R., Q	H

Specific Name	Original Genus	Family	Type Locality	Types
<i>apicalis</i> Sloane 1896	<i>Clivina</i>	Carabidae	WA	3 T
<i>apicollis</i> Lea 1915	<i>Tomyris</i>	Chrysomelidae	SA	1 P
<i>apicornis</i> Lea 1921	<i>Helcogaster</i>	Melyridae	Mt Lofty, SA	3 P
<i>apicifusca</i> Lea 1917	<i>Copidita</i>	Oedemeridae	Cairns, Q	1 P
<i>apicithirtus</i> Ferguson 1912	<i>Talaarinus</i>	Curculionidae	Q	H
<i>apicipennis</i> Lea 1895	<i>Mecynotarsus</i>	Anthicidae	Tamworth, NSW	1 T
<i>apicirufus</i> Lea 1904	<i>Cadmus</i>	Chrysomelidae	SA	2 S
<i>appendiculatus</i> Lea 1904	<i>Cryptoccephalus</i>	Chrysomelidae	Lane Cove, NSW	2 P
<i>appropinquans</i> Lea 1915	<i>Scydmænus</i>	Scydmænidae	WA	2 P
<i>approximatus</i> Ferguson 1909	<i>Phalidura</i>	Curculionidae	Vic	H
<i>approximatus</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Vic	2 S
<i>apterus</i> Olliff 1889	<i>Telephorus</i>	Cantharidae	Lord Howe I.	2 T
<i>aratrus</i> Pascoe 1866	<i>Cardiothorax</i>	Tenebrionidae	Pine Mountain, Q	2 T
<i>araucariae</i> Lea 1929	<i>Brachycilibe</i>	Tenebrionidae	Norfolk I.	1 P
<i>arbicularia</i> Carter 1911	<i>Adelium</i>	Tenebrionidae	NSW	2 P
<i>arbicularia</i> Ferguson 1928	<i>Mythites</i>	Curculionidae	Mt Tambourine, Q	H, 1 P
<i>arciferus</i> Lea 1907	<i>Mandalotus</i>	Curculionidae	Tas	1 P
<i>arenosus</i> Macleay 1866	<i>Sclerorinus</i>	Curculionidae	Flinders Range, SA	H, A
<i>argus</i> Pascoe 1867	<i>Rhytiphora</i> (<i>Depsages</i>)		Cerambycidae	Rockhampton, Q
<i>arida</i> Lea 1917	<i>Psyllioides</i>	Chrysomelidae	Ooldea, SA	1 P
<i>arida</i> Pascoe 1862	<i>Mycerinopsis</i>	Cerambycidae	Lizard I., Q	3 T
<i>aridus</i> Blackburn 1895	<i>Liparetrus</i>	Scarabaeidae	Lake Callabonna, SA	2 P
<i>argus</i> Lea 1905	<i>Aonychus</i>	Curculionidae	WA	2 P
<i>armata</i> Thomson 1879	<i>Stigmadera</i>	Buprestidae	NSW	1 P
<i>armaticeps</i> Macleay 1871	<i>Scitala</i>	Scarabaeidae	Gayndah, Q	1 S
<i>armatus</i> Lea 1921	<i>Ditropidus</i>	Chrysomelidae	King George Sound, WA	3 P
<i>armicollis</i> Lea 1915	<i>Eudela</i>	Curculionidae	Warrior I., Q	2 P
<i>armicollis</i> Lea 1908	<i>Larius</i>	Melyridae	Darling River, NSW	1 P
<i>armigerus</i> Macleay 1878	<i>Bolboceras</i>	Geotrupidae	Rockhampton, Q	L
<i>armipectus</i> Lea 1909	<i>Mandalotus</i>	Curculionidae	NSW	2 P
<i>armipennis</i> Lea 1910	<i>Aoplacnemis</i>	Curculionidae	Vic	2 P
<i>armipennis</i> Lea 1927	<i>Storeus</i>	Curculionidae	Endeavour R., Q	1 P
<i>arrowi</i> Lea 1911	<i>Lipothyrea</i>	Curculionidae	Q	1 P
<i>arthuri</i> Sloane 1889	<i>Notonomus</i>	Carabidae	Mt Wilson, NSW	2 T
<i>aruspe</i> Pascoe 1866	<i>Blepegenes</i>	Tenebrionidae	Illawarra, NSW	4 T
<i>ashi</i> Lea 1917	<i>Mylocerus</i>	Curculionidae	Ooldea, SA	2 P
<i>asper</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	NSW	L, 3 PL
<i>asper</i> Macleay 1864	<i>Onthophagus</i>	Scarabaeidae	Port Denison, Q	4 S
<i>asper</i> Macleay	<i>Sclerorinus</i>	Curculionidae	SA	H, A
<i>asper</i> Pascoe 1870	<i>Iphisixalus</i>	Curculionidae	King George Sound, WA	2 T
<i>asperatus</i> Macleay 1888	<i>Trox</i>	Trogidae	King Sound, WA	L, 1 P
<i>aspericollis</i> Blackburn 1889	<i>Heteronyx</i>	Scarabaeidae	Wagga Wagga, NSW	H
<i>asperipes</i> Pascoe 1870	<i>Saragus</i>	Tenebrionidae	Port Lincoln, SA	1 T
<i>asperimus</i> Macleay 1888	<i>Trox</i>	Trogidae	King Sound, WA	L, 1 P
<i>aspalatinus</i> Thompson 1968	<i>Catasarcus</i>	Curculionidae	WA	2 P
<i>assimilis</i> Carter 1928	<i>Hesthesis</i>	Cerambycidae	NSW	H, A, 2 P
<i>assimilis</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	NSW	H, A
<i>assimilis</i> Macleay 1888	<i>Haplaner</i>	Carabidae	King Sound, WA	H
<i>assimilis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	NSW	H
<i>assimilis</i> Macleay 1864	<i>Phyllotocus</i>	Scarabaeidae	SA	4 S
<i>assimilis</i> Macleay 1863	<i>Schizorhina</i> (<i>Cacochroa</i> , <i>Lyraphora</i>)	Scarabaeidae	Port Denison, Q	H
<i>astri</i> Lea 1925	<i>Apion</i>	Curculionidae	Murray R., SA	1 P
<i>ater</i> Lea 1909	<i>Balanophorus</i>	Melyridae	SA	H
<i>ater</i> Macleay 1869 (1871)	<i>Abacetus</i>	Carabidae	Gayndah, Q	4 S
<i>ater</i> Macleay 1871	<i>Cyphosoma</i> (<i>Cratogaster</i> , <i>Tibarisus</i>)	Carabidae	Gayndah, Q	3 S
<i>ater</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	H
<i>ater</i> Macleay 1864	<i>Saprinus</i>	Histeridae	Port Denison, Q	4 S
<i>ater</i> Macleay 1887	<i>Xylobanus</i>	Lycidae	Cairns district, Q	2 S
<i>aterrime</i> Macleay 1872	<i>Mordella</i> (<i>Tomoxia</i>)	Mordellidae	Gayndah, Q	2 S
<i>aterrimum</i> Macleay 1873	<i>Helluosoma</i> (<i>Helluoniidius</i>)	Carabidae	Cape York, Q	2 S
<i>aterrimus</i> Ferguson 1915	<i>Sclerorinus</i>	Curculionidae	NSW	H, 1 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>aterrimus</i> Lea 1910	<i>Auletes</i>	Curculionidae	Sydney, NSW	2 P
<i>aterrimus</i> Lea 1904	<i>Brachycaulus</i>	Chrysomelidae	Cleveland Bay, Q	H
<i>aterrimus</i> Macleay 1871	<i>Carpophilus</i>	Nitidulidae	Gayndah, Q	2 S
<i>atra</i> Lea 1921	<i>Atyphella</i>	Lampyridae	National Park, Q	2 P
<i>atra</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Charters Towers, Q	2 P
<i>atra</i> Macleay 1863	<i>Cheiragra</i>	Scarabaeidae	Illawarra, NSW	H
<i>atriceps</i> Carter 1915	<i>Aethyssius</i>	Alleculidae	Port Denison, Q	2 P
<i>atriceps</i> Macleay 1871	<i>Bembidium</i> (<i>Tachys</i>)	Carabidae	Gayndah, Q	4 S
<i>atriceps</i> Macleay 1871	<i>Bryaxis</i>	Pselaphidae	Gayndah, Q	4 S
<i>atriceps</i> Macleay 1864	<i>Liparetrus</i>	Scarabaeidae	Port Denison, Gayndah, Q	L, 1 PL
<i>atriceps</i> Macleay 1871	<i>Trichus</i> (<i>Lecanomerus</i>)	Carabidae	Gayndah, Q	3 S
<i>atriceps</i> Macleay 1873	<i>Conurus</i> (<i>Coproporus</i>)	Staphylinidae	Gayndah, Q	4 S
<i>atrichia</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	Sydney, NSW	H
<i>atricolor</i> Macleay 1888	<i>Lacon</i>	Elateridae	Barrier Range, WA	L
<i>atricornis</i> Lea 1909	<i>Metriorrhynchus</i>	Lycidae	Cairns, Q	2 S
<i>atricornis</i> Lea 1921	<i>Telephorus</i>	Cantharidae	Mt Tambourine, Q	2 P
<i>atripennis</i> Macleay 1887	<i>Xylobanus</i>	Lycidae	Cairns, (Barron R.), Q	6 S
<i>atronitens</i> Lea 1917	<i>Mordellistena</i>	Mordellidae	Cairns district, Q	1 P
<i>atronitens</i> Macleay 1863	<i>Carenum</i>	Carabidae	SA	H
<i>atronitidus</i> W. S. Macleay 1821	<i>Scarabaeus</i> (<i>Gymnopleurus</i>)	Scarabaeidae	Greece	2 S
<i>atrophus</i> Lea 1915	<i>Scydmaenus</i>	Scydmaenidae	WA	2 P
<i>atroviride</i> Sloane 1894	<i>Homalosoma</i> (<i>Trichosternus</i>)	Carabidae	Inverell, NSW	2 S
<i>atro-viridis</i> Macleay 1887	<i>Encyalesthus</i> (<i>Cholipus</i>)	Tenebrionidae	Cairns, Q	2 S
<i>atrum</i> Castelnau 1868	<i>Helluosityma</i>	Carabidae	Rockhampton, Q	1 T
<i>atrum</i> Macleay 1887	<i>Gigadema</i> (<i>Ametroglossus</i>)	Carabidae	Russell R., Q	H
<i>atyphella</i> Olliff 1886	<i>Homalota</i>	Staphylinidae	Sydney, NSW	3 T
<i>auchmeresthes</i> Lea 1926	<i>Mandalotus</i>	Curculionidae	Eccleston, NSW	4 P
<i>aulocophoroides</i> Lea 1917	<i>Laius</i>	Melyridae	WA	3 P
<i>auratus</i> Macleay 1871	<i>Scopodes</i>	Carabidae	Gayndah, Q	4 S
<i>aureomaculatus</i> Fergusson 1915	<i>Cubicorrhynchus</i>	Curculionidae	Cue, WA	H, A
<i>aureotincta</i> Macleay 1887	<i>Pelecotomoides</i>	Rhipiphoridae	Cairns district, Mossman R., Q	2 S
<i>aurus</i> Carter 1906	<i>Cardiothorax</i>	Tenebrionidae	NSW	1 P
<i>auricollis</i> Castelnau 1867	<i>Leiradira</i>	Carabidae	Clarence R., NSW	6 T
<i>auricomus</i> Blackburn 1889	<i>Heteronyx</i>	Scarabaeidae	Darling R., NSW	2 S
<i>auricomus</i> Lea 1911	<i>Tyromorphus</i>	Pselaphidae	Tas	4 P
<i>auriculatus</i> Fergusson 1916	<i>Cubicorrhynchus</i>	Curculionidae	Tenterfield, NSW; Dalveen, Q	H, A, 3 P
<i>aurifer</i> Lea 1904	<i>Cryptococephalus</i>	Chrysomelidae	Sydney, NSW	2 S
<i>aurifer</i> Lea 1927	<i>Storeus</i>	Curculionidae	Fiji, Taveuni	2 P
<i>aurita</i> Fergusson 1915	<i>Brachymycterus</i>	Curculionidae	WA	H, 3 P
<i>aurita</i> Pascoe 1869	<i>Mithippia</i>	Tenebrionidae	SA	1 T
<i>auronotata</i> Lea 1917	<i>Mordella</i>	Mordellidae	Cairns district, Q	4 P
<i>australasiae</i> Blackburn 1892	<i>Donacia</i>	Chrysomelidae	Endeavour R., Q	2 T
<i>australasiae</i> Lea 1910	<i>Apion</i>	Curculionidae	SA	4 P
<i>australasiae</i> Lea 1910	<i>Homalota</i>	Staphylinidae	Vic	2 P
<i>australiae</i> Lea 1906	<i>Baris</i>	Curculionidae	NSW	3 P
<i>australiae</i> Lea 1923	<i>Pinus</i>	Ptinidae	WA	2 P
<i>australiae</i> Lea 1912	<i>Sagola</i>	Pselaphidae	NSW	2 P
<i>australiae</i> Lea 1921	<i>Thallis</i>	Erotylidae	Belltrees, NSW	2 P
<i>australicus</i> Sloane 1896	<i>Tachys</i>	Carabidae	Tweed R., NSW	2 P
<i>australis</i> Castelnau 1867	<i>Apotomus</i>	Carabidae	Melbourne, Vic	2 T
<i>australis</i> King 1865	<i>Georyssus</i>	Georyssidae	Parramatta, NSW	2 T
<i>australis</i> King 1862	<i>Lutochrus</i>	Helminthidae	Parramatta R., NSW	2 T
<i>australis</i> Macleay 1871	<i>Abraeus</i>	Histeridae	Gayndah, Q	4 S
<i>australis</i> Macleay 1871	<i>Philonthus</i>	Staphylinidae	Gayndah, Q	1 S
<i>australis</i> Macleay 1887	<i>Languria</i>	Languriidae	Cairns, Q	4 S
<i>australis</i> Macleay 1871	<i>Polystichus</i>	Carabidae	Rockhampton, Q	H
<i>australis</i> Macleay 1888	<i>Trachys</i> (<i>Habroloma</i>)	Buprestidae	King Sound, WA	3 S
<i>australis</i> Wallace 1868	<i>Lomaptera</i>	Scarabaeidae	Lizard I., Q	1 T
<i>azureipennis</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	Victoria R., NT	2 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>badius</i> Macleay 1888	<i>Liparetrus</i>	Scarabaeidae	King Sound, WA	4 S
<i>badius</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	King Sound, WA	H
<i>balanirostris</i> Lea 1906	<i>Myctides</i>	Curculionidae	Endeavour R., Q	3 P
<i>banksiae</i> W. S. Macleay 1827	<i>Carpophagus</i>	Chrysomelidae	NSW	2 S, 1 T
<i>barbatus</i> King 1863	<i>Mesoplatus</i> (<i>Batrurus</i>)	Pselaphidae	Paramatta, NSW	1 T
<i>barnardi</i> Macleay 1887	<i>Conopterum</i>	Carabidae	Dawson R., Q	H
<i>barnardi</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	Dawson R., Q	2 S
<i>barnardi</i> Macleay 1888	<i>Philoscaphus</i>	Carabidae	Dawson R., Q	H
<i>barossa</i> Carter 1936	<i>Bryocopia</i>	Tenebrionidae	SA	1 P
<i>barretti</i> Carter 1926	<i>Helmis</i>	Helminthidae	NSW	2 P
<i>basalis</i> Macleay 1872	<i>Cylidrus</i>	Cleridae	Gayndah, Q	4 S
<i>basalis</i> Macleay 1871	<i>Hydroporus</i> (<i>Bidessus</i>)	Dytiscidae	Gayndah, Q	2 S
<i>basalis</i> Macleay 1866	<i>Tetracha</i> (<i>Megacephala</i>)	Carabidae	Port Denison, Q	4 S
<i>basicollis</i> Lea 1911	<i>Mylocerus</i>	Curculionidae	between Charters Towers and Hughenden, Q	2 P
<i>basicollis</i> Lea 1919	<i>Pseudoheteronyx</i>	Scarabaeidae	Q	1 P
<i>basiflavus</i> Lea 1908	<i>Metriorrhynchus</i>	Lycidae	Barron R., Q	2 P
<i>basipennis</i> Lea 1913	<i>Exithius</i>	Curculionidae	Tas	2 P
<i>basirostris</i> Lea 1906	<i>Baris</i>	Curculionidae	Q	1 P
<i>basirostris</i> Lea 1914	<i>Polyphrades</i>	Curculionidae	Melville I., NT	2 P
<i>basiventralis</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Endeavour R., Q	2 S
<i>basizonis</i> Lea 1904	<i>Cryptococephalus</i>	Chrysomelidae	Cairns, Q	2 S
<i>bassi</i> Sloane 1902	<i>Notonomus</i>	Carabidae	Yarragon, Vic	1 S
<i>bathursti</i> Pascoe 1866	<i>Symplyletes</i>	Cerambycidae	SA	2 T
<i>besti</i> Ferguson 1921	<i>Sclerorinus</i>	Curculionidae	Portland, Vic	H, A, 2P
<i>besti</i> Sloane 1901	<i>Morphnos</i> (<i>Teropha</i>)	Carabidae	Grampian Mts, Vic	2 P
<i>biarctus</i> Carter 1939	<i>Melanoxanthus</i>	Elateridae	Cairns, Q	H, 1 P
<i>bicarinata</i> Lea 1915	<i>Colaspoides</i>	Chrysomelidae	Richmond R., NSW	2 P
<i>biceps</i> Lea 1903	<i>Phyllocharis</i>	Chrysomelidae	Brisbane, Q	H, 1 P
<i>bicolor</i> Carter 1914	<i>Adelium</i>	Tenebrionidae	Tambourine Mt, Q	3 S
<i>bicolor</i> Carter 1914	<i>Platycilibe</i>	Tenebrionidae	Q	1 P
<i>bicolor</i> Castelnau 1868	<i>Silphomorpha</i>	Carabidae	Rockhampton, Q	1 T
<i>bicolor</i> Lea 1911	<i>Hoplocossonus</i>	Curculionidae	Port Denison, Q	2 P
<i>bicolor</i> Sloane 1896	<i>Clivina</i>	Carabidae	WA	3 T
<i>bicolor</i> Sloane 1899	<i>Thenarotes</i> (<i>Lecanomerus</i>)	Carabidae	Mordialloc, Vic	1 P
<i>bicornis</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	King Sound, WA	2 S
<i>bicornutum</i> Macleay 1887	<i>Conopterum</i>	Carabidae	Endeavour R., Q	H
<i>bicornutus</i> Macleay 1863	<i>Hyborrhynchus</i>	Curculionidae	Port Lincoln, SA	2 S
<i>bidentatus</i> Lea 1899	<i>Melanterius</i>	Curculionidae	WA	2 P
<i>bidentimeda</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Endeavour R., Q	H
<i>bifasciata</i> Lea 1910	<i>Agametis</i>	Curculionidae	Cairns, Q	2 P
<i>bifasciata</i> Macleay 1887	<i>Episcaphula</i>	Erotylidae	Russell R., Q	2 S
<i>bifasciatus</i> Macleay 1871	<i>Hydroporus</i> (<i>Hyphydrus</i>)	Dytiscidae	Gayndah, Q	4 S
<i>bifasciculatus</i> Lea 1912	<i>Scydmaenus</i>	Scydmaenidae	Vic	2 P
<i>bifoveata</i> Lea 1927	<i>Emplesis</i>	Curculionidae	Sydney, NSW	3 P
<i>bifoveiceps</i> Lea 1912	<i>Batrisodes</i>	Pselaphidae	Brisbane, Q	4 P
<i>bifurcatus</i> Lea 1908	<i>Ipteronus</i>	Curculionidae	Q	2 P
<i>biguttata</i> Macleay 1863	<i>Stigmodera</i>	Buprestidae	Port Denison, Q	4 S
<i>biumpressa</i> Lea 1915	<i>Trypoclaspis</i>	Chrysomelidae	Cairns district, Q	2 P
<i>bilineatus</i> Pascoe 1885	<i>Isotrogus</i>	Curculionidae	Cape York, Q	2 T
<i>bilobus</i> Lea 1898	<i>Laemosaccus</i>	Curculionidae	Cairns, Q	2 P
<i>bimaculatum</i> Macleay 1864	<i>Scaphidium</i>	Scaphidiidae	Port Denison, Q	L, PL
<i>bimaculatus</i> Lea 1921	<i>Aphanocephalus</i>	Corylophidae	Mackay, Q	2 P
<i>bimaculatus</i> Lea 1922	<i>Erotendomychus</i>	Endomychidae	Dividing Range, Vic	2 P
<i>bimaculatus</i> Macleay 1888	<i>Acupalpus</i>	Carabidae	King Sound, WA	H
<i>bimaculatus</i> Macleay 1864	<i>Adelotopus</i>	Carabidae	Port Denison, Q	2 S
<i>bimaculatus</i> Macleay 1864	<i>Caelodes</i> (<i>Liparochrus</i>)	Scarabaeidae	Port Denison, Q	3 S
<i>bimaculatus</i> Macleay 1864	<i>Chlaenius</i>	Carabidae	Port Denison, Q	H
<i>binodosus</i> Pascoe 1870	<i>Zymans</i>	Curculionidae	Wide Bay, Q	2 T
<i>binotatus</i> Lea 1920	<i>Coenobius</i>	Chrysomelidae	Sydney, NSW	2 P
<i>biordinatus</i> Macleay 1866	<i>Sclerorinus</i>	Curculionidae	Yorke Peninsula, SA	H

Specific Name	Original Genus	Family	Type Locality	Types
<i>bipunctata</i> W. S. Macleay 1819	<i>Chasmodia</i> (<i>Lagochile</i>)	Scarabaeidae	Brazil	2 S
<i>bipunctatum</i> Macleay 1863	<i>Carenum</i> (<i>Eutoma</i>)	Carabidae	Port Denison, Q.	2 S
<i>bipunctatus</i> Macleay 1865	<i>Euryscaphus</i>	Carabidae	SA	H
<i>bipustulatus</i> Macleay 1871	<i>Bembidium</i>	Carabidae	Gayndah, Q.	6 S
<i>bisignatus</i> Pascoe 1874	<i>Acalles</i>	Curculionidae	Gayndah, Q.	1 T
<i>bisinuatus</i> Macleay 1873	<i>Anthropterus</i>	Carabidae	Lane Cove, NSW	H
<i>bispinosus</i> Macleay 1872	<i>Bostrychus</i>	Bostrichidae	Gayndah, Q.	4 S
<i>bistriatum</i> Macleay 1871	<i>Bembidium</i> (<i>Tachys</i>)	Carabidae	Gayndah, Q.	6 S
<i>bituberculata</i> Lea 1911	<i>Fergusoniella</i> (<i>Fergusonia</i>)	Curculionidae	Swan R., WA	1 P
<i>bituberculatus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	4 S
<i>bivittata</i> Lea 1909	<i>Eniopea</i>	Curculionidae	NSW	2 P
<i>bivitticollis</i> Lea 1915	<i>Rhynparida</i>	Chrysomelidae	Cairns, Q.	H*
<i>bizonata</i> Macleay 1887	<i>Thallis</i>	Erotylidae	Cairns, Q.	2 S
<i>bizonata</i> Macleay 1873	<i>Zonitis</i>	Meloidae	Gayndah, Wide Bay, Q.	4 S
<i>blackburni</i> Carter 1926	<i>Notoceratus</i>	Tenebrionidae	NSW	1 P
<i>blackburni</i> Ferguson 1914	<i>Sclerorinus</i>	Curculionidae	SA	1 P
<i>blackburni</i> Lea 1895	<i>Carphurus</i>	Melyridae	Adelaide, SA	1 P
<i>blackburni</i> Lea 1911	<i>Eristus</i>	Curculionidae	Hobart, Tas	2 P
<i>blackburni</i> Lea 1916	<i>Geomela</i>	Chrysomelidae	Windsor, NSW	4 P
<i>blackburni</i> Lea 1907	<i>Mandalotus</i>	Curculionidae	Stonor, Tas	2 P
<i>blackburni</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	SA	3 S
<i>blackburni</i> Sloane 1896	<i>Clivina</i>	Carabidae	SA	1 S
<i>blackburni</i> Sloane 1890	<i>Promecoderus</i>	Carabidae	Port Lincoln, SA	1 T
<i>blackmorei</i> Lea 1907	<i>Mandalotus</i>	Curculionidae	NSW	2 P
<i>blanda</i> Lea 1917	<i>Mordella</i>	Mordellidae	Wide Bay, Q.	H
<i>bonelli</i> W. S. Macleay 1821	<i>Scarabaeus</i>	Scarabaeidae	Cape of Good Hope, South Africa	H
<i>bostocki</i> Castelnau 1867	<i>Geoscaptus</i> (<i>Scarites</i>)	Carabidae	Nicol Bay, WA	1 T
<i>boviei</i> Lea 1911	<i>Ecrizothis</i>	Curculionidae	Vic	2 P
<i>brèmei</i> Macleay 1872	<i>Pteroheraeus</i>	Tenebrionidae	Gayndah, Q.	4 S
<i>brevicauda</i> Ferguson 1914	<i>Psalidura</i>	Curculionidae	Dalby, Q.	H, A
<i>breviceps</i> King 1869	<i>Atticerus</i>	Pselaphidae	Ropes Creek, NSW	1 T
<i>brevicollis</i> Blackburn 1889	<i>Heteronyx</i>	Scarabaeidae	NSW	2 S
<i>brevicollis</i> Lea 1921	<i>Ditropidus</i>	Chrysomelidae	Cairns district, Q.	2 P
<i>brevicollis</i> Lea 1907	<i>Lemidia</i>	Cleridae	King Sound, Albany, Vasse, Rottnest I., WA	4 P
<i>brevicollis</i> Macleay 1873	<i>Anthropterus</i>	Carabidae	NSW	2 S
<i>brevicornis</i> Cameron 1927	<i>Sternotropa</i>	Staphylinidae	Fiji	2 P
<i>brevicornis</i> Ferguson 1915	<i>Acantholophus</i>	Curculionidae	Vic	H, 1 P
<i>brevicornis</i> Lea 1894	<i>Tomoderus</i>	Anthicidae	SA	2 P
<i>breviformis</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	Glen Innes, NSW	H, 1 P
<i>brevior</i> Ferguson 1914 var. of <i>maculipennis</i> Lea	<i>Talauminus</i>	Curculionidae	Eucla, WA; SA	H, A, 1 P
<i>brevipenne</i> Macleay 1887	<i>Eutoma</i> (<i>Carenum</i>)	Carabidae	Moreton Bay, Q.	H
<i>brevipennis</i> Macleay 1888	<i>Adelotopus</i>	Carabidae	King Sound, WA	2 S
<i>brevipes</i> Lea 1915	<i>Hyparinus</i>	Curculionidae	Cairns, Q.	1 P
<i>brevipilis</i> Lea 1915	<i>Scelodonta</i>	Chrysomelidae	Cairns district, Endeavour R., Q.	2 P
<i>brevipilis</i> Lea 1915	<i>Scydmaenus</i>	Scydmaenidae	Mt Wellington, Waratah, Tas	2 P
<i>brevirostris</i> Lea 1908	<i>Pantoreites</i>	Curculionidae	Vic	2 P
<i>brevirostris</i> Lea 1908	<i>Polyphrades</i>	Curculionidae	WA	2 P
<i>brevirostris</i> Lea 1913	<i>Tyrtaeous</i>	Curculionidae	Cairns district, Q.	1 P
<i>brevis</i> Lea 1919	<i>Neosalpingus</i>	Salpingidae	Cairns, Q.	1 P
<i>brevis</i> Lea 1915	<i>Rhynparida</i>	Chrysomelidae	Cairns, Q.	1 P
<i>bribiensis</i> Lea 1921	<i>Mordella</i>	Mordellidae	Bribie I., Q.	1 P
<i>brisbanensis</i> Castelnau 1868 (1867)	<i>Veradia</i>	Carabidae	Brisbane, Q.	2 T
<i>broadhursti</i> Lea 1896	<i>Pteroheraeus</i>	Tenebrionidae	Houtman's Abrolhos, WA	2 S
<i>browni</i> Ferguson 1915	<i>Acantholophus</i>	Curculionidae	WA	H, 1 P
<i>browni</i> Ferguson 1915	<i>Sclerorinus</i>	Curculionidae	Yalgoo, WA	H, A
<i>browni</i> Lea 1916	<i>Leptops</i>	Curculionidae	Cue, WA	2 P
<i>browni</i> W. S. Macleay 1819 var. of <i>manicatus</i> Swartz	<i>Anoplognathus</i> (<i>Repismus</i>)	Scarabaeidae	"Australasia"	2 S
<i>browni</i> Sloane 1913	<i>Cicindela</i>	Carabidae	WA	1 S

* Label present, specimen missing.

Specific Name	Original Genus	Family	Type Locality	Types
<i>brunneipennis</i> Macleay 1871	<i>Odontotonyx</i>	Scarabaeidae	Gayndah, Q	H
<i>brunneipennis</i> Macleay 1871	<i>Oxytelus</i>	Staphylinidae	Gayndah, Q	2 S
<i>brunnenipenne</i> Macleay 1871	<i>Bembidium</i> (<i>Tachys</i>)	Carabidae	Gayndah, Q	2 S
<i>brunnenipennis</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	King Sound, WA	4 S
<i>bryophagus</i> Lea 1907	<i>Mandalotus</i>	Curculionidae	Hobart, Tas	2 P
<i>bryophila</i> Lea 1911	<i>Rhybaxis</i>	Pselaphidae	Mt Wellington, New Norfolk, Tas	2 P
<i>bryophilus</i> Lea 1911	<i>Microchaetes</i>	Byrrhidae	Waratah, Tas	1 P
<i>bubaroides</i> Ferguson 1914	<i>Talaurious</i>	Curculionidae	SA	H
<i>buprestoides</i> Sloane 1896	<i>Tachys</i>	Carabidae	King Sound, WA	4 P
<i>burmeisteri</i> Macleay 1886	<i>Liparetrus</i> (<i>Automolus</i>)	Scarabaeidae	Illawarra, NSW	L, 1 PL
<i>burnettensis</i> Macleay 1871	<i>Leperina</i>	Trogossitidae	Gayndah, Q	1 S
<i>bursaria</i> Lea 1914	<i>Microvalgus</i>	Scarabaeidae	NSW, Vic, Tas	2 P
<i>cacus</i> Macleay 1863	<i>Geoscapthus</i> (<i>Scarites</i>)	Carabidae	Port Denison, Q	2 S
<i>caeruleipennis</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	WA	2 P
<i>caeruleipennis</i> Lea 1915	<i>Rhynparida</i>	Chrysomelidae	Cairns, Q	1 P
<i>calcaratum</i> Macleay 1873	<i>Brithysternum</i>	Carabidae	Peak Downs, Q	4 S
<i>calcaratus</i> Lea 1908	<i>Hypattalus</i>	Melyridae	Sydney, NSW	3 P
<i>calcaratus</i> Macleay 1865	<i>Cubicorrhynchus</i>	Curculionidae	SA	4 S
<i>calcaratus</i> Macleay 1871	<i>Merodontus</i> (<i>Platiphymatia</i>)	Scarabaeidae	Gayndah, Q	2 S
<i>calcaratus</i> Pascoe 1875	<i>Titurius</i>	Cerambycidae	Ropes Creek, NSW	2 T
<i>caliginosa</i> Pascoe 1872	<i>Rhinaria</i>	Curculionidae	Bombala, NSW	2 T
<i>calomelooides</i> Lea 1904	<i>Cadmus</i>	Chrysomelidae	Gunning, NSW	2 P
<i>calopasa</i> Lea 1917	<i>Mordella</i>	Mordellidae	Cairns district, Q	2 P
<i>caloptera</i> Lea 1917	<i>Mordella</i>	Mordellidae	Cairns district, Q	1 P
<i>calvulum</i> Olliff 1889	<i>Hopatrum</i>	Tenebrionidae	Lord Howe I.	4 T
<i>calypso</i> Blackburn 1889 (1888)	<i>Paropsis</i> (<i>Pyrgo</i>)	Chrysomelidae	Dalmorton, NSW	2 P
<i>camdenensis</i> Macleay 1865	<i>Talaurious</i>	Curculionidae	Camden, NSW	2 S
<i>camelus</i> Pascoe 1873	<i>Tychraeus</i>	Curculionidae	Tas	2 T
<i>campestre</i> Macleay 1865	<i>Carenum</i>	Carabidae	Lower Murrumbidgee, NSW	2 S
<i>canalicornis</i> Lea 1909	<i>Mylocerus</i>	Curculionidae	WA	2 P
<i>canaliculatum</i> Carter 1908	<i>Adelium</i>	Tenebrionidae	NSW	1 P
<i>cancellata</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	Yarrow Creek, NSW	H, A
<i>cancellata</i> Lea 1908	<i>Hyocis</i>	Tenebrionidae	Vic	2 P
<i>canei</i> Carne 1957	<i>Adoryphorus</i>	Scarabaeidae	Burrawang, NSW	1 P
<i>canescens</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	2 S
<i>caperatus</i> Pascoe 1869	<i>Atryphodes</i> (<i>Cardiothorax</i>)	Tenebrionidae	Hunter R., NSW	2 T
<i>capillatus</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	Barrier Range, WA	H
<i>capillatus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	King George Sound, WA	4 S
<i>capreolus</i> Pascoe 1867	<i>Symplytes</i>	Cerambycidae	Rockhampton, Q	2 T
<i>capucinus</i> Pascoe 1870	<i>Exithius</i>	Curculionidae	Tas	3 T
<i>cara</i> Lea 1917	<i>Haplonycha</i>	Scarabaeidae	SA	2 P
<i>cardinalis</i> Donovan 1841	<i>Hyperantha</i>	Buprestidae	Brazil	H
<i>carimatifrons</i> Ferguson 1914	<i>Talaurious</i>	Curculionidae	SA	H, A, 1 P
<i>carinata</i> Macleay 1863	<i>Stigmodera</i>	Buprestidae	Port Denison, Q	3 S
<i>carinaticeps</i> Lea 1909	<i>Catasarcus</i>	Curculionidae	Esperance Bay, WA	1 P
<i>carinatior</i> Ferguson 1915	<i>Talaurious</i>	Curculionidae	NSW	H
<i>carinatus</i> Ferguson 1914	<i>Talaurious</i>	Curculionidae	Vic	H, A
<i>carinatus</i> King 1864	<i>Heterognathus</i>	Scydmaenidae	Parramatta, NSW	1 T
<i>carinatus</i> Lea 1904	<i>Mylocerus</i>	Curculionidae	King Sound, WA	3 P
<i>carinatus</i> Macleay 1864	<i>Carenum</i> (<i>Philoscaphus</i>)	Carabidae	Wingello, Bungendore, NSW	3 S
<i>carpentaria</i> Ferguson 1912	<i>Talaurious</i>	Curculionidae	Q	H
<i>carpentaria</i> Macleay 1873	<i>Bolboceras</i>	Geotrupididae	Q	2 S
<i>carteri</i> Ferguson 1923	<i>Bubaris</i>	Curculionidae	Dalveen, Q	H, A, 1 P
<i>carteri</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	Kosciusko, NSW	H, A
<i>carteri</i> Ferguson 1915	<i>Sclerorinus</i>	Curculionidae	Bridgetown, WA	H, A
<i>carteri</i> Ferguson 1913	<i>Talaurious</i>	Curculionidae	NSW	H
<i>carteri</i> Sloane 1907	<i>Notonomus</i>	Carabidae	Kosciusko, NSW	1 P
<i>carus</i> Lea 1902	<i>Perissops</i>	Curculionidae	Endeavour R., Q	2 P
<i>castaneipennis</i> Macleay 1871	<i>Valgus</i>	Scarabaeidae	Gayndah, Q	2 S
<i>castaneipennis</i> Macleay 1888	<i>Rhopaea</i>	Scarabaeidae	WA	H

Specific Name	Original Genus	Family	Type Locality	Types
<i>castaneus</i> Lea 1921	<i>Ciropes</i>	Nitidulidae	Q	2 P
<i>castaneus</i> Lea 1920	<i>Limnichus</i>	Limnichidae	Mt Tambourine, Q	2 P
<i>castaneus</i> Macleay 1871	<i>Heteronyx</i>	Scarabaeidae	Gayndah, Q	2 S
<i>castaneus</i> Macleay 1871	<i>Silvanus</i>	Silvanidae	Gayndah, Q	H
<i>castelnau'i</i> Lea 1911	<i>Leptops</i>	Curculionidae	Rockhampton, Q	1 P
<i>castelnau'i</i> Macleay 1888	<i>Darodilia</i>	Carabidae	King Sound, WA	2 S
<i>castigatus</i> Lea 1904	<i>Loxopleurus</i>	Chrysomelidae	Sydney, NSW	2 S
<i>castor</i> Lea 1911	<i>Euplectops</i>	Pselaphidae	Tas	2 S
<i>castor</i> Lea 1909	<i>Mylocerus</i>	Curculionidae	Brisbane, Q	2 P
<i>castor</i> Lea 1902	<i>Tyrtaeosus</i>	Curculionidae	Endeavour R., Q	2 P
<i>castor</i> Pascoe 1866	<i>Helaeus</i>	Tenebrionidae	SA	1 T
<i>casuarinae</i> Lea 1915	<i>Micraonychus</i>	Curculionidae	NSW	2 P
<i>caudata</i> Carter 1937	<i>Phormesa</i>	Colydiidae	Adelaide, SA	2 P
<i>caudata</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	Darling Downs, Q	2 S
<i>caviceps</i> Macleay 1866	<i>Talauminus</i>	Curculionidae	Port Lincoln, SA	4 S
<i>cavicollis</i> Macleay 1873	<i>Bolboceras</i>	Geotrupidae	SA	L ♂ + 1 ♂ 2 ♀ PL
<i>cavicollis</i> Lea 1912	<i>Chlamydopsis</i>	Histeridae	Sydney, NSW	H
<i>cavicornis</i> Lea 1908	<i>Laius</i>	Melyridae	Inglewood, Q	3 P
<i>caviventris</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Groote Eylandt, NT	2 P
<i>cellaris</i> Pascoe 1873	<i>Dysostines</i>	Curculionidae	Sydney, NSW	1 T
<i>centralis</i> Macleay 1887	<i>Metriorrhynchus</i>	Lycidae	Cairns, Q	2 S
<i>centralis</i> Macleay 1888	<i>Silphomorpha</i>	Carabidae	King Sound, WA	2 S
<i>centurio</i> Pascoe 1866	<i>Sybra</i>	Cerambycidae	Illawarra, NSW	3 T
<i>cereus</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	WA	H
<i>chalcea</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	Rockhampton, Q	2 P
<i>chalcopterus</i> Olliff 1887	<i>Mysolius</i>	Staphylinidae	Cairns, Mulgrave R., Q	3 T
<i>chalyberpennis</i> Macleay 1873	<i>Philonthus</i>	Staphylinidae	Gayndah, Q	4 S
<i>chaudoiri</i> Castelnau 1867	<i>Catascopus</i>	Carabidae	Clarence R., NSW	2 T
<i>chaudoiri</i> Castelnau 1868	<i>Mystropomus</i>	Carabidae	Clarence R., NSW	2 T
<i>chaudoiri</i> Macleay 1887	<i>Carenidium</i>	Carabidae	Endeavour R., Q	H
<i>chaudoiri</i> Macleay 1869	<i>Carenum</i>	Carabidae	SA	H
<i>chaudoiri</i> Macleay 1873	<i>Coptocarpus</i>	Carabidae	Clarence R., NSW	L
<i>chaunoederus</i> Lea 1925	<i>Mylocerus</i>	Curculionidae	Groote Eylandt, NT	3 P
<i>chlaenioides</i> Macleay 1888	<i>Chlaenioidius</i> (<i>Poecilus</i>)	Carabidae	King Sound, WA	2 S
<i>chrysiderus</i> Pascoe 1885	<i>Mylocerus</i>	Curculionidae	Q	1 P
<i>cicatricosa</i> Lea 1907	<i>Lemidia</i>	Cleridae	NSW	2 P
<i>cicatricosa</i> Pascoe 1871	<i>Leptops</i>	Curculionidae	Wide Bay, Q	2 T
<i>cinctum</i> Macleay 1873	<i>Lachnoderma</i>	Carabidae	Clarence R., NSW	2 S
<i>cinerascens</i> Lea 1906	<i>Leptops</i>	Curculionidae	Hunter R., NSW	2 P
<i>cingulatus</i> Macleay 1871	<i>Myrmecocephalus</i>	Staphylinidae	Gayndah, Q	2 S
<i>cingulatus</i> Macleay 1871	<i>Paederus</i>	Staphylinidae	Gayndah, Q	4 S
<i>cinnamomea</i> Macleay 1862	<i>Stigmodes</i>	Buprestidae	Port Denison, Q	H
<i>clarus</i> Lea 1904	<i>Cryptoccephalus</i>	Chrysomelidae	WA	2 S
<i>clarus</i> Lea 1915	<i>Scydmænus</i>	Scydmænidæ	Tas	2 P
<i>clathratus</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	Fitzroy Downs, Q	H
<i>clavicornis</i> Ferguson 1912	<i>Talaurinus</i>	Curculionidae	NSW	H
<i>cleistostoma</i> Lea 1910	<i>Tretothorax</i>	Tenebrionidae	Q	1 P
<i>clypealis</i> Lea 1924	<i>Heteronyx</i>	Scarabaeidae	Tas	H
<i>coccinelloides</i> Lea 1920	<i>Elaphodes</i>	Chrysomelidae	Hunter R., NSW	1 P
<i>coelestis</i> Lea 1903	<i>Calomela</i>	Chrysomelidae	Port Denison, Q	2 P
<i>coelioxys</i> Lea 1917	<i>Mordellistena</i>	Mordellidae	NSW	1 P
<i>coenosus</i> Lea 1899	<i>Metriorrhynchus</i>	Lycidae	Sydney, Galston; Gosford, NSW	2 T
<i>coerulea</i> Champion 1894	<i>Ectyche</i>	Tenebrionidae	Baudin I., WA	1 S
<i>coeruleipennis</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Cairns, Q	1 P
<i>collaceratus</i> Lea 1905	<i>Bleptocis</i>	Curculionidae	NSW	H
<i>collaris</i> Lea 1914	<i>Polyphrades</i>	Curculionidae	Batchelor, NT	1 P
<i>collaris</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	H
<i>collossus</i> Pascoe 1870	<i>Leptops</i>	Curculionidae	Champion Bay, WA	2 T
<i>columbinus</i> Carter 1939	<i>Melanoxanthus</i>	Elateridae	Cairns, Q	H, 1 P
<i>comatus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	2 S
<i>comes</i> Sloane 1898	<i>Euthenarisis</i>	Carabidae	Darling Ranges, WA	2 T
<i>commodum</i> Pascoe 1869	<i>Adelium</i>	Tenebrionidae	Tas	2 T
<i>communis</i> Macleay 1888	<i>Lacon</i>	Elateridae	King George Sound, WA	L, 1 PL
<i>commutabilis</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Q	2 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>compactus</i> Lea 1908	<i>Elleschedes</i>	Curculionidae	NSW	1 P
<i>compositus</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	Gayndah, Q	2 S
<i>composite</i> Lea 1907	<i>Mecistocerus</i>	Curculionidae	Cape York, Q	7 P
<i>compta</i> Lea 1903	<i>Pseudotepperia</i>	Curculionidae	WA	H
<i>comptus</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	SA	2P
<i>concaviceps</i> Lea 1917	<i>Oxacis</i>	Oedemeridae	Fortescue R., WA	2 P
<i>concaurostris</i> Lea	<i>Rhinaria</i>	Curculionidae	Port Denison, Q	2 P
<i>concininus</i> Lea 1908	<i>Elleschus</i>	Curculionidae	Forest Reef, NSW	1 P
<i>concolor</i> King 1869	<i>Anthicus</i>	Anthicidae	Parramatta, NSW	2 T
<i>concolor</i> Macleay 1871	<i>Nitidula</i>	Nitidulidae	Gayndah, Q	4 S
<i>concolor</i> Macleay 1887	<i>Palaestrida</i>	Meloidae	Russell R., Q	H
<i>concolor</i> W. S. Macleay 1827	<i>Stenoderus</i>	Cerambycidae	Tas	4 S
<i>concolor</i> Sloane 1893	<i>Euryscaphus</i>	Carabidae	Fowler's Bay, SA	A (?)
<i>confusus</i> Ferguson 1914	<i>Talauminus</i>	Curculionidae	NSW	H, A
<i>confusus</i> Macleay 1872	<i>Pterohelaeus</i>	Tenebrionidae	Gayndah, Q	3 S
<i>confusus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	H
<i>congener</i> Olliff 1885	<i>Silvanus</i>	Silvanidae	SA	1 T
<i>congestum</i> Lea 1910	<i>Apion</i>	Curculionidae	Port Denison, Q	2 P
<i>conicicornis</i> Lea 1911	<i>Euplectops</i>	Pselaphidae	Mt Wellington, Hobart, Tas	2 P
<i>confifer</i> Lea 1910	<i>Onesorus</i>	Curculionidae	WA	2 P
<i>confungens</i> Lea 1925	<i>Platysoma</i>	Histeridae	NSW, Q	2 P
<i>conloni</i> Lea 1907 (1908)	<i>Perperus</i>	Curculionidae	King I., Tas	2 P
<i>conspicta</i> Lea 1917	<i>Mordella</i>	Mordellidae	Q	1 P
<i>conspersus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	H
<i>conspicuendus</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	NSW	1 P
<i>conspectius</i> Lea 1912	<i>Exithius</i>	Curculionidae	Tas	1 P
<i>conspicua</i> Olliff 1886	<i>Lepirina</i>	Trogositidae	Lizard I., Q	4 T
<i>conspicua</i> Macleay 1864	<i>Onthophagus</i>	Scarabaeidae	Port Denison, Q	4 S
<i>constricticeps</i> Sloane 1896	<i>Pyrrhotachys</i> (<i>Perileptus</i>)	Carabidae	Tamworth, NSW	4 P
<i>constricticornis</i> Lea 1910	<i>Articerus</i>	Pselaphidae	Murrurundi, NSW	H
<i>constrictus</i> Macleay 1872	<i>Anthicus</i>	Anthicidae	Gayndah, Q	2 S
<i>contaminatus</i> Grouvelle 1877	<i>Laemophlaeus</i>	Cucujidae	Wide Bay, Q	2 T
<i>conterminus</i> Olliff 1885	<i>Laemophlaeus</i>	Cucujidae	Wide Bay, Q	1 T
<i>convexa</i> Macleay 1872	<i>Cistela</i>	Alleculidae	Gayndah, Q	1 S
<i>convexitcollis</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	Berrima, NSW	2 S
<i>convexitcollis</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	Port Augusta, SA	3 S
<i>convexitior</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	L, PL
<i>convexituscum</i> Macleay 1872	<i>Adelium</i>	Tenebrionidae	Gayndah, Q	2 S
<i>convexituscum</i> Macleay 1871	<i>Platysoma</i>	Histeridae	Gayndah, Q	4 S
<i>convexituscum</i> Macleay 1866	<i>Acantholophus</i>	Curculionidae	Shelley's Flat, NSW	H, A
<i>convexituscum</i> Macleay 1871	<i>Carpophilus</i>	Nitidulidae	Gayndah, Q	2 S
<i>convexituscum</i> Macleay 1871	<i>Gyrinus</i>	Gyrinidae	NSW, Q	2 S
<i>convexituscum</i> Macleay 1871	<i>Harpalus</i> (<i>Gnathaphanus</i>)	Carabidae	Gayndah, Q	H
<i>convexituscum</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Murrumbidgee (Wagga), NSW	2 S
<i>convexus</i> Macleay 1871	<i>Bembidium</i> (<i>Tachys</i>)	Carabidae	Gayndah, Q	8 P
<i>convexus</i> Castelnau 1865	<i>Coptocarpus</i>	Carabidae	King George Sound, WA	T
<i>convexus</i> Lea 1910	<i>Lissotes</i>	Lucanidae	Tas	1 P
<i>convexus</i> Macleay 1864	<i>Craspedophorus</i> (<i>Eudema</i>)	Carabidae	Port Denison, Q	2 S
<i>convexus</i> Sloane 1899	<i>Meonis</i>	Carabidae	Blue Mts, NSW	1 P
<i>convexus</i> Sloane 1893	<i>Sclerorinus</i>	Curculionidae	McDonnell Ranges, Central Australia	H
<i>cooki</i> Macleay 1886	<i>Liparetrus</i> (<i>Automolius</i>)	Scarabaeidae	Endeavour R., Q	H
<i>coracina</i> Macleay 1871	<i>Tachyusa</i> (<i>Calodera</i>)	Staphylinidae	Gayndah, Q	4 S
<i>cordicollis</i> Pascoe 1869	<i>Cardiothorax</i>	Tenebrionidae	Q	2 T
<i>cordicollis</i> Sloane 1899	<i>Cyclothorax</i> (<i>Mecyclothorax</i>)	Carabidae	Urana, NSW	2 S
<i>cordipenne</i> Sloane 1897	<i>Carenum</i>	Carabidae	NW district, Vic	2 T (hind body only)
<i>coriaceus</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Geraldton, WA	2 P
<i>cornigerum</i> Macleay 1873	<i>Bolboceras</i>	Geotrupidae	Swan R., WA	L♂ 1♂ 2♀ PL

Specific Name	Original Genus	Family	Type Locality	Types
<i>cornutum</i> Macleay 1888	<i>Bolboceras</i>	Geotrupidae	Barrier Range, WA	L ♂ 1 ♂ 2 ♀
			PL	
<i>cornutus</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Wide Bay, Q	4 S
<i>copulentus</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	King Sound, WA	H
<i>corticalis</i> Lea 1924	<i>Dorcatoma</i>	Anobiidae	Pillworta, SA	1 P
<i>corticalis</i> Lea 1908	<i>Pseudapries</i>	Curculionidae	Cairns, Q	2 P
<i>corticalis</i> Lea 1913	<i>Tapinocis</i>	Curculionidae	Hobart, Tas	1 P
<i>corynophylloides</i> Carne 1957	<i>Neodasygnathus</i>	Scarabaeidae	NSW	3 P
<i>costalis</i> Macleay 1873	<i>Philoscaphus</i>	Carabidae	Nicol Bay, WA	3 S
<i>costata</i> Lea 1919	<i>Euclarkia</i>	Colydiidae	Swan R., WA	3 P
<i>costata</i> Macleay 1871	<i>Ditoma</i>	Colydiidae	Gyndah, Q	2 S
<i>costata</i> Macleay 1872	<i>Melobasis</i>	Buprestidae	Gyndah, Q	L + 3 PL
<i>costata</i> Pascoe 1863	<i>Penthea</i>	Cerambycidae	King Sound, WA	2 T
<i>costatus</i> King 1869	<i>Nepharis</i>	Colydiidae	Liverpool, NSW	1 T
<i>costatus</i> Macleay 1871	<i>Microchaetes</i>	Byrrhidae	Gyndah, Q	3 S
<i>costatus</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Darwin, NT	4 S
<i>costicollis</i> Lea 1909	<i>Metriorrhynchus</i>	Lycidae	Cairns, Q	H
<i>costipennis</i> Ferguson 1914	<i>Psalidura</i>	Curculionidae	Brisbane, Q	H, A
<i>costipennis</i> Ferguson 1912	<i>Talaurinus</i>	Curculionidae	Vic	H
<i>costirostris</i> Lea 1907 (1908)	<i>Perperus</i>	Curculionidae	King I., Tas	2 P
<i>cowardense</i> Blackburn 1894	<i>Hopatrum</i>	Tenebrionidae	Coward Springs, nr Lake	1 T
	(<i>Gonocephalum</i>)		Eyre, SA	
<i>coxalis</i> Lea 1913	<i>Tyrtaeoellus</i>	Curculionidae	Cairns district, Q	1 P
<i>coxi</i> Ferguson 1923	<i>Mythites</i>	Curculionidae	Eccleston, NSW	H, 1 P
<i>coxi</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	Mudgee (Dabee), NSW	4 S
<i>c - purpureus</i> Lea 1914	<i>Laius</i>	Melyridae	Cairns, Q	2 P
<i>crabroides</i> Carter 1928	<i>Hesthesis</i>	Cerambycidae	Q	H, A
<i>crassiceps</i> Macleay 1871	<i>Cymindis</i>	Carabidae	Moreton Bay, Q	H
<i>crassicornis</i> Bates 1873	<i>Spilosomapha</i>	Tenebrionidae	NSW	2 S
<i>crassicornis</i> Lea 1895	<i>Heteromastix</i>	Cantharidae	Cairns, Q	4 P
<i>crassicornis</i> Macleay 1888	<i>Cicindela</i>	Carabidae	King Sound, WA	H
<i>crassidens</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	King Sound, WA	4 S
<i>crassipes</i> Lea 1915	<i>Phagophana</i>	Scydmaenidae	Tas	2 P
<i>crassipes</i> Sloane 1898	<i>Gnathoxys</i>	Carabidae	Rottnest I., WA	1 S
<i>crassipes</i> Sloane 1904	<i>Morio</i>	Carabidae	Kuranda, Q	1 T
<i>crassirostris</i> Lea 1906	<i>Leptops</i>	Curculionidae	Port Denison, Q	1 P
<i>crassiulus</i> Macleay 1866	<i>Hyborrhynchus</i>	Curculionidae	King George Sound, WA	1 S
<i>crawshawi</i> Ferguson 1923	<i>Aedriodes</i>	Curculionidae	Jandokot, WA	H, A, 11 P
<i>crawshawi</i> Ferguson 1921	<i>Sclerorrhinella</i>	Curculionidae	WA	H, 1 P
<i>crenaticollis</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	NSW	H
<i>crenaticollis</i> Macleay 1864	<i>Scaraphites</i>	Carabidae	SA	H
<i>crenatiennis</i> Macleay 1871	<i>Ammoeicus</i>	Scarabaeidae	Gayndah, Q	2 S
<i>crenicolle</i> Pascoe 1869	<i>Seirotrana</i>	Tenebrionidae	Mts of Victoria, Vic	4 T
<i>crenulata</i> Macleay 1885	<i>Homolamprima</i>	Lucanidae	Clarence River, NSW	H
<i>crenulatus</i> Ferguson 1912	<i>Talaurinus</i>	Curculionidae	NSW	H
<i>crenulatus</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Darwin, NT	H
<i>crenulatus</i> Macleay 1888	<i>Pterostichus</i>	Carabidae	King Sound, WA	1 S
<i>crenulatus</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	Port Denison, Q	2 S
<i>crenulicollis</i> Bates 1880	<i>Atryphodes</i>	Tenebrionidae	Endeavour R., Q	1 T
	(<i>Cardiothorax</i>)			
<i>cretata</i> Pascoe 1859	<i>Rhytiphora</i>	Cerambycidae	Moreton Bay, Q	2 T
<i>cribriceps</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Strahan, Tas	2 P
<i>cribricollis</i> Lea 1928	<i>Idotasia</i>	Curculionidae	Fiji	2 P
<i>cribripennis</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Swan R., WA	2 P
<i>criniger</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	2 S
<i>crinita</i> Pascoe 1872	<i>Agricola</i>	Curculionidae	Gayndah, Q	1 T
<i>cristata</i> Lea 1911	<i>Fergusonia</i>	Curculionidae	Sydney, NSW	2 P
<i>cristatus</i> Pascoe 1875	<i>Hebecerus</i>	Cerambycidae	Gayndah, Q	4 T
<i>cristatus</i> Pascoe 1870	<i>Protopalus</i>	Curculionidae	Q	2 T
<i>croesus</i> Lea 1915	<i>Agetinus</i>	Chrysomelidae	King George Sound, WA	H
<i>cruciata</i> Pascoe 1875	<i>Corrhenes</i>	Cerambycidae	Gayndah, Q	2 T
<i>cruciatus</i> W. S. Macleay 1827	<i>Clerus</i>	Cleridae	Australia	H
<i>cruciger</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	WA	2 S
<i>crucigera</i> Macleay 1863	<i>Tetracha</i>	Carabidae	Port Denison, Q	2 S
<i>crucigera</i> Pascoe 1910	<i>Odosyllis</i>	Curculionidae	New Guinea	1 P
<i>cucullata</i> Macleay 1887	<i>Emenadia</i>	Rhipiphoridae	Cairns, Q	3 S
<i>culturata</i> Ferguson 1914	<i>Psalidura</i>	Curculionidae	Vic	H, A

Specific Name	Original Genus	Family	Type Locality	Types
<i>cuneicaudata</i> Ferguson 1914	<i>Psalidura</i>	Curculionidae	Q	1 P (♀)
<i>cuniculus</i> Macleay 1864	<i>Onthophagus</i>	Scarabaeidae	Northern parts of NSW & Q	2 S
<i>cuneiformis</i> Olliff 1886	<i>Dabra</i>	Staphylinidae	King George Sound, WA	2 T
<i>cuprea</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	Rockhampton, Q	2 S
<i>cupreipennis</i> Macleay 1871	<i>Stenus</i>	Staphylinidae	Gayndah, Q	♂L + 3♀ PL
<i>cupreomicans</i> Ferguson 1921	<i>Acantholophus</i>	Curculionidae	WA	H
<i>cupreoniger</i> Lea 1912	<i>Ptinus</i>	Ptinidae	Stanley, Tas	2 P
<i>cupripenne</i> Macleay 1863	<i>Carenum</i>	Carabidae	King George Sound, WA	2 S
<i>cuprites</i> Lea 1903	<i>Stethomela</i>	Chrysomelidae	Cairns, Q	1 P
<i>cursitans</i> Macleay 1863	<i>Distipsidera</i>	Carabidae	Clarence R., NSW	2 S
<i>curticollis</i> Sloane 1896	<i>Tachys</i>	Carabidae	Tweed River, NSW	1 P
<i>curlutus</i> Olliff 1889	<i>Meneristes</i>	Tenebrionidae	Lord Howe I.	4 T
<i>curvifasciata</i> Lea 1910	<i>Allelidea</i>	Cleridae	WA	1 P
<i>curvipes</i> Ferguson 1915	<i>Cubicorrhynchus</i>	Curculionidae	Geraldton, WA	4 P
<i>curvipes</i> Lea 1913	<i>Decilans</i>	Curculionidae	Ardrossan, SA	2 P
<i>curvipes</i> Sloane 1920	<i>Promecoderus</i>	Carabidae	Tas	1 S
<i>cuvieri</i> W. S. Macleay 1821	<i>Scarabaeus</i>	Scarabaeidae	Senegal	H
<i>cyanea</i> Castelnau 1868	<i>Helluosoma</i> (<i>Helluonidius</i>)	Carabidae	Rockhampton, Q	2 T*
<i>cyanea</i> Macleay 1872	<i>Lagria</i>	Lagriidae	Gayndah, Q	4 S
<i>cyanepennis</i> Macleay 1871	<i>Leptacinus</i> (<i>Metaponus</i>)	Staphylinidae	Gayndah, Q	2 S
<i>cyaneum</i> Castelnau 1867	<i>Helluosoma</i>	Carabidae	Rockhampton, Q	2 T
<i>cyanocinctus</i> Macleay 1871	<i>Notonomus</i>	Carabidae	Gayndah, Q	1 S
<i>cyaneus</i> Macleay 1872	<i>Atractus</i> (<i>Neoatractus</i>)	Alleculidae	Gayndah, Q	4 S
<i>cyaneus</i> Pascoe 1870	<i>Omolipus</i>	Tenebrionidae	King George Sound, WA	2 T
<i>cyanipenne</i> Macleay 1869	<i>Carenum</i>	Carabidae	SA	4 S
<i>cylindrica</i> Carter 1937	* <i>Bitoma</i>	Colydiidae	Illawarra, NSW & Q	2 P
<i>cylindrica</i> Macleay 1863	<i>Megacephala</i>	Carabidae	Peak Downs, Q	2 S
<i>cylindricollis</i> Macleay 1873	<i>Arthropterurus</i>	Carabidae	Rockhampton, Q	H
<i>cylindricornis</i> Lea 1910	<i>Articerus</i>	Pselaphidae	Portland, Vic	2 P
<i>cylindricus</i> Macleay 1872	<i>Bostrychus</i>	Bostrichidae	Gayndah, Q	4 S
<i>cylindricus</i> Macleay 1888	<i>Bubastes</i>	Buprestidae	King Sound, WA	H
<i>cylindricus</i> Macleay 1871	<i>Sunius</i>	Staphylinidae	Gayndah, Q	2 S
<i>cylindirostre</i> Lea 1910	<i>Apion</i>	Curculionidae	SA	1 P
<i>cynethoides</i> Pascoe 1885	<i>Zena</i>	Curculionidae	Celebes	1 P
<i>dallasi</i> Pascoe 1869	<i>Rhytiphora</i>	Cerambycidae	Champion Bay, WA	1 T
<i>damastes</i> Macleay 1863	<i>Geoscaptus</i>	Carabidae	Murrumbidgee, NSW	2 S
<i>dameli</i> Macleay 1869	<i>Carenidium</i>	Carabidae	Cape York, Q	H
<i>dameli</i> Macleay 1873	<i>Gigadema</i>	Carabidae	Cape York, Q	H
<i>dameli</i> Macleay 1873	<i>Mecynognathus</i>	Carabidae	Cape York, Q	2 S
<i>dameli</i> Macleay 1865	<i>Talaurinus</i> (<i>Dicherotropis</i>)	Curculionidae	King George Sound, WA	4 S
<i>dardanus</i> W. S. Macleay 1819	<i>Phanaeus</i>	Scarabaeidae	"Brazilia"	H
<i>darlingense</i> Macleay 1887	<i>Carenidium</i>	Carabidae	Bourke, NSW	H
<i>darwiniensis</i> Blackburn 1889	<i>Heteronyx</i>	Scarabaeidae	Darling R., NSW	2 S**
<i>darlingensis</i> Ferguson 1912 var. of <i>variegatus</i> Macleay	<i>Talaurinus</i>	Curculionidae	Darling R., NSW	H, A
<i>darlingensis</i> Macleay 1873	<i>Arthropterurus</i>	Carabidae	Darling R., NSW	H
<i>darwini</i> Blackburn 1889	<i>Heteronyx</i>	Scarabaeidae	NT	1 S
<i>darwini</i> Sloane 1909	<i>Cicindela</i>	Carabidae	Port Denison, Q	1 S
<i>darwiniense</i> Macleay 1878	<i>Carenum</i>	Carabidae	Darwin, NT	H
<i>darwiensis</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Port Darwin, NT	H
<i>daveyi</i> Ferguson 1921	<i>Sclerorinus</i>	Curculionidae	Portland, Vic	H, A, 2 P
<i>deauratus</i> Macleay 1872	<i>Agrilus</i>	Buprestidae	Gayndah (Wide Bay), Q	2 S
<i>debilis</i> Blackburn 1890	<i>Clivina</i>	Carabidae	SA	1 P
<i>decemmaculata</i> Lea 1903 (1902)	<i>Phyllocharis</i>	Chrysomelidae	Wide Bay, Q	2 S
<i>decipiens</i> Lea 1908	<i>Eleschus</i>	Curculionidae	WA	2 P
<i>decipiens</i> Lea 1912	<i>Gerallus</i>	Pselaphidae	Vic	1 P
<i>decipiens</i> Lea 1910	<i>Lamitema</i>	Curculionidae	Cairns, Q	2 P

* Hind bodies only.

** One marked "Type" by Lea.

Specific Name	Original Genus	Family	Type Locality	Types
<i>decipiens</i> Lea 1910	<i>Merimnetes</i>	Curculionidae	Mt Wellington, Tas	2 P
<i>decipiens</i> Lea 1915	<i>Micraonychus</i>	Curculionidae	Hobart, Tas	2 P
<i>decipiens</i> Lea 1913	<i>Pezichus</i>	Curculionidae	Cairns district, Q	1 P
<i>decipiens</i> Pascoe 1863	<i>Symplytes</i>	Cerambycidae	SA	2 T
<i>decoratata</i> Macleay 1863	<i>Schizorhina</i> (<i>Camilla</i>)	Scarabaeidae	Port Denison, Q	8 S
<i>decorum</i> Sloane 1888	<i>Carenum</i>	Carabidae	Coonamble district, NSW	1 P
<i>delicatus</i> Lea 1895	<i>Anthicus</i>	Anthicidae	WA	1 P
<i>delicatus</i> Lea 1904	<i>Balaninus</i>	Curculionidae	WA	H
<i>delicatus</i> Lea 1904	<i>Schizosternus</i>	Chrysomelidae	Rockhampton, Q	2 S
<i>denisont</i> Lea 1894	<i>Anthicus</i>	Anthicidae	Tarcutta, NSW	6 P
<i>denisont</i> King 1869	<i>Anthicus</i>	Anthicidae	Port Denison, Q	2 S
<i>denisont</i> King 1869	<i>Formicans</i>	Anthicidae	Port Denison, Q	2 S
<i>dentatus</i> Blackburn 1895	<i>Eophileurus</i>	Scarabaeidae	Endeavour R., Port Denison, Q	2 T
<i>denticollis</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Kurrajong, NSW	2 S
<i>denticollis</i> Macleay 1864	<i>Scopodes</i>	Carabidae	Port Denison, Q	3 S
<i>denticollis</i> Pascoe 1867	<i>Phaeapete</i>	Cerambycidae	Rockhampton, Q	2 T
<i>dentipes</i> Lea 1921	<i>Metriorrhynchus</i>	Lycidae	Coen R., Q	H
<i>dentiventris</i> Lea 1915	<i>Scydmaenus</i>	Scydmaenidae	Tas, NSW	1 P
<i>depressiscutula</i> Macleay 1872	<i>Cistela (Nocar)</i>	Alleculidae	Gayndah, Q	3 S
<i>depressiscutulus</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	SA	2 S
<i>depressus</i> Lea 1915	<i>Scydmaenus</i>	Scydmaenidae	SA	6 P
<i>depressus</i> Macleay 1873	<i>Anthropterus</i>	Carabidae	Tweed R., NSW	H
<i>depressus</i> Wollaston 1873	<i>Aphanocrynes</i>	Curculionidae	King George Sound, WA	2 S
<i>derbyensis</i> Macleay 1888	<i>Helaeus</i>	Tenebrionidae	Derby, WA	2 S
<i>desectus</i> Macleay 1871	<i>Onthophagus</i>	Scarabaeidae	Rockhampton, Q	2 S
<i>desiderabilis</i> Lea 1906	<i>Ipsichora</i>	Curculionidae	Q	2 P
<i>dequieti</i> Carter 1927	<i>Stigmadera</i>	Buprestidae	Armidale, NSW	1 P
<i>devia</i> Lea 1906	<i>Baris</i>	Curculionidae	Q	2 P
<i>devexus</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	King Sound, WA	H
<i>digglei</i> Macleay 1869	<i>Eutoma (Carenum)</i>	Carabidae	Moreton Bay, Q	3 S
<i>digglei</i> Macleay 1873	<i>Carenum</i>	Carabidae	Brisbane, Q	2 S
<i>dilaticollis</i> Macleay 1863	<i>Sclerorinus</i>	Curculionidae	Vic	3 S
<i>dilaticollis</i> Macleay 1888	<i>Trox</i>	Trogidae	King Sound, WA	L, 1 P
<i>dilutior</i> Blackburn 1896	<i>Monolepta</i>	Chrysomelidae	Cairns, Q	2 P
<i>dimidiata</i> Macleay 1872	<i>Cisseis</i>	Buprestidae	Gayndah, Q	4 S
<i>dimidiata</i> Macleay 1888	<i>Sarothrocrepis</i>	Carabidae	King Sound, WA	H
<i>diminutus</i> Lea 1909	<i>Metriorrhynchus</i>	Lycidae	Cairns, Q	H
<i>discicollis</i> Lea 1916	<i>Uracanthus</i>	Cerambycidae	SA	1 P
<i>discolor</i> Pascoe 1871	<i>Simocrysa</i>	Cerambycidae	King George Sound, WA	2 T
<i>discoidalis</i> Macleay 1864	<i>Liparetrus</i>	Scarabaeidae	Port Denison, Q	H
<i>discorimus</i> Sloane 1902	<i>Notonomus</i>	Carabidae	Tweed R., NSW	1 P
<i>discorufa</i> Lea 1903	<i>Stethomela</i>	Chrysomelidae	Cairns, Q	7 S
<i>dispar</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	Darling Range, WA	1 P
<i>dispar</i> Lea 1907	<i>Mecistocerus</i>	Curculionidae	Cape York, Q	4 P
<i>dispar</i> Macleay 1873	<i>Anoplognathus</i>	Scarabaeidae	NSW	H
<i>dispar</i> Macleay 1869	<i>Carenum</i>	Carabidae	SA	3 S
<i>dispersus</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Lower Murrumbidgee, NSW	2 S
<i>distinctum</i> Macleay 1864	<i>Toxicum</i>	Tenebrionidae	Gayndah, Q	2 S
<i>distinctus</i> Lea 1913	<i>Agathicis</i>	Curculionidae	Q	1 P
<i>distortus</i> Lea 1904	<i>Cryptococephalus</i>	Chrysomelidae	Brisbane, Q	1 P
<i>distortus</i> Lea 1909	<i>Heteromastix</i>	Cantharidae	Sydney, NSW	H
<i>distributa</i> Lea 1915	<i>Tomyris</i>	Chrysomelidae	Blue Mts, NSW	1 P
<i>divaricatus</i> Macleay 1871	<i>Onthophagus</i>	Scarabaeidae	Gayndah, Q	2 S
<i>divaricatus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	H
<i>dives</i> Lea 1899	<i>Neozeneudes</i>	Curculionidae	Illawarra, NSW	4 P
<i>dixoni</i> Ferguson 1915	<i>Acantholophus</i>	Curculionidae	Vic	H, 1 P
<i>dixoni</i> Ferguson 1915	<i>Sclerorinus</i>	Curculionidae	Vic	H, A, 2P
<i>doddi</i> Sloane 1905	<i>Cicindela</i>	Carabidae	Kuranda, Q	2 T
<i>dolichoderes</i> Lea 1925	<i>Philonthus</i>	Staphylinidae	Lord Howe I.	2 P
<i>dolichognathus</i> Lea 1920	<i>Polyachus</i>	Chrysomelidae	SA	2 P
<i>dominorum</i> King 1864	<i>Bryaxis</i>	Pselaphidae	Clyde R., NSW	1 T
<i>doriae</i> Pascoe 1885	<i>Zygara</i>	Curculionidae	New Guinea	2 P
<i>dorsalis</i> Pascoe 1873	<i>Axides</i>	Curculionidae	Sydney, NSW	2 T
<i>dorsalis</i> W. S. Macleay 1827	<i>Epithora</i>	Cerambycidae	NSW	4 S
<i>dorsalis</i> Macleay 1873	<i>Promecoderus</i>	Carabidae	Murrumbidgee, NSW	2 S
<i>draco</i> W. S. Macleay 1827	<i>Amycterus</i>	Curculionidae	WA	2 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>dubia</i> Lea 1914	<i>Misophrice</i>	Curculionidae	Dalby, Q	2 P
<i>dubia</i> Lea 1900	<i>Oreda</i>	Curculionidae	NSW	H
<i>dubius</i> Lea 1911	<i>Mesoplatus</i>	Pselaphidae	WA	2 P
<i>dubius</i> Macleay 1871	<i>Philophloeus</i>	Carabidae	Wide Bay, Q	2 S
<i>dubius</i> Macleay 1865	<i>Talaurinus</i>	Curculionidae	Darling Downs, Q	H
<i>duboulaye</i> Bates 1873	<i>Amarygnimus</i>	Tenebrionidae	Champion Bay, WA	1 T
<i>dulcis</i> Carter 1939	<i>Paracardiophorus</i>	Elateridae	SA	1 P
<i>dumbrelli</i> Lea 1895	<i>Paraphanes</i>	Tenebrionidae	Lane Cove, NSW	2 S
<i>dumosus</i> Macleay 1865	<i>Talaurinus</i>	Curculionidae	King George Sound, WA	4 S
<i>duplicata</i> Lea 1909	<i>Timareta</i>	Curculionidae	National Park, NSW	2 P
<i>duplicatus</i> Lea 1911	<i>Mechistocerus</i>	Curculionidae	Cape York, Q	1 P
<i>durus</i> Lea 1909	<i>Catasarcus</i>	Curculionidae	Mt Barker, WA	1 P
<i>ebenina</i> Lea 1929	<i>Araucaricola</i>	Tenebrionidae	Norfolk I.	2 P
<i>ebeninus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	King George Sound, WA	2 S
<i>echidna</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Blue Mts, NSW	3 S
<i>echidna</i> W. S. Macleay 1827	<i>Chrysolopus</i> (<i>Leptopius</i>)	Curculionidae	New Holland	2 S
<i>echinata</i> Pascoe 1865	<i>Aromagis</i>	Curculionidae	NSW	2 T
<i>echinata</i> Lea	<i>Hibberticola</i>	Curculionidae	SA	2 P
<i>ectatommae</i> Lea 1910	<i>Scydmaenus</i>	Scydmaenidae	Tas	2 P
<i>ectromoides</i> Sloane 1896	<i>Tachys</i>	Carabidae	Donnybrook, WA	H
<i>edenensis</i> Ferguson 1914 var. of <i>mira</i>	<i>Psalidura</i>	Curculionidae	Eden, NSW	H
<i>edentulus</i> W. S. Macleay 1827	<i>Passalus</i> (<i>Aulacocyclus</i>)	Passalidae	Australia	H
<i>effulgens</i> Lea 1909	<i>Euops</i>	Curculionidae	SA	2 S
<i>egens</i> Lea 1907	<i>Mecistocerus</i>	Curculionidae	Cairns, Q	H
<i>egenus</i> Olliff 1886	<i>Ptinus</i>	Ptinidae	Lane Cove, NSW	3 T
<i>elata</i> Pascoe 1873	<i>Licinoma</i>	Tenebrionidae	Gayndah, Q	4 T
<i>elder</i> Sloane 1893	<i>Sclerorinus</i>	Curculionidae	Everard Range, SA	2 S
<i>eleonora</i> Carter 1925	<i>Chromomaea</i>	Alleculidae	NSW	2 S
<i>electrica</i> King 1862	<i>Bryaxis</i>	Pselaphidae	Parramatta, NSW	3 T
<i>elegans</i> Lea 1895	<i>Formicomus</i>	Anthicidae	WA	2 P
<i>elegans</i> Lea 1904	<i>Leptops</i>	Curculionidae	Endeavour R., Q	2 P
<i>elegans</i> Lea 1911	<i>Rhinaria</i>	Curculionidae	Brisbane, Q	2 P
<i>elegans</i> Macleay 1864	<i>Carenum</i>	Carabidae	Victoria River, NT	H
<i>elegantula</i> Castelnau 1867	<i>Feronia</i> (<i>Steropuss</i>)	Carabidae	King George Sound, WA	1 T
<i>elegantula</i> Lea 1915	<i>Colaspoides</i>	Chrysomelidae	Cairns district, Q	2 P
<i>elizabethae</i> King 1863	<i>Bryaxis</i> (<i>Eupines</i>)	Pselaphidae	Sydney, NSW	3 T
<i>ellipticus</i> Lea 1908	<i>Elleschedes</i>	Curculionidae	NSW	1 P
<i>ellipticus</i> Pascoe 1871	<i>Poropterus</i>	Curculionidae	Illawarra (Kiama) NSW	2 T
<i>elongata</i> Carter 1864	<i>Briseis</i>	Buprestidae	Rockhampton, Q	1 PL
<i>elongata</i> Macleay 1872	<i>Allecula</i>	Alleculidae	Gayndah, Q	1 S
<i>elongata</i> Sloane 1898	<i>Xanthophaea</i>	Carabidae	Rottnest I., WA	1 P
<i>elongatula</i> Macleay 1872	<i>Eleale</i>	Cleridae	Gayndah, Q	3 S
<i>elongatula</i> Macleay 1887	<i>Mordella</i>	Mordellidae	Cairns district, Mossman R., Q	4 S
<i>elongatula</i> Macleay 1873	<i>Rhizopertha</i>	Bostrichidae	Gayndah, Q	4 S
<i>elongatula</i> Macleay 1873	<i>Stigmadera</i>	Buprestidae	Gayndah, Q	2 S
<i>elongatulus</i> Macleay 1888	<i>Adelotopus</i>	Carabidae	King Sound, WA	2 S
<i>elongatulus</i> Macleay 1888	<i>Ammoecius</i>	Scarabaeidae	King Sound, WA	3 S
<i>elongatulus</i> Macleay 1871	<i>Arthropiterus</i>	Carabidae	Gayndah, (Burnett R.) Q	2 S
<i>elongatulus</i> Macleay 1871	<i>Copelatus</i>	Dytiscidae	Gayndah, Q	3 S
<i>elongatulus</i> Macleay 1871	<i>Dolicaon</i>	Staphylinidae	Gayndah, Q	3 S
<i>elongatulus</i> Macleay 1871	<i>Philydrus</i>	Hydrophilidae	Gayndah, Q	5 S
<i>elongatulus</i> Macleay 1887	<i>Platyphanes</i>	Tenebrionidae	Cairns, Q	H
<i>elongatulus</i> Macleay 1887	<i>Nyctozorilus</i> (<i>Styrus</i>)	Tenebrionidae	Gayndah, Q	2 S
<i>elongatus</i> Carter 1926	<i>Docalis</i>	Tenebrionidae	King George Sound, WA	2 S
<i>elongatus</i> Carter & Zeck 1929	<i>Stetholus</i>	Helminthidae	Gresford, NSW	1 P
<i>elongatus</i> Lea 1910	<i>Notoplatypus</i>	Curculionidae	NSW	4 P
<i>elongatus</i> Lea 1910	<i>Orthoporopterus</i>	Curculionidae	Port Denison, Q	H
<i>elongatus</i> Macleay 1887	<i>Metriorrhynchus</i>	Lycidae	Barron R., Q	2 S
<i>elongatus</i> Macleay 1873	<i>Nyctozoilus</i>	Tenebrionidae	Gayndah, Q	2 S
<i>elongatus</i> Macleay 1873	<i>Pterohelaeus</i>	Tenebrionidae	Gayndah, Q	4 S
<i>elumbis</i> Lea 1909	<i>Pseudapries</i>	Curculionidae	Endeavour R., Q	2 P
<i>eluta</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Port Denison, Q	2 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>emarginatus</i> Macleay 1887	<i>Onthophagus</i>	Scarabaeidae	Cairns, Q	4 S
<i>emblematicus</i> Lea 1902	<i>Critomerus</i>	Curculionidae	Cairns, Q	6 P
<i>emblematicus</i> Lea 1908	<i>Polyphrades</i>	Curculionidae	WA	2 P
<i>eminens</i> Olliff 1886	<i>Ptinus</i>	Ptinidae	King George Sound, WA	7 T
<i>encephalus</i> Pascoe 1869	<i>Cardiothorax</i>	Tenebrionidae	Rockhampton, Q	1 T
<i>enixum</i> Olliff 1886	<i>Conosoma</i>	Staphylinidae	Piper's Flats, NSW	4 T
<i>eques</i> Castelnau 1867	<i>Notonomus</i>	Carabidae	Illawarra, NSW	2 T
<i>erineus</i> Pascoe 1863	<i>Exocentrus</i>	Cerambycidae	Port Denison, Q	4 S
<i>eritima</i> Olliff 1886	<i>Calodera</i>	Staphylinidae	Wagga Wagga, NSW	2 T
<i>erosum</i> W. S. Macleay 1855	<i>Callidium (Pytheus)</i>	Cerambycidae	WA	H
<i>erythrodes</i> Lea 1917	<i>Copidita</i>	Oedemeridae	Swan R., WA	2 P
<i>erythrogaster</i> Lea 1929	<i>Rhizobius</i>	Coccinellidae	Norfolk I.	2 P
<i>eucalypti</i> Lea 1908	<i>Elleschedes</i>	Curculionidae	King I., Tas	2 P
<i>eucalypti</i> Lea 1920	<i>Orchesia</i>	Melandryidae	Tas	2 P
<i>eucerus</i> Lea 1921	<i>Metriorrhynchus</i>	Lycidae	Darwin, NT	1 P
<i>eustictus</i> Pascoe 1869	<i>Orphanistes</i>	Curculionidae	Rockhampton, Q	2 T
<i>eutermophilus</i> Lea 1921	<i>Palorus</i>	Tenebrionidae	Townsville, Q	3 T
<i>evanida</i> Pascoe 1872	<i>Idotasia</i>	Curculionidae	Wide Bay, Q	3 T
<i>excavatus</i> Pascoe 1885	<i>Cassonus</i>	Curculionidae	Somerset, Q	2 P
<i>excavipectus</i> Lea 1910	<i>Articerus</i>	Pselaphidae	Vic, SA	1 P
<i>excisicollis</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Port Denison, Q	2 S
<i>excisilatera</i> Sloane 1897	<i>Tetracha</i>	Carabidae	Barrow Creek, NT	1 S
<i>excursus</i> Pascoe 1870	<i>Tetralophus</i>	Curculionidae	SA	2 T
<i>exilis</i> Macleay 1865	<i>Sclerorhinus</i>	Curculionidae	Murrumbidgee, NSW	4 S
<i>exilis</i> Lea 1915	<i>Tomyris</i>	Chrysomelidae	Tas	1 P
<i>eximia</i> Sloane 1896	<i>Clivina</i>	Carabidae	WA	1 S, 1 T
<i>extimus</i> Macleay 1866	<i>Cubicorrhynchus</i>	Curculionidae	Stirling Range, WA	H
<i>exoleta</i> Lea 1917	<i>Tomoxia</i>	Mordellidae	WA	2 S
<i>exophthalmus</i> Lea 1898	<i>Ceococephalus</i>	Brenthidae	Cairns, Q	2 P
<i>exulans</i> Pascoe 1866	<i>Saragus</i>	Tenebrionidae	Lord Howe I.	2 T
<i>eyrensis</i> Blackburn 1876	<i>Laius</i>	Melyridae	Basin of Lake Eyre, SA	1 S
<i>fagi</i> Lea 1910	<i>Merimnetes</i>	Curculionidae	Hobart, Tas	2 P
<i>fairmairei</i> Macleay 1888	<i>Cryptodus</i>	Scarabaeidae	WA	H
<i>falciformis</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	Mudgee (Tambaroora), NSW	2 S
<i>famelica</i> Lea 1899	<i>Lybaea</i>	Curculionidae	SA	2 P
<i>familiaris</i> Olliff 1886	<i>Diphobia</i>	Ptinidae	SA	6 T
<i>farinosa</i> Pascoe 1871	<i>Oxyops</i>	Curculionidae	King George Sound, WA	1 T
<i>farinosus</i> Pascoe 1863	<i>Symplyletes</i>	Cerambycidae	Sydney, NSW	2 T
<i>fasciata</i> Lea 1909	<i>Pachyura</i>	Curculionidae	Mt Lofty, SA; NSW	2 P
<i>fasciata</i> Macleay 1872	<i>Eleale</i>	Cleridae	Gyandah, Q	2 S
<i>fasciata</i> Macleay 1871	<i>Sarothrocrepis</i>	Carabidae	Gyandah, Q	4 S
<i>fasciata</i> Macleay 1888	<i>Trigonotopsis</i>	Carabidae	King Sound, WA	4 S
<i>fasciata</i> Sloane 1898	<i>Agonochila</i>	Carabidae	Swan R., WA	3 P
<i>fasciatus</i> Ferguson 1921	<i>Anascoptes</i>	Curculionidae	Mt Barker, WA	H
<i>fascicularis</i> Macleay 1871	<i>Microchaetes</i>	Byrrhidae	Gyandah, Q	4 S
<i>fasciculata</i> Macleay 1863	<i>Cetonia</i>	Scarabaeidae	Illawarra, NSW	H
<i>fasciculata</i> Lea 1906	<i>Leptops</i>	Curculionidae	Cairns, Q	2 P
<i>fasciculata</i> Lea 1928	<i>Microcryptorhynchus</i>	Curculionidae	Lord Howe I.	2 P
<i>fasciolatus</i> Macleay 1888	<i>Lacon</i>	Elateridae	King George Sound, WA	L
<i>fasciolatus</i> Macleay 1887	<i>Scopodes</i>	Carabidae	Cairns district, Q	4 S
<i>felix</i> Sloane 1896	<i>Clivina</i>	Carabidae	Port Denison, Q	1 S
<i>felix</i> Sloane 1888	<i>Paliscaphus</i> (<i>Carenum</i>)	Carabidae	Darling R., NSW	1 S
<i>femorata</i> Carter 1915	<i>Hybrenia</i>	Alleculidae	Q	2 P
<i>fera</i> Pascoe 1870	<i>Leptops</i>	Curculionidae	Wide Bay, Q	2 T
<i>fergusoni</i> Carter 1937	<i>Talaurinus</i>	Curculionidae	Q	1 P
<i>feronioides</i> Pascoe 1866	<i>Nyctobates</i>	Tenebrionidae	Blue Mts, NSW	4 T
<i>fervidus</i> Blackburn 1892	<i>Heteronyx</i>	Scarabaeidae	Murchison district, WA	4 S
<i>ficus</i> Lea 1903	<i>Phyllocharis</i>	Chrysomelidae	Moreton Bay, Q	2 S
<i>fijiensis</i> Cameron 1927	<i>Atheta</i>	Staphylinidae	Fiji	1 P
<i>filamentarius</i> Lea 1917	<i>Laius</i>	Melyridae	Emerald, Q	1 P
<i>filicis</i> Lea 1929	<i>Rhizobius</i>	Coccinellidae	Lord Howe I.	2 P
<i>imbriicollis</i> Lea 1914	<i>Campanostiphilus</i>	Tenebrionidae	WA	1 P
<i>imbriicollis</i> Lea 1915	<i>Scydmaenus</i>	Scydmaenidae	Tas	1 P
<i>fissiceps</i> Macleay 1888	<i>Maechidius</i>	Scarabaeidae	King Sound, WA	2 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>fissiceps</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	King Sound, WA	4 S
<i>fitzroyense</i> Macleay 1888	<i>Zuphium</i>	Carabidae	Barrier Range, King Sound WA	H
<i>fitzroyensis</i> Macleay 1888	<i>Oodes</i>	Carabidae	Barrier Range, WA	H
<i>flabellicornis</i> Macleay 1887	<i>Palaestrida</i>	Meloidae	Q	2 S
<i>flava</i> Lea 1925	<i>Neorupilia</i>	Chrysomelidae	Hobart, Tas	1 P
<i>flaveolus</i> Ferguson 1914	<i>Talaurinus</i>	Curculionidae	Eucla, WA	1 S
<i>flavescentis</i> Ferguson 1914	<i>Psalidura</i>	Curculionidae	Eucla, WA	H, A
<i>flavicans</i> Macleay 1887	<i>Mordella</i> (<i>Mordelistaena</i>)	Mordellidae	Q	2 S
<i>flavicollis</i> Macleay 1871	<i>Necterosoma</i>	Dytiscidae	Gayndah, Q	2 S
<i>flavicollis</i> Macleay 1872	<i>Luciola</i>	Lampyridae	Gayndah (Wide Bay), Q	2 S
<i>flavicollis</i> Macleay 1888	<i>Silphomorpha</i>	Carabidae	Barrier Range, WA	H
<i>flavicornis</i> Macleay 1887	<i>Allecula</i>	Alleculidae	Cairns, Q	2 S
<i>flavifrons</i> Blackburn 1889	<i>Scymnus</i>	Coccinellidae	Norfolk I.	4 T
<i>flavipalpis</i> Macleay 1864	<i>Harpalus</i> (<i>Diaphoromerus</i>)	Carabidae	Port Denison, Q	2 S
<i>flavipennis</i> Baly 1871	<i>Dubulaia</i>	Chrysomelidae	WA	1 T
<i>flavipennis</i> Lea 1917	<i>Liparetrus</i>	Scarabaeidae	SA	2 P
<i>flavipennis</i> Macleay 1887	<i>Platydesmus</i> (<i>Pteroplatydesmus</i>)	Scarabaeidae	Cairns, Q	2 S
<i>flavipennis</i> Macleay 1872	<i>Telephorus</i>	Cantharidae	Gayndah, Q	2 S
<i>flavipes</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Leigh Creek, SA	2 P
<i>flavipes</i> Lea 1908	<i>Laius</i>	Melyridae	SA	4 P
<i>flavipes</i> Macleay 1888 (<i>macleayi</i>)	<i>Abacetus</i>	Carabidae	King Sound, WA	2 S
Blackburn nec Thomson)				
<i>flavipes</i> Macleay 1887	<i>Atractus</i>	Alleculidae	Q	H
<i>flavipes</i> Macleay 1887	<i>Distipsidera</i>	Carabidae	Q	4 S
<i>flavoapicalis</i> Lea 1910	<i>Eupines</i>	Pselaphidae	NSW	1 P
<i>flavoapicalis</i> Lea 1923	<i>Onthophagus</i>	Scarabaeidae	Geraldton, WA	1 P
<i>flavoapicalis</i> Lea 1915	<i>Scydmaenus</i>	Scydmaenidae	NSW	2 P
<i>flavocinctus</i> Blackburn 1887	<i>Lecanomerus</i>	Carabidae	Swan R., WA	2 P
<i>flavofasciata</i> Lea 1921	<i>Episaphula</i>	Erotylidae	Q	2 P
<i>flavolatera</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	WA	2 P
<i>flavolaterus</i> Lea 1926	<i>Scymnus</i>	Coccinellidae	Mt Wellington, Tas	2 P
<i>flavomaculata</i> Lea 1909	<i>Euops</i>	Curculionidae	Cairns, Q	2 P
<i>flavomaculata</i> Macleay 1887	<i>Popillia</i> (<i>Mimadoretus</i>)	Scarabaeidae	Barron R., Q	4 S
<i>flavonotatus</i> Lea 1913	<i>Cratomeroci's</i>	Curculionidae	Kuranda, Q	1 P
<i>flavonotatus</i> Lea 1913	<i>Tyrtaeous</i>	Curculionidae	Cairns, Q	2 P
<i>flavopictus</i> Carter 1939	<i>Hypnoidus</i>	Elateridae	NSW	2 S
<i>flavopictus</i> Lea 1908	<i>Laius</i>	Melyridae	SA	2 S
<i>flavosetosa</i> Ferguson 1914	<i>Psalidura</i>	Curculionidae	Vic	H, 1 P
<i>flavosignata</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Rockhampton, Q	H
<i>flavosignatus</i> Carter 1939	<i>Melanoxanthus</i>	Elateridae	Wide Bay, Q	H
<i>flavorvaria</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	SA	H
<i>flavorittata</i> Pascoe 1870	<i>Esmelina</i>	Curculionidae	Blue Mts, NSW	2 T
<i>flavus</i> Lea 1919	<i>Pseudohydrobius</i>	Hydrophilidae	Wentworth Falls, NSW	2 S
fletcheri Sloane 1902	<i>Notonomus</i>	Carabidae	Sydney, NSW	1 S
<i>flocossum</i> Pascoe 1870	<i>Saragus</i> (<i>Encara</i>)	Tenebrionidae	Wide Bay, Q	5 T
<i>foliatus</i> Macleay 1887	<i>Metriorrhynchus</i>	Lycidae	Mossman R. (Cairns district), Q	2 S
<i>forficulata</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	Rockhampton, Q	2 S
<i>formicicola</i> King 1869	<i>Byxenia</i> (<i>Chlamydopsis</i>)	Histeridae	Liverpool, NSW	1 T
<i>formicicola</i> Lea 1895	<i>Lagria</i>	Lagriidae	Monaro, NSW	2 T
<i>formicinus</i> Macleay 1873	<i>Tmesiphorus</i>	Pselaphidae	Mundarlo, NSW	8 S
<i>fortis</i> Sloane 1890	<i>Nuridius</i>	Carabidae	Maryborough, Q	2 T
<i>fossor</i> Lea 1909	<i>Carphurus</i>	Melyridae	WA	2 S
<i>foveatus</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	NE Australia	2 S
<i>foveatus</i> Macleay 1866	<i>Gnathoxys</i>	Carabidae	Swan R., WA	H
<i>foveatus</i> Macleay 1865	<i>Talaurinus</i>	Curculionidae	NE Coast, New Holland	H
<i>foveiceps</i> Lea 1909	<i>Myllocerus</i>	Curculionidae	WA	1 P
<i>foveiceps</i> Macleay 1863	<i>Ceratoglossa</i> (<i>Clivina</i>)	Carabidae	Richmond R., NSW	3 S
<i>foveicollis</i> Lea 1911 (1912)	<i>Rybachis</i>	Pselaphidae	Tamworth, NSW	1 P
<i>foveicollis</i> Macleay 1873	<i>Arthropterurus</i>	Carabidae	Sydney, NSW	H

Specific Name	Original Genus	Family	Type Locality	Types
<i>foveicollis</i> Macleay 1888	<i>Lacon</i>	Elateridae	King George Sound, WA	L
<i>foveicollis</i> Olliff 1886	<i>Diplocotes</i>	Ptiniidae	NSW	1 T
<i>foveipenne</i> Macleay 1873	<i>Carenum</i> (<i>Lacopterum</i>)	Carabidae	SA	2 S
<i>foveipennis</i> Ferguson 1912	<i>Talauminus</i>	Curculionidae	Q	H
<i>foveipennis</i> Lea 1910	<i>Mythites</i>	Curculionidae	Blue Mts, NSW	1 P
<i>foveipennis</i> Macleay 1871	<i>Argutor</i>	Carabidae	Gayndah, Q	1 S
<i>foveipennis</i> Pascoe 1872	<i>Poropterus</i>	Curculionidae	Illawarra, NSW	2 T
<i>foveipennis</i> Pascoe 1872	<i>Rhinaria</i>	Curculionidae	Bombala, NSW	2 T
<i>foveiventris</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Parachilna, SA	2 P
<i>foveiventris</i> Lea 1911	<i>Pselaphus</i>	Pselaphidae	Mt Wellington, Hobart, Waratah, Tas	2 P
<i>foveogranulatus</i> Ferguson 1912	<i>Talauminus</i>	Curculionidae	WA	H
<i>foveolatum</i> Macleay 1888	<i>Carenum</i> (<i>Calliscapterus</i>)	Carabidae	King Sound, WA	2 S
<i>foveolatum</i> Macleay 1864	<i>Lacopterum</i> (<i>Carenum</i>)	Carabidae	NE Australia	H
<i>foveolatus</i> Ferguson 1923	<i>Aedriodes</i>	Curculionidae	WA	H
<i>fragilis</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Pinjarrah, WA	2 P
<i>francilloni</i> Kirby 1818	<i>Gnathium</i>	Meloidae	Georgia, USA	H
<i>frater</i> Lea 1898	<i>Laemosaccus</i>	Curculionidae	Mudgee, NSW	1 P
<i>frater</i> Lea 1910	<i>Mythites</i>	Curculionidae	Coonabarabran, NSW	7 P
<i>fraterculus</i> Lea 1906	<i>Leptops</i>	Curculionidae	Rockhampton, Q	1 P
<i>fraterna</i> Olliff 1886	<i>Leperina</i>	Trogossitidae	Salt R., WA	4 T
<i>frenchi</i> Ferguson 1914	<i>Psalidura</i>	Curculionidae	Rockhampton, Q	H, A
<i>frenchi</i> Sloane 1896	<i>Clivina</i>	Carabidae	Lake Callabonna, SA	1 P
<i>froggatti</i> Macleay 1887	<i>Cicindela</i>	Carabidae	Cairns, Q	2 S
<i>froggatti</i> Macleay 1888	<i>Diaphoromerus</i>	Carabidae	Barrier Range (nr King Sound), WA	H
<i>froggatti</i> Macleay 1887	<i>Episcaphula</i>	Erotylidae	King Sound, WA	2 S
<i>froggatti</i> Macleay 1888	<i>Eudalia</i>	Carabidae	Barrier Range (King Sound), WA	1 S
<i>froggatti</i> Macleay 1888	<i>Gigadema</i>	Carabidae	Barrier Range (King Sound), H WA	
<i>froggatti</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	King Sound, WA	2 S
<i>froggatti</i> Macleay 1888	<i>Lacon</i>	Elateridae	Barrier Range, WA	L
<i>froggatti</i> Macleay 1888	<i>Maechidius</i>	Scarabaeidae	King Sound, WA	H
<i>froggatti</i> Macleay 1887	<i>Onthophagus</i>	Scarabaeidae	Cairns, Q	2 S
<i>froggatti</i> Macleay 1888	<i>Oodes</i>	Carabidae	King Sound, WA	2 S
<i>froggatti</i> Macleay 1888	<i>Philophloeus</i>	Carabidae	King Sound, WA	2 S
<i>froggatti</i> Macleay 1888	<i>Rhytidernus</i> (<i>Omascus</i>)	Carabidae	King Sound, WA	2 S
<i>froggatti</i> Macleay 1888	<i>Silphomorpha</i>	Carabidae	King Sound, WA	H
<i>froggatti</i> Macleay 1887	<i>Telephorus</i>	Cantharidae	Cairns district (Mossman R.), Q	4 S
<i>froggatti</i> Sloane 1896	<i>Tachys</i>	Carabidae	WA	5 S
<i>frontale</i> Macleay 1865	<i>Carenum</i>	Carabidae	Wallaroo, SA	H
<i>frontalis</i> Macleay 1871	<i>Limnichus</i>	Byrrhidae	Gayndah, Q	2 S
<i>frontalis</i> Thompson 1962	<i>Catasarcus</i>	Curculionidae	WA	2 P
<i>fugax</i> Olliff 1889	<i>Lestignathus</i>	Carabidae	Lord Howe I.	2 S
<i>fugitiva</i> Lea 1926	<i>Adimonia</i>	Chrysomelidae	Port Denison, Q	1 P
<i>fugitiva</i> Lea 1915	<i>Tomyris</i>	Chrysomelidae	NSW	H
<i>fugitivus</i> Lea 1914	<i>Myllocerus</i>	Curculionidae	Tennant Creek, NT	2 P
<i>fulgens</i> Macleay 1863	<i>Cetonia</i>	Scarabaeidae	Rockhampton, Q	2 S
<i>fulgidicollis</i> Macleay 1888	<i>Cisseis</i>	Buprestidae	WA	2 S
<i>fuliginous</i> Lea 1913	<i>Roptoperus</i>	Curculionidae	Mt Wellington, Tas	2 P
<i>fulvescens</i> Pascoe 1863	<i>Symplyletes</i>	Cerambycidae	Port Denison, Q	4 T
<i>fulviventris</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Port Denison, Q	H
<i>fulvohirtus</i> Macleay 1871	<i>Liparetrus</i>	Scarabaeidae	Gayndah, Q	4 S
<i>fumata</i> Lea 1929	<i>Mesotretis</i>	Tenebrionidae	Norfolk I.	2 P
<i>fumosus</i> Lea 1909	<i>Tychreus</i>	Curculionidae	Cairns, Q	1 P
<i>fumosus</i> Macleay 1887	<i>Xylobanus</i>	Lycidae	Cairns, Q	1 P
<i>fungicola</i> Olliff 1886	<i>Polylobus</i>	Staphylinidae	Elizabeth Bay, Sydney, NSW	5 T
<i>furcatus</i> Macleay 1865	<i>Hyborrhyncus</i>	Curculionidae	King George Sound, WA	2 S
<i>furcatus</i> Macleay 1864 (n. nov.)	<i>Onthophagus</i>	Scarabaeidae	Port Denison, Q	3 S
<i>furcaticeps</i> Masters)				
<i>fuscicornis</i> Raffray 1900	<i>Eupines</i>	Pselaphidae	NSW	2 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>fuscitarsis</i> Lea 1904	<i>Loxopleurus</i>	Chrysomelidae	Swan R., WA	2 P
<i>fucus</i> Macleay 1872	<i>Selenopalpus</i>	Oedemeridae	Gayndah, Q	2 S
<i>fucus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	H
<i>gagates</i> Lea 1921	<i>Ditropidus</i>	Chrysomelidae	Jenolan, NSW	1 P
<i>gagaticeps</i> Macleay 1888	<i>Liparetrus</i>	Scarabaeidae	King George Sound, WA	2 S
<i>gagatinum</i> Macleay 1864	<i>Carenum</i> (<i>Carenidium</i> , <i>Conopterum</i>)	Carabidae	SA	3 S
<i>gascognensis</i> Baker 1971	<i>Notonophas</i>	Curculionidae	WA	1 P
<i>gawleri</i> King 1869	<i>Anthicus</i>	Anthicidae	SA	2 T
<i>gayndahense</i> Macleay 1871	<i>Bolboceras</i>	Geotrupidae	Gayndah, Q	3 S
<i>gayndahense</i> Macleay 1871	<i>Omalium</i>	Staphylinidae	Gayndah, Q	1 S
<i>gayndahensis</i> Macleay 1871	<i>Harpalus</i> (<i>Gnathaphanus</i>)	Carabidae	Gayndah, Q	1 S
<i>gayndahensis</i> Macleay 1871	<i>Hydrophilus</i>	Hydrophilidae	Gayndah, Q	2 S
<i>gayndahensis</i> Macleay 1872	<i>Hypaulax</i>	Tenebrionidae	Gayndah, Q	2 S
<i>gayndahensis</i> Macleay 1872	<i>Lacon</i>	Elateridae	Gayndah, Q	2 PL
<i>gayndahensis</i> Macleay 1871	<i>Leperina</i>	Trogossitidae	Gayndah, Q	2 S
<i>gayndahensis</i> Macleay 1871	<i>Saprinus</i>	Histeridae	Gayndah, Q	4 S
<i>gayndahensis</i> Macleay 1871	<i>Stenus</i>	Staphylinidae	Gayndah, Q	L, + PL
<i>geminatus</i> Lea 1927	<i>Barretthydrus</i>	Dytiscidae	NSW	2 P
<i>geminatus</i> Macleay 1871	<i>Aphodius</i> (<i>Pedaria</i>)	Scarabaeidae	Gayndah, Q	2 S
<i>geninatus</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	Upper Hunter, NSW	H
<i>geniale</i> Pascoe 1869	<i>Adelium</i>	Tenebrionidae	Clarence R., NSW	1 T
<i>georgei</i> Carter 1910	<i>Helaeus</i>	Tenebrionidae	WA	H
<i>germari</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	3 S
<i>germari</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	Port Lincoln, SA	4 S
<i>gerstackeri</i> Macleay 1872	<i>Trigonoderus</i> (<i>Pelecotomoides</i>)	Rhipiphoridae	Gayndah, Q	2 S
<i>geryon</i> Macleay 1863	<i>Geoscapthus</i> (<i>Scarites</i>)	Carabidae	Darling R., NSW	2 S
<i>gibbicollis</i> Macleay 1872	<i>Rhizopertha</i>	Bostrichidae	Gayndah, Q	4 S
<i>gigas</i> Castelnau 1867	<i>Dicrochile</i>	Carabidae	Rockhampton, Q	1T
<i>gigas</i> Castelnau 1867	<i>Scaraphites</i>	Carabidae	Nicol Bay, WA	1T
<i>gigas</i> Macleay 1887	<i>Episaphula</i>	Erotylidae	Cairns, Q	2 S
<i>gilesi</i> Carter 1910	<i>Helaeus</i>	Tenebrionidae	WA	2 P
<i>gilesi</i> Ferguson 1914	<i>Pseudonotonophas</i>	Curculionidae	WA	H
<i>glaber</i> Lea 1911	<i>Prypnus</i>	Curculionidae	SA	1 P
<i>glaber</i> Macleay 1887	<i>Chartopteryx</i>	Tenebrionidae	Mossman R., Q	2 S
<i>glaber</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Darling R., NSW	2 S
<i>glaberrimum</i> Macleay 1865	<i>Carenum</i> (<i>Eutoma</i>)	Carabidae	NSW	H
<i>glabra</i> Lea 1906	<i>Baris</i>	Curculionidae	Q	1 P
<i>glabrigollis</i> Macleay 1887	<i>Isodon</i>	Scarabaeidae	Mulgrave R., Q	H
<i>glabripennis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Melbourne, Vic	2 S
<i>gladiator</i> Lea 1906	<i>Leptops</i>	Curculionidae	Manning R., NSW	2 P
<i>globiceps</i> Lea 1922	<i>Anthicus</i>	Anthicidae	Cairns district, Q	2 P
<i>globicollis</i> Lea 1911	<i>Cubicorrhynchus</i>	Curculionidae	Albury, NSW	3 P
<i>globicollis</i> Lea 1906	<i>Leptops</i>	Curculionidae	Darling Downs, NSW	1 P
<i>globosus</i> Macleay 1871	<i>Trinodes</i>	Dermestidae	Gayndah, Q	1 S
<i>globosus</i> Pascoe 1870	<i>Salcius</i>	Curculionidae	Cape York, Q	2 T
<i>globulicollis</i> Macleay 1888	<i>Casnonia</i> (<i>Myrmecodemus</i>)	Carabidae	Barrier Range, WA	H
<i>globuliformis</i> Lea 1923	<i>Hyperomma</i>	Staphylinidae	Vic, NSW	2 P
<i>globuliformis</i> Macleay 1864	<i>Bolboceras</i>	Geotrupidae	Port Denison, Q	L♀ + 1 PL♀
<i>globuliformis</i> Macleay 1888	<i>Liparochrus</i>	Scarabaeidae	King George Sound, WA	2 S
<i>globulus</i> Macleay 1887	<i>Epilissus</i>	Scarabaeidae	Cairns, Q	L + PL
<i>globulus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Juntawang, NSW	3 S
<i>gloriosa</i> Lea 1906	<i>Misophrice</i>	Curculionidae	Tas	2 P
<i>gloriosus</i> Lea 1912	<i>Ptinus</i>	Ptinidae	Swan R., WA	2 P
<i>glossatus</i> Lea 1921	<i>Ditropidus</i>	Chrysomelidae	Port Lincoln, SA	1 P
<i>goudiei</i> Ferguson 1915	<i>Sclerorinus</i>	Curculionidae	Vic	H, A
<i>gracilicornis</i> Lea 1915	<i>Tomyris</i>	Chrysomelidae	SA	1 P
<i>gracilis</i> Lea 1909	<i>Metriorrhynchus</i>	Lycidae	Endeavour R., Q	H
<i>gracilis</i> Macleay 1872	<i>Neocuris</i>	Buprestidae	Gayndah, Q	2 S
<i>grandiceps</i> Macleay 1871	<i>Pinophilus</i>	Staphylinidae	Gayndah, Q	2 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>grandis</i> Carter 1926	<i>Lyphia</i>	Tenebrionidae	Endeavour R., Q	2 S
<i>grandis</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	Daandine, Q	H, A
<i>grandis</i> Lea 1909	<i>Rhinaria</i>	Curculionidae	Sydney, NSW	2 P
<i>grandis</i> Macleay 1864	<i>Helluo (Gigadema)</i>	Carabidae	Port Denison, Q	2 S
<i>grandis</i> Macleay 1872	<i>Omolipus</i>	Tenebrionidae	Gayndah, Q	3 S
<i>granicollis</i> Lea 1911	<i>Timareta</i>	Curculionidae	Swan R., WA	2 P
<i>granulatus</i> Ferguson 1915	<i>Acherres</i>	Curculionidae	SA	1 P
<i>granulatus</i> Ferguson 1915	<i>Talaurious</i>	Curculionidae	SA	4 P
<i>granulatus</i> Lea 1909	<i>Catasarcus</i>	Curculionidae	Geraldton, WA	1 P
<i>granulatus</i> Lea 1915	<i>Empolis</i>	Curculionidae	NSW	2 P
<i>granulatus</i> Macleay 1872	<i>Lacon</i>	Elateridae	Gayndah, Q	5 PL
<i>granulatus</i> Macleay 1864	<i>Onthophagus</i>	Scarabaeidae	Port Denison, Q	2 S
<i>granuliger</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Murrumbidgee, NSW	2 S
<i>gravicollis</i> Macleay 1866	<i>Acantholophus</i>	Curculionidae	Port Lincoln, SA	2 S
<i>gravidus</i> Blackburn 1905	<i>Liparetrus</i>	Scarabaeidae	WA	1 S
<i>griffithi</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	WA	1 P
<i>griffithi</i> Lea 1915	<i>Misophrice</i>	Curculionidae	Adelaide, SA	2 P
<i>griffithi</i> Lea 1908	<i>Oxyops</i>	Curculionidae	Q	1 P
<i>griffithi</i> Lea 1915	<i>Scydmaenus</i>	Scydmaenidae	SA	1 P
<i>grisea</i> Lea 1927	<i>Emplesis</i>	Curculionidae	Lucindale, SA	2 P
<i>griseus</i> Macleay 1865	<i>Talaurious</i>	Curculionidae	Rockhampton, Q	H
<i>guerini</i> Macleay 1872	<i>Calochromus</i>	Lycidae	Gayndah, Q	2 S
<i>gulielmi</i> Olliff 1889	<i>Saragus</i>	Tenebrionidae	Lord Howe I.	4 T
<i>gulosus</i> King 1864	<i>Scydmaenus</i>	Scydmaenidae	Sydney, Parramatta, Camden, NSW	4 T
<i>guttulata</i> Pascoe 1865	<i>Corrhenes</i>	Cerambycidae	Port Denison, Q	2 T
<i>gymnosterna</i> Lea 1917	<i>Scaptia</i>	Scaptiidae	Cairns district, Q	2 P
<i>habitans</i> Sloane 1889	<i>Sarticus</i>	Carabidae	Mulwala, NSW	2 T
<i>hackeri</i> Lea 1921	<i>Helcogaster</i>	Melyridae	Bribie I., Brisbane, Q	3 P
<i>hackeri</i> Lea 1910	<i>Laius</i>	Melyridae	Q	2 P
<i>hackeri</i> Lea 1915	<i>Lamprolina</i>	Chrysomelidae	Q	2 P
<i>hackeri</i> Lea 1907	<i>Lemidia</i>	Cleridae	Q	2 P
<i>haemorrhoidalis</i> Lea 1915	<i>Colaspoides</i>	Chrysomelidae	Kurrajong, NSW	2 P
<i>haemorrhoidalis</i> Macleay 1871	<i>Philonthus (Hesperus)</i>	Staphylinidae	Gayndah, Q	1 S
<i>halmaturina</i> Ferguson 1915	<i>Melanegis</i>	Curculionidae	Kangaroo I., SA	2 P
<i>halmaturinus</i> Ferguson 1915	<i>Acantholophus</i>	Curculionidae	Kangaroo I., SA	2 P
<i>halmaturinus</i> Ferguson 1914	<i>Talaurious</i>	Curculionidae	Kangaroo I., SA	2 P
<i>halmaturinus</i> Lea 1925	<i>Acritus</i>	Histeridae	SA	2 P
<i>haltooides</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Nelson (Blackburn), Vic	2 P
<i>hamatilis</i> Macleay 1887	<i>Mordella</i>	Mordellidae	Cairns, Q	2 S
<i>hardcastlei</i> Carter 1911	<i>Nyctozoilus</i>	Tenebrionidae	Q	4 P
<i>hardcastlei</i> Lea 1911	<i>Mylocerus</i>	Curculionidae	Cunnamulla, Q	2 P
<i>harrisoni</i> Carter 1926	<i>Athemistus</i>	Cerambycidae	NSW	H, 1 P
<i>harrisoni</i> Carter 1936	<i>Brycopia</i>	Tenebrionidae	Barrington, NSW	H
<i>harrisoni</i> Carter 1925	<i>Cardiothorax</i>	Tenebrionidae	NSW	H
<i>helmsi</i> Blackburn 1892	<i>Dasytes</i>	Melyridae	SA	2 P
<i>helmsi</i> Ferguson 1914	<i>Psalidura</i>	Curculionidae	Benalla, Vic	H, A
<i>helmsi</i> Sloane 1890	<i>Drimostoma (Teraphis)</i>	Carabidae	Dunoon, Richmond R., NSW	H
<i>helmsi</i> Sloane 1893	<i>Talaurious</i>	Curculionidae	SA	H, A
<i>henryi</i> Britton 1957	<i>Haplopis</i>	Scarabaeidae	Cairns, Q	H
<i>herbivorus</i> Lea 1925	<i>Mylocerus</i>	Curculionidae	Connexion 1., NT	2 P
<i>hercules</i> Ferguson 1915	<i>Molochtus</i>	Curculionidae	WA	H, A, 1 P
<i>heros</i> Pascoe 1867	<i>Aridus</i>	Cerambycidae	Cape York, Q	1 T
<i>hesperi</i> King 1869	<i>Anthicus</i>	Anthicidae	SA	3 T
<i>hieroglyphicus</i> Lea 1911	<i>Laemosaccus</i>	Curculionidae	Blue Mts, NSW	1 P
<i>hilarii</i> Lea 1903	<i>Phyllocharis</i>	Chrysomelidae	Cairns, Q	H, 1 P
<i>hilarii</i> Olliff 1889	<i>Wyseolus (Colpodes)</i>	Carabidae	Lord Howe I.	2 T
<i>hippocrates</i> W. S. Macleay 1821	<i>Pachysoma</i>	Scarabaeidae	Cape of Good Hope, S. Africa	2 S
<i>hippopus</i> Macleay 1888	<i>Bolboceras</i>	Geotrupidae	Barrier Range, WA	L♂ + 1♂ PL
<i>hirsuta</i> Lea 1911	<i>Rybaxis</i>	Pselaphidae	Tas	2 P
<i>hirsuta</i> Macleay 1864	<i>Acrogenys</i>	Carabidae	Port Denison, Q	3 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>hirta</i> Macleay 1871	<i>Bryaxis</i> (<i>Batrisodes</i>)	Pselaphidae	Gayndah, Q	3 S
<i>hirticeps</i> Lea 1912	<i>Eupinoda</i>	Pselaphidae	NSW	H
<i>hirticeps</i> Macleay 1871	<i>Schizorhina</i> (<i>Chondropyga</i> , (<i>Pseudoclythria</i>))	Scarabaeidae	Gayndah, Q	6 S
<i>hirticornis</i> Lea 1913	<i>Protopalpus</i>	Curculionidae	Cairns district, Q	1 P
<i>hirtipennis</i> Macleay 1887	<i>Egestria</i>	Anthicidae	Russell R., Q	1 S
<i>hirtipes</i> Macleay 1887	<i>Metriorrhynchus</i>	Lycidae	Mossman R., Q	H
<i>hirtipes</i> Macleay 1864	<i>Scaraphites</i>	Carabidae	SA	2 S
<i>hirtipes</i> Macleay 1864	<i>Silphodes</i> (<i>Phaeochrous</i>)	Scarabaeidae	Port Denison, Q	4 S
<i>hirtus</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	Monaro, NSW	3 S
<i>hirtus</i> Macleay 1873	<i>Batrisodes</i>	Pselaphidae	Gayndah, Q	3 S
<i>hirtus</i> Macleay 1887	<i>Pterocephalus</i>	Tenebrionidae	NSW	4 S
<i>hispidus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	NSW	4 S
<i>hoblerae</i> Lea 1915	<i>Apion</i>	Curculionidae	Dalby, Q	2 P
<i>hobleri</i> Lea 1911	<i>Misophrice</i>	Curculionidae	Dalby, Q	2 P
<i>holosericeus</i> Macleay 1871	<i>Heteronyx</i>	Scarabaeidae	Gayndah, Q	2 S
<i>hoplosternus</i> Lea 1929	<i>Myllocerus</i>	Curculionidae	Stewart R., Q	2 P
<i>hoplostetha</i> Lea 1922	<i>Thallis</i>	Erotylidae	Galston, NSW	2 P
<i>hopsoni</i> Ferguson 1921	<i>Psalidura</i>	Curculionidae	NSW	H, A
<i>horni</i> Lea 1910	<i>Tychius</i>	Curculionidae	Forest Reefs, NSW	2 P
<i>horridus</i> Lea 1904	<i>Leptops</i>	Curculionidae	Cairns, Q	1 P
<i>horridus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	4 S
<i>hortensis</i> King 1862	<i>Bryaxis</i> (<i>Rybaxis</i>)	Pselaphidae	Parramatta, NSW	2 T
<i>hortensis</i> Lea 1922	<i>Mecynotarsus</i>	Anthicidae	Swan R., WA	2 P
<i>hottentotus</i> W. S. Macleay 1821	<i>Scarabaeus</i>	Scarabaeidae	Cape of Good Hope, S. Africa	H
<i>howei</i> Thomson 1864	<i>Arimaspes</i> (<i>Cnemoplites</i>)	Cerambycidae	Lord Howe I.	2 T
<i>howensis</i> Lea 1915	<i>Colaspoides</i>	Chrysomelidae	Lord Howe I.	2 S
<i>howensis</i> Lea 1928	<i>Microcryptorhynchus</i>	Curculionidae	Lord Howe I.	2 P
<i>howensis</i> Lea 1929	<i>Trachyscelis</i>	Tenebrionidae	Lord Howe I.	2 P
<i>howitti</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Vic	H
<i>howitti</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	Vic	H
<i>howitti</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	Melbourne, Vic	4 S
<i>howitti</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	Vic	2 S
<i>howitti</i> Macleay 1863	<i>Talauminus</i>	Curculionidae	Vic	2 S
<i>howitti</i> Pascoe 1869	<i>Apasis</i>	Tenebrionidae	Vic	2 T
<i>howitti</i> Pascoe 1867	<i>Athemistus</i>	Cerambycidae	Illawarra, NSW	2 T
<i>howitti</i> Pascoe 1869	<i>Cardiothorax</i>	Tenebrionidae	Illawarra, NSW	2 T
<i>humanus</i> W. S. Macleay 1821	<i>Scarabaeus</i> (<i>Gymnopleurus</i>)	Scarabaeidae	Cape of Good Hope, S. Africa	H
<i>humeralis</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Cairns district, Q	2 P
<i>humeralis</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Swan R., WA	2 S
<i>humeralis</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	Dabee, NSW	H
<i>humeralis</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	Illawarra, NSW	H
<i>humeralis</i> Macleay 1864	<i>Gnathoxys</i>	Carabidae	SA	H
<i>humeralis</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	King Sound, WA	3 S
<i>humeralis</i> Macleay 1888	<i>Plochionus</i> (<i>Trigonothops</i>)	Carabidae	King Sound, WA	H
<i>humeralis</i> Macleay 1863	<i>Megacephala</i> (<i>Tetracha</i>)	Carabidae	Port Denison, Q	3 S
<i>hunteriensis</i> Castelnau 1867	<i>Notonomus</i>	Carabidae	Hunter R., NSW	2 T
<i>hunteriensis</i> Macleay 1873	<i>Promecoderus</i>	Carabidae	Hunter R., NSW	H
<i>hystricosus</i> Lea 1908	<i>Deretiosus</i>	Curculionidae	Cairns, Q	H
<i>hystricosus</i> Lea 1927	<i>Storeus</i>	Curculionidae	Cairns, Q	H
<i>hystrix</i> Ferguson 1915	<i>Talauminus</i>	Curculionidae	Vic	H, A, 2 P
<i>ianthinipennis</i> Lea 1903 (1902)	<i>Phyllocharis</i>	Chrysomelidae	Cape York, Q	2 S
<i>igneus</i> W. S. Macleay 1833	<i>Phanaeus</i>	Scarabaeidae	N. America	2 S
<i>ignita</i> Lea 1903	<i>Augomela</i>	Chrysomelidae	Illawarra, NSW	2 S
<i>ignota</i> Lea 1895	<i>Mordella</i>	Mordellidae	NSW	2 P
<i>ignota</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	NSW	H
<i>illactabilis</i> Lea 1923	<i>Ataenius</i>	Scarabaeidae	Fortescue R., WA	2 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>illawarrae</i> Macleay 1873	<i>Cymindis</i> (<i>Anomotarus</i>)	Carabidae	Illawarra, NSW	2 S
<i>illidgei</i> Ferguson 1916	<i>Cubicorrhynchus</i>	Curculionidae	Q	H
<i>illidgei</i> Ferguson 1912	<i>Talaurious</i>	Curculionidae	Brisbane, Q	H
<i>imitator</i> Lea 1910	<i>Auletes</i>	Curculionidae	SA	2 P
<i>imitator</i> Sloane 1897	<i>Neocarenum</i> (<i>Carenum</i>)	Carabidae	Wimmera District, Vic	H
<i>immaculatus</i> King 1869	<i>Anthicus</i>	Anthicidae	SA	1 S
<i>immaturus</i> Lea 1898	<i>Telephorus</i>	Cantharidae	WA	4 P
<i>impar</i> Macleay 1863	<i>Schizorhina</i> (<i>Tapinoschema</i>)	Scarabaeidae	Gyndah, Q	2 S
<i>imperator</i> Lea 1921	<i>Helcogaster</i>	Melyridae	SA	2 P
<i>imperiale</i> Sloane 1894	<i>Homolosoma</i>	Carabidae	Moreton Bay, Q	H
<i>imponderosus</i> Lea 1911	<i>Lixus</i>	Curculionidae	NSW	2 P
<i>impressiceps</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	Jenolan, NSW	1 P
<i>impressicollis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	NSW	H
<i>impressicollis</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Manning R., NSW	2 S
<i>impressicollis</i> Macleay 1865	<i>Talaurious</i>	Curculionidae	Vic	2 S
<i>impressifrons</i> King 1865	<i>Bythinus</i>	Pselaphidae	Clyde R., NSW	1 T
<i>impressifrons</i> Macleay 1871	<i>Oxytelus</i>	Staphylinidae	Gyndah, Q	2 S
<i>impunctata</i> Haag — Rutenberg 1878	<i>Hypocilibe</i> (<i>Onosterrhus</i>)	Tenebrionidae	Peak Downs, Q	1 T
<i>impuncticollis</i> Lea 1909	<i>Euops</i>	Curculionidae	Cairns, Q	H
<i>imulus</i> Olliff 1886	<i>Ptinus</i>	Ptinidae	King George Sound, WA	3 T
<i>inaequalipennis</i> Castlenau 1867	<i>Harpalus</i> (<i>Diaphoromerus</i>)	Carabidae	King George Sound, WA	2 T
<i>inaequalipennis</i> Lea 1925	<i>Quedius</i>	Staphylinidae	NSW	1 P
<i>incana</i> Macleay 1888	<i>Chrysobothris</i>	Buprestidae	Barrier Range, WA	2 S
<i>incana</i> Macleay 1863	<i>Cetonia</i> (<i>Clithria</i>)	Scarabaeidae	Rockhampton, Port Denison, Q	2 S
<i>incanescens</i> Macleay 1865	<i>Talaurious</i>	Curculionidae	King George Sound, WA	4 S
<i>icanus</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	King Sound, WA	2 S
<i>incerta</i> Blackburn 1893	<i>Microdonacia</i> (<i>Eumolpinae</i> <i>teste</i> Monros 1958)	Chrysomelidae	Vic	1 T
<i>incerticornis</i> Lea 1912	<i>Scydmnaenus</i>	Scydmaenidae	Sydney, NSW	1 P
<i>incertus</i> Macleay 1865	<i>Talaurious</i>	Curculionidae	Rockhampton, Q	2 S
<i>incisipes</i> Lea 1922	<i>Timarea</i>	Curculionidae	Franklin I., SA	2 P
<i>incisus</i> Pascoe 1869	<i>Saragus</i>	Tenebrionidae	Mudgee, NSW	2 T
<i>incivilis</i> Pascoe 1863	<i>Sybra</i>	Cerambycidae	Port Denison, Q	2 T
<i>incoctus</i> Lea 1904	<i>Cryptcephalus</i>	Chrysomelidae	Mackay, Q	1 P
<i>inconspicua</i> Lea 1921	<i>Luciola</i>	Lampyridae	Q	2 P
<i>inconspicua</i> Pascoe 1866	<i>Neissa</i>	Cerambycidae	SA	1 T
<i>inconspicua</i> Sloane 1896	<i>Clivina</i>	Carabidae	WA	2 S
<i>inconspicuus</i> Ferguson 1912	<i>Talaurious</i>	Curculionidae	Q	H, A
<i>inconspicuus</i> Lea 1927	<i>Gonipterus</i>	Curculionidae	Gympie, Q	2 P
<i>inconspicuus</i> Macleay 1887	<i>Cheiroplatys</i>	Scarabaeidae	Cairns, Q	L
<i>inconstans</i> Lea 191	<i>Auletes</i>	Curculionidae	Tas	2 P
<i>inconstans</i> Lea 1908	<i>Belus</i>	Curculionidae	Q	1 P
<i>inconstans</i> Lea 1909	<i>Elleschedes</i>	Curculionidae	WA	2 P
<i>inconstans</i> Lea 1911	<i>Eristes</i>	Curculionidae	Mt. Wellington, Tas	2 P
<i>inconstans</i> Lea 1904	<i>Loxopleurus</i>	Chrysomelidae	SA	4 P
<i>inconstans</i> Lea 1911	<i>Misophrice</i>	Curculionidae	Cairns district, Q	2 P
<i>inconstans</i> Lea 1911	<i>Sclerorinus</i>	Curculionidae	Mt. Kosciusko, NSW	1 P
<i>inconstans</i> Lea 1908	<i>Telephorus</i>	Cantharidae	Clarence River, NSW	7 P
<i>inconstans</i> Lea 1909	<i>Timarea</i>	Curculionidae	Tas	2 P
<i>incornutum</i> Macleay 1887	<i>Conopterum</i>	Carabidae	Richmond R., NSW	H
<i>incornutus</i> Macleay 1871	<i>Onthophagus</i>	Scarabaeidae	Gyndah, Q	3 S
<i>incultus</i> Macleay 1888	<i>Lacon</i>	Elateridae	King George Sound, WA	L, 1 PL
<i>incurvus</i> Lea 1909	<i>Myllocerus</i>	Curculionidae	WA	2 P
<i>indigens</i> Pascoe 1885	<i>Cossonus</i>	Curculionidae	Somerset, Q	2 P
<i>indistincta</i> Lea 1911	<i>Eupines</i>	Pselaphidae	Tas	1 P
<i>indistinctus</i> Lea 1921	<i>Ditropidus</i>	Chrysomelidae	SA	1 P
<i>ineditum</i> Macleay 1869	<i>Carenum</i>	Carabidae	SA	H
<i>inermis</i> Lea 1913	<i>Diethusa</i>	Curculionidae	Murray Bridge, SA	2 P
<i>inermis</i> Lea 1915	<i>Lycosura</i>	Curculionidae	WA	2 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>inermis</i> Macleay 1871	<i>Onthophagus</i>	Scarabaeidae	Gayndah, Q	3 S
<i>inflatocollis</i> Lea 1926	<i>Auletes</i>	Curculionidae	SA	1 P
<i>inflatus</i> Lea 1910	<i>Neomerimnetes</i>	Curculionidae	Gympie, Q	1 P
<i>infuscata</i> Armstrong 1953	<i>Pseudomicrocara</i>	Helodidae	King George Sound, WA	2 P
<i>infuscaticornis</i> Lea 1910	<i>Polylobus</i>	Staphylinidae	Vic, NSW	2 P
<i>ingens</i> Macleay 1888	<i>Bolboceras</i>	Geotrupidae	King Sound, WA	H
<i>innubis</i> Lea 1912	<i>Eupines</i>	Pselaphidae	NSW	2 P
<i>inornata</i> Ferguson 1915	<i>Sclerorinus</i>	Curculionidae	Vic	2 P
<i>inornata</i> Lea 1895	<i>Anthicus</i>	Anthicidae	WA	2 P
<i>inornatus</i> Macleay 1873	<i>Promecoderus</i>	Carabidae	Monaro, NSW	2 S
<i>insignicornis</i> Lea 1921	<i>Helcogaster</i>	Melyridae	Mt. Tambourine, Q	2 P
<i>insignicornis</i> Lea 1921	<i>Metriorrhynchus</i>	Lycidae	Gordonvale, Cairns, Q	1 P
<i>insignior</i> Blackburn 1904	<i>Aphodius</i>	Scarabaeidae	Swan R., WA	2 T
<i>insignis</i> Ferguson 1914	<i>Macramycterus</i>	Curculionidae	WA	H, A
<i>insignis</i> Lea 1910	<i>Euhackeria</i>	Curculionidae	NSW	1 P
<i>insignis</i> Lea 1917	<i>Liparetrus</i>	Scarabaeidae	WA	1 P
<i>insignis</i> Pascoe 1870	<i>Axionicus</i>	Curculionidae	Gayndah, Q	2 T
<i>insignis</i> Sloane 1890	<i>Helluo</i>	Carabidae	Darling R., NSW	3 T
<i>insignita</i> Elston 1919	<i>Diethusa</i>	Curculionidae	SA	2 P
<i>insignitus</i> Macleay 1864	<i>Gnathoxys</i>	Carabidae	King George Sound, WA	5 S
<i>insolitus</i> Carter 1939	<i>Melanoxanthus</i>	Elateridae	Q	H, 1 P
<i>insuavis</i> Olliff 1886	<i>Aleochara</i>	Staphylinidae	Monaro, NSW	2 T
<i>insulanum</i> Olliff 1887	<i>Hopatrum</i> (<i>Gonocephalum</i>)	Tenebrionidae	Norfolk I.	2 T
<i>insularis</i> Lea 1908 (1907) var of <i>westwoodi</i> Pascoe	<i>Achthosus</i>	Tenebrionidae	King I., Tas	2 P
<i>insularis</i> Lea 1919	<i>Anodontonyx</i>	Scarabaeidae	Stradbroke I., Q	2 P
<i>insularis</i> Lea 1916	<i>Diphucephala</i>	Scarabaeidae	Stradbroke I., Q	2 P
<i>insularis</i> Lea 1908 (1907)	<i>Hypattalus</i>	Melyridae	King I., Tas	1 P
<i>insularis</i> Lea 1907 var of <i>ruficornis</i> Champion	<i>Menephilus</i>	Tenebrionidae	King I., Tas	1 S
<i>insularis</i> Lea 1927	<i>Notiosomus</i>	Curculionidae	Norfolk I.	2 P
<i>insularis</i> Macleay 1885	<i>Lamprima</i>	Lucanidae	Lord Howe I.	4 S
<i>insulicola</i> Lea 1920	<i>Coenobius</i>	Chrysomelidae	Pelsart I., WA	2 P
<i>integriceps</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	King Sound, WA	3 S
<i>intercalaris</i> Pascoe 1867	<i>Atyporus</i>	Cerambycidae	Cape York, Q	1 T
<i>intercoxalis</i> Lea 1916	<i>Chrysomela</i>	Chrysomelidae	Cairns, Q	2 P
<i>intercoxalis</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Endeavour R., Q	2 P
<i>intergricollis</i> Lea 1923	<i>Ataenius</i>	Scarabaeidae	Cunnamulla, Q	2 P
<i>interioris</i> Macleay 1888	<i>Helaeus</i>	Tenebrionidae	Darling R., NSW	2 S
<i>interioris</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	H
<i>intermedia</i> Ferguson 1914	<i>Psalidura</i>	Curculionidae	Stanthorpe, Q	H, A
<i>intermedia</i> Lea 1895	<i>Macratria</i>	Anthicidae	Cairns, Q	1 P
<i>intermedia</i> Sloane 1894	<i>Megacephala</i>	Carabidae	King George Sound, WA	4 S
<i>intermedius</i> Macleay 1865	<i>Scaraphites</i>	Carabidae	Illawarra, NSW	2 S
<i>intermixta</i> Lea 1928	<i>Cisowhittea</i>	Curculionidae	SA	2 P
<i>intermixta</i> Lea 1909	<i>Timareta</i>	Curculionidae	Ulverstone, Tas	2 P
<i>interoculare</i> Lea 1926	<i>Apion</i>	Curculionidae	Cairns district, Q	2 P
<i>interocularis</i> Lea 1911	<i>Mandalotus</i>	Curculionidae	Stanley, Tas	4 P
<i>interrupta</i> Lea 1918	<i>Mesolita</i>	Cerambycidae	Q	2 P
<i>interruptum</i> Macleay 1865	<i>Carenum</i>	Carabidae	NSW	4 S
<i>interruptus</i> Lea 1906	<i>Leptops</i>	Curculionidae	W. interior, SA	2 P
<i>interruptus</i> Macleay 1873	<i>Promecoderus</i>	Carabidae	Clarence R., NSW	H
<i>interstitialis</i> Lea 1913	<i>Camptorhinus</i>	Curculionidae	Kuranda, Q	1 P
<i>interstitialis</i> Lea 1910	<i>Hylesinus</i>	Curculionidae	Cairns, Q	2 P
<i>interstitialis</i> Macleay 1864	<i>Harpalus</i> (<i>Gnathaphanus</i>)	Carabidae	Port Denison, Q	2 S
<i>inusitatus</i> Lea 1907	<i>Mandalotus</i>	Curculionidae	Stonor, Tas	2 P
<i>involutus</i> Macleay 1871	<i>Hygrotrophus</i>	Hydrophilidae	Gayndah, Q	4 S
<i>iridescent</i> Macleay 1863	<i>Phyllotocus</i>	Scarabaeidae	Sydney, NSW	4 S
<i>irrasa</i> Ferguson 1914	<i>Psalidura</i>	Curculionidae	Howell, NSW	H
<i>irrasa</i> Lea 1924	<i>Dorcatoma</i>	Anobiidae	WA	1 P
<i>irrasa</i> Lea 1915	<i>Tomyris</i>	Chrysomelidae	Clyde R., NSW	H
<i>irrasus</i> Lea 1911	<i>Mandalotus</i>	Curculionidae	NSW	2 P
<i>irregularis</i> Macleay 1871	<i>Copelatus</i>	Dytiscidae	Gayndah, Q	4 S
<i>irroratus</i> Macleay 1866	<i>Acantholophus</i>	Curculionidae	Port Lincoln, SA	2 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>jacksoniensis</i> Macleay 1865	<i>Scarites</i> (<i>Geoscapthus</i>)	Carabidae	Sydney, NSW	3 S
<i>johnstoni</i> Sloane 1907	<i>Notonomus</i>	Carabidae	Barrington R., NSW	1 S
<i>jonesi</i> Lea 1917	<i>Essolothra</i>	Curculionidae	Ooldea, SA	2 P
<i>jucundus</i> Carter 1939	<i>Melanoxanthus</i>	Elateridae	Port Denison, Q	1 P
<i>jurnei</i> W. S. Macleay 1819	<i>Euchlora</i>	Scarabaeidae	Java	H
<i>juvencus</i> Lea 1915	<i>Agetinus</i>	Chrysomelidae	Capel R., WA	1 P
<i>kentiae</i> Lea 1925	<i>Heterothops</i>	Staphylinidae	Lord Howe I.	4 P
<i>kentiae</i> Lea 1925	<i>Paromalus</i>	Histeridae	Lord Howe I.	1 P
<i>kershawi</i> Lea 1907 (1908)	<i>Aleochara</i>	Staphylinidae	King I., Tas	1 P
<i>kershawi</i> Sloane 1902	<i>Notonomus</i>	Carabidae	Otway Range, Vic	1 P
<i>kingense</i> Blackburn 1907	<i>Cercyon</i>	Hydrophilidae	King I., Tas	2 T
<i>kingi</i> King 1864	<i>Phagonophana</i>	Scydmaenidae	NSW, Q	3 T
<i>kingi</i> Lea 1910	<i>Glyptoma</i>	Staphylinidae	NSW, Vic	2 P
<i>kingi</i> Lea 1911	<i>Rytus</i>	Pselaphidae	NSW	2 P
<i>kingi</i> Macleay 1871	<i>Arthropterus</i>	Carabidae	Gayndah (Burnett R.), Q	1 S
<i>kingi</i> Macleay 1869	<i>Carenum</i>	Carabidae	Liverpool Plains, NSW	H
<i>kingi</i> W. S. Macleay 1827	<i>Coccinella</i> (<i>Egleis</i>)	Coccinellidae	Australia	H
<i>kingi</i> Macleay 1872	<i>Formicomus</i>	Anthicidae	Gayndah, Q	4 S
<i>kingi</i> Macleay 1871	<i>Georyssus</i>	Georyssidae	Gayndah, Q	4 S
<i>kingi</i> Macleay 1872	<i>Mecynotarsus</i>	Anthicidae	Gayndah, Q	4 S
<i>kingi</i> W. S. Macleay 1827	<i>Megamerus</i>	Chrysomelidae	WA	2 S
<i>kingi</i> Macleay 1864	<i>Phyllotocus</i>	Scarabaeidae	NSW	2 S
<i>kingi</i> Macleay 1871	<i>Scydmaenus</i>	Scydmaenidae	Gayndah, Q	3 S
<i>kingi</i> Macleay 1871	<i>Tmesiphorus</i>	Pselaphidae	Gayndah, Q	5 S
<i>kirbyi</i> W. S. Macleay 1827	<i>Talaurious</i>	Curculionidae	New Holland	H
<i>klugi</i> W. S. Macleay 1827	<i>Chrysomela</i> (<i>Phyllocharis</i>)	Chrysomelidae	Australia	H
<i>koebelei</i> Lea 1910	<i>Ficicis</i>	Curculionidae	Barron Falls, Q	1 P
<i>kosciuskianus</i> Sloane 1902	<i>Notonomus</i>	Carabidae	Mt Kosciusko, NSW	2 T
<i>kosciuskoana</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	Jindabyne, NSW	H, 1 P
<i>kreffti</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Peak Downs, Q	2 S
<i>kreffti</i> Castelnau 1887	<i>Harpalus</i> (<i>Hypharpax</i>)	Carabidae	Port Denison, Q	2 T
<i>kreuslerae</i> Macleay 1869	<i>Carenidium</i> (<i>Conopterum</i>)	Carabidae	SA	H
<i>kreuslerae</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	4 S
<i>kreusleri</i> King 1866	<i>Clenistes</i>	Pselaphidae	SA	3 T
<i>kreusleri</i> King 1869	<i>Mecynotarsus</i>	Anthicidae	SA	3 T
<i>lacordairei</i> Macleay 1873	<i>Encara</i>	Tenebrionidae	Illawarra (Kiama), NSW	4 S
<i>lacunosum</i> Macleay 1873	<i>Bolboceras</i>	Geotrupidae	Sydney, NSW	L
<i>lacunosum</i> Macleay 1887	<i>Laccopterum</i> (<i>Carenum</i>)	Carabidae	Coonabarabran, NSW	4 S
<i>lacunosus</i> Macleay 1865	<i>Talaurious</i>	Curculionidae	Manning R., NSW	H
<i>lacustre</i> Macleay 1873	<i>Carenidium</i>	Carabidae	Wagga Wagga, NSW	H
<i>laeta</i> Lea 1913	<i>Idotasia</i>	Curculionidae	Q	1 P
<i>laevatus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Gayndah, Q	2 S
<i>laeviceps</i> Sloane 1899	<i>Simodontus</i>	Carabidae	Junee, NSW	2 T
<i>laeviceps</i> Macleay 1864	<i>Pachauchenius</i> (<i>Gnathaphanus</i>)	Carabidae	Port Denison, Q	4 S
<i>laevicostatus</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	SA	4 S
<i>laevigatum</i> Macleay 1864	<i>Carenum</i>	Carabidae	SA	4 S
<i>laevigatus</i> Macleay 1888	<i>Pterostichus</i> (<i>Loxandrus</i>)	Carabidae	King Sound, WA	H
<i>laevipenne</i> Macleay 1863	<i>Carenum</i>	Carabidae	King George Sound, WA	6 S
<i>laevis</i> Castelnau 1868	<i>Silphomorpha</i>	Carabidae	Port Denison, Q	3 T
<i>laevis</i> Macleay 1888	<i>Adelotopus</i>	Carabidae	King Sound, WA	H
<i>laevis</i> Macleay 1883	<i>Poecilus</i> (<i>Rhytidternus</i>)	Carabidae	Port Darwin, NT	4 S
<i>laevis</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	Interior, NSW	H
<i>laevis</i> Pascoe 1869	<i>Omolitus</i>	Tenebrionidae	Cape York, NQ	2 T
<i>laevis</i> Macleay 1872	<i>Stigmaticium</i>	Cleridae	Gayndah, Q	1 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>laminatus</i> Lea 1900	<i>Derbyia</i>	Curculionidae	WA	H
<i>laminatus</i> Macleay 1864	<i>Onthophagus</i>	Scarabaeidae	Port Denison, Q	4 S
<i>lanatocollis</i> Macleay 1888	<i>Liparetrus</i>	Scarabaeidae	Barrier Range, WA	H
<i>lanosus</i> Pascoe 1870	<i>Chimades</i>	Curculionidae	NSW	2 T
<i>lapidosa</i> W. S. Macleay 1827	<i>Buprestis</i> (<i>Cisseis</i>)	Buprestidae	New Holland	H
<i>larinus</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	Hunter River, NSW	1 P
<i>lata</i> Lea 1914 (1915)	<i>Coatesia</i>	Scydmaenidae	NSW	2 P
<i>lata</i> Lea 1925	<i>Elopia</i>	Chrysomelidae	Bourke, NSW	1 P
<i>latebricola</i> Lea 1926	<i>Mandalotus</i>	Curculionidae	Ferntree Gully, Vic	2 P
<i>latebricola</i> Lea 1910	<i>Termophila</i>	Staphylinidae	Galston, NSW	2 P
<i>latens</i> Lea 1914	<i>Mandalotus</i>	Curculionidae	Mt Tambourine, Q	1 P
<i>laterale</i> Macleay 1865	<i>Carenum</i>	Carabidae	Australia	H
<i>lateralis</i> Lea 1903	<i>Stethomela</i>	Chrysomelidae	Cairns, Q	2 S
<i>lateralis</i> Macleay 1887	<i>Ananca</i> (<i>Sessinia</i>)	Oedemeridae	Cairns, Q	2 S
<i>lateralis</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	NSW	H
<i>lateralis</i> Pascoe 1882	<i>Orthorrhinus</i>	Curculionidae	Lord Howe I.	2 T
<i>lateralis</i> Sloane 1889	<i>Notonomus</i>	Carabidae	Mt Wilson, NSW	2 P
<i>latericollis</i> Lea 1924	<i>Secretipes</i>	Ptiniidae	Q	2 P
<i>lateralobalus</i> Lea 1928	<i>Deretiosus</i>	Curculionidae	Fiji	2 P
<i>lateraloapicalis</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Forest Reefs, NSW; West Tamar, Tas	2 P
<i>laticeps</i> Lea 1907	<i>Lemidia</i>	Cleridae	Brisbane, Q	H
<i>laticeps</i> Macleay 1871	<i>Prostomis</i> (<i>Mimemodes</i>)	Cucujidae	Gayndah, Q	6 S
<i>laticeps</i> Macleay 1885	<i>Rhyssonotus</i>	Lucanidae	Australia	H
<i>laticeps</i> Olliff 1885	<i>Ancyrona</i>	Trogossitidae	NSW	2 T
<i>latericollis</i> Lea 1926	<i>Ataenius</i>	Scarabacidae	Groote Eylandt, NT	2 P
<i>latericollis</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Endeavour R., Q	2 P
<i>laticollis</i> Lea 1911 (1912)	<i>Batrisodes</i>	Pselaphidae	NSW	H
<i>laticollis</i> Lea 1909	<i>Heteromastix</i>	Cantharidae	Cairns, Q	2 S
<i>laticollis</i> Lea 1906	<i>Leptops</i>	Curculionidae	Q	H
<i>laticollis</i> Macleay 1887	<i>Hybrenia</i>	Alleculidae	Cairns, Q	H
<i>laticollis</i> Macleay 1866	<i>Scaraphites</i>	Carabidae	NT	H
<i>laticollis</i> Macleay 1888	<i>Silphomorpha</i>	Carabidae	King Sound, WA	H
<i>laticollis</i> Pascoe 1866	<i>Illacuris</i>	Curculionidae	Pine Mt, Q	2 T
<i>laticornis</i> Macleay 1873	<i>Bolboceras</i>	Geotrupidae	SA	L♂ + 1♂ 2 ♀ PL
<i>latior</i> Carter 1926	<i>Uloma</i>	Tenebrionidae	Kurrajong, NSW	H, 1 P
<i>latipennis</i> Lea 1912	<i>Chlamydopsis</i>	Histeridae	WA	H
<i>latipennis</i> Lea 1924	<i>Dryophilodes</i>	Anobiidae	Swan R., WA	2 P
<i>latipennis</i> Lea 1907	<i>Nechyrus</i>	Curculionidae	Clarence R., NSW	1 P
<i>latipennis</i> Lea 1910	<i>Phagomophana</i>	Scydmaenidae	Bridgetown, WA	2 P
<i>latipennis</i> Lea 1910	<i>Prosayleus</i>	Curculionidae	Swan R., WA	2 P
<i>latipennis</i> Macleay 1864	<i>Odacantha</i> (<i>Eudalia</i>)	Carabidae	Port Denison, Q	2 S
<i>latipennis</i> Macleay 1863	<i>Scaraphites</i>	Carabidae	King George Sound, WA	4 S
<i>latirostris</i> Pascoe 1873	<i>Psepholax</i>	Curculionidae	Illawarra, NSW	1 T
<i>latitivis</i> Carter 1939	<i>Melanoxanthus</i>	Elateridae	Q	2 S
<i>latreillei</i> W. S. Macleay 1819	<i>Lamprima</i>	Lucanidae	Sydney, NSW	3 S
<i>latum</i> Carter 1910	<i>Encara</i>	Tenebrionidae	WA	H
<i>latus</i> Ferguson 1915	<i>Acherres</i>	Curculionidae	WA	2 P
<i>latus</i> Lea 1908	<i>Polyphrades</i>	Curculionidae	Cairns, Q	1 P
<i>lauta</i> Macleay 1888	<i>Melobasis</i>	Buprestidae	King Sound, WA	L + 3 PL
<i>leachi</i> W. S. Macleay 1819	<i>Paxillus</i>	Passalidae	Brazil	L, 2 PL
<i>leai</i> Blackburn 1894	<i>Candexea</i> (<i>Monolepta</i>)	Chrysomelidae	NSW	2 P
<i>leai</i> Britton 1957	<i>Cheiragra</i>	Scarabaeidae	Cairns, Q; NSW	6 P
<i>leai</i> Carter 1924	<i>Bubastes</i>	Buprestidae	WA	1 P
<i>leai</i> Carter 1924	<i>Ethon</i>	Buprestidae	Nuriootpa, SA	1 P
<i>leai</i> Ferguson 1915	<i>Psalidura</i>	Curculionidae	Vic	1 P
<i>leai</i> Ferguson 1915	<i>Talaurinus</i>	Curculionidae	WA	1 P
<i>leai</i> Sloane 1898	<i>Amblytelus</i>	Carabidae	Rottnest I., WA	2 P
<i>leai</i> Sloane 1897	<i>Carenidium</i> (<i>Conopterum</i>)	Carabidae	Geraldton ("Champion Bay district"), WA	H
<i>leai</i> Sloane 1905	<i>Cicindela</i>	Carabidae	Endeavour R., Q	2 S
<i>leai</i> Sloane 1896	<i>Clivina</i>	Carabidae	Pine Mt., Q	1 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>leai</i> Sloane 1902	<i>Notonomus</i>	Carabidae	Blue Mts, NSW	2 P
<i>leai</i> Sloane 1898	<i>Stomodontus</i>	Carabidae	Champion Bay, WA	1 P
<i>lecidiosus</i> Pascoe 1870	<i>Proxyrus</i>	Curculionidae	Champion Bay, WA	2 T
<i>legitimus</i> Lea 1907	<i>Nechyrrus</i>	Curculionidae	NSW	H
<i>leichardti</i> Macleay 1865	<i>Amycterus</i>	Curculionidae	Lynd R., North Australia	H
<i>lemmus</i> Macleay 1865	<i>Talaurinus</i>	Curculionidae	King George Sound, WA	1 S
<i>leonina</i> W. S. Macleay 1838	<i>Cetonia</i> (<i>Conostethus</i>)	Scarabaeidae	"Caffraria", S. Africa	H
<i>lepidopterus</i> Schreibers 1802	<i>Tragocerus</i>	Cerambycidae	NSW	1 T
<i>lepidopygus</i> Lea 1917	<i>Liparetrus</i>	Scarabaeidae	WA	2 P
<i>lethargicus</i> Olliff 1889	<i>Cossonus</i>	Curculionidae	Lord Howe I.	4 S
<i>leucosticta</i> Kirby 1818	<i>Cisseis</i>	Buprestidae	Sydney, NSW	5 T
<i>levicostatus</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	SA	4S
<i>licinoides</i> Macleay 1864	<i>Stomatocoelus</i> (= <i>Dicrochile</i>)	Carabidae	Port Denison, Q	H
<i>licinoides</i> Kirby 1818	<i>Adelium</i>	Tenebrionidae	Tas	2 T
<i>lignarius</i> Olliff 1885	<i>Rhysodes</i>	Rhysodidae	Lambing Flat, NSW	1 T
<i>lilliputianum</i> Carter 1937	<i>Platydema</i>	Tenebrionidae	SA	1 P
<i>lilliputanus</i> Macleay 1888	<i>Oodes</i>	Carabidae	King Sound, WA	2 S
<i>limbatis</i> Macleay 1888	<i>Rhytidisternus</i>	Carabidae	King Sound, WA	2 S
<i>limbatis</i> Pascoe 1871	<i>Catastygnus</i>	Curculionidae	Port Denison, Q	2 T
<i>lindense</i> Blackburn 1891	<i>Adelium</i>	Tenebrionidae	Port Lincoln, SA	2 T
<i>lineare</i> Pascoe 1864	<i>Itheum</i>	Cerambycidae	SA	2 T
<i>linearis</i> Macleay 1888	<i>Adelotopus</i>	Carabidae	King Sound, WA	2 S
<i>lineatellus</i> Macleay 1888	<i>Lacon</i>	Elateridae	Barrier Range, WA	L, 1 PL
<i>lineatus</i> King 1862	<i>Pselaphus</i>	Pselaphidae	Parramatta, NSW; Vic; SA	4 T
<i>lineatus</i> Pascoe 1873	<i>Evas</i>	Curculionidae	Gayndah, Q	2 T
<i>liosomoides</i> Pascoe 1870	<i>Psalidus</i>	Curculionidae	King George Sound, WA	2 T
<i>liragerus</i> Sloane 1902	<i>Notonomus</i>	Carabidae	NSW	3 P
<i>litoralis</i> Lea 1908	<i>Conlonia</i>	Curculionidae	King I., Tas	2 P
<i>litoralis</i> Lea 1907	<i>Copidita</i>	Oedemeridae	King I., Tas	2 P
<i>litoralis</i> Lea 1911	<i>Eupines</i>	Pselaphidae	Clifton, NSW	3 P
<i>litoralis</i> Lea 1911	<i>Perperus</i>	Curculionidae	Hobart, Tas	2 P
<i>litoralis</i> Pascoe 1875	<i>Phycosecis</i>	Phycosecidae	King George Sound, WA	2 T
<i>littorale</i> Macleay 1887	<i>Conopterum</i>	Carabidae	Richmond R., NSW	H
<i>liturata</i> Macleay 1888	<i>Sarothrocrepis</i>	Carabidae	King Sound, WA	2 S
<i>lividus</i> Lea 1925	<i>Acritus</i>	Histeridae	Lord Howe I.; SA	2 P
<i>lobicollis</i> Macleay 1887	<i>Onthophagus</i>	Scarabaeidae	Cairns, Q	2 S
<i>loculiferus</i> Lea 1913	<i>Exithius</i>	Curculionidae	Tas	1 P
<i>longicolle</i> Macleay 1888	<i>Hellusosoma</i>	Carabidae	King Sound, WA	H
<i>longicollis</i> Macleay 1871	<i>Morio</i>	Carabidae	Gayndah, Q	4 S
<i>longicollis</i> Macleay 1864	<i>Cymindis</i> (<i>Xanthophaea</i>)	Carabidae	Port Denison, Q	H
<i>longicollis</i> Pascoe 1871	<i>Phacodes</i>	Cerambycidae	Wide Bay, Q	2 T
<i>longicornis</i> Macleay 1871	<i>Placonotus</i> (<i>Laemophloeus</i>)	Cucujidae	Gayndah, Q	2 S
<i>longicornis</i> Macleay 1887	<i>Xylobanus</i>	Lycidae	Q	2 S
<i>longipennis</i> Macleay 1888	<i>Adelotopus</i>	Carabidae	King Sound, WA	2 S
<i>longipennis</i> Macleay 1873	<i>Anoplognathus</i>	Scarabaeidae	Petersham, NSW	H
<i>longipennis</i> Pascoe 1872	<i>Polyphrades</i>	Curculionidae	SA	2 T
<i>longipes</i> Ferguson 1912	<i>Talaurinus</i>	Curculionidae	NSW	H
<i>longipes</i> Lea 1909	<i>Carphurus</i>	Melyridae	WA	H
<i>longirostris</i> Lea 1899	<i>Neomelanterius</i>	Curculionidae	Pine Mt, Q	H
<i>longirostris</i> Lea 1908	<i>Pantoreites</i>	Curculionidae	SA	3 P
<i>longirostris</i> Lea 1910	<i>Phaunaeus</i>	Curculionidae	Cairns, Q	2 P
<i>longus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	4 S
<i>luciae</i> Carter 1928	<i>Athemistus</i>	Cerambycidae	Barrington Tops, NSW	H, A
<i>lucidum</i> Macleay 1888	<i>Temnoplectron</i>	Scarabaeidae	King Sound, WA	2 S
<i>lucidus</i> Macleay 1887	<i>Carenosaphus</i>	Carabidae	Dawson R., Q	H
<i>lucidus</i> Macleay 1888	<i>Heteronychus</i>	Scarabaeidae	King Sound, WA	2 S
<i>luctuosa</i> Pascoe 1862	<i>Zygocera</i> (<i>Disterna</i>)	Cerambycidae	Lizard I., Q	1 T
<i>luctuosus</i> Pascoe 1872	<i>Aonychus</i>	Curculionidae	WA	2 T
<i>luctuosus</i> Pascoe 1863	<i>Lychrosis</i>	Cerambycidae	Port Denison, Q	2 T
<i>lugubris</i> Lea 1904	<i>Loxopleurus</i>	Chrysomelidae	Kiama, NSW	2 P
<i>lunatica</i> King 1863	<i>Rybaxis</i>	Pselaphidae	Parramatta, NSW	1 T
<i>lurida</i> Macleay 1864	<i>Cheiragra</i>	Scarabaeidae	Kurrajong, NSW	2 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>luridicollis</i> Macleay 1872	<i>Malachius</i> (<i>Heteromastix</i>)	Cantharidae	Gayndah, Q	1 S
<i>luridipecten</i> Macleay 1871	<i>Hydraena</i> (<i>Ochthebius</i>)	Hydraenidae	Gayndah, Q	L + 5 PL
<i>luridipennis</i> Macleay 1871	<i>Leptacinus</i>	Staphylinidae	Gayndah, Q	3 S
<i>luridipennis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	WA	5 S
<i>luridus</i> King 1869	<i>Anthicus</i>	Anthicidae	Port Denison, Q	2 T
<i>luridus</i> Macleay 1871	<i>Hydrobaticus</i>	Hydrophilidae	Gayndah, Q	2 S
<i>lutea</i> Macleay 1872	<i>Zonitis</i>	Meloidae	Gayndah, Q	2 S
<i>luteipennis</i> Macleay 1872	<i>Rhipiphorus</i> (<i>Emenadia</i>)	Rhipiphoridae	Gayndah, Q	1 S
<i>lychnus</i> Olliff 1889	<i>Atypella</i>	Lampyridae	Blue Mts, NSW	2 T
<i>macilenta</i> Sloane 1894	<i>Darodilia</i>	Carabidae	Darling R., NSW	1 P
<i>macilentus</i> Lea 1915	<i>Cossonus</i>	Curculionidae	Cairns, Q	2 P
<i>macleayi</i> Bates 1871	<i>Eudalia</i>	Carabidae	Monaro, NSW	4 T
<i>macleayi</i> Brême 1842	<i>Helaeus</i>	Tenebrionidae	King George Sound, WA	2 T
<i>macleayi</i> Carter 1924	<i>Agrilus</i>	Buprestidae	Cairns, Q	H
<i>macleayi</i> Carter 1928	<i>Melobasis</i>	Buprestidae	Port Darwin, NT	2 P
<i>macleayi</i> Carter 1926	<i>Nyctozilus</i>	Tenebrionidae	NSW	H
<i>macleayi</i> Carter 1926	<i>Platydema</i>	Tenebrionidae	Kuranda, Q	2 S
<i>macleayi</i> Carter 1926	<i>Ulomoides</i>	Tenebrionidae	WA	2 S
<i>macleayi</i> Castelnau 1868	<i>Pamborus</i>	Carabidae	Clarence R., NSW	2 T
<i>macleayi</i> Donovan 1805	<i>Cerapterus</i>	Carabidae	Australia	H
<i>macleayi</i> Donovan 1825	<i>Conognatha</i>	Buprestidae	Brazil	H
<i>macleayi</i> King 1869	<i>Anthicus</i>	Anthicidae	Illawarra, NSW	2 T
<i>macleayi</i> King 1864	<i>Heterognathus</i>	Scydmaenidae	Illawarra, NSW	1 T
<i>macleayi</i> King 1868	<i>Tmesiphorus</i>	Pselaphidae	Illawarra; Parramatta, NSW	2 P
<i>macleayi</i> Lea 1915	<i>Alittus</i>	Chrysomelidae	Port Denison, Q; NSW	2 P
<i>macleayi</i> Lea 1895	<i>Balanophorus</i>	Melyridae	King Sound, WA	2 S
<i>macleayi</i> Lea 1909	<i>Heteromastix</i>	Cantharidae	Cairns, Q	H
<i>macleayi</i> Lea 1906	<i>Ipsichora</i>	Curculionidae	NSW	2 P
<i>macleayi</i> Lea 1910	<i>Mecopus</i>	Curculionidae	Endeavour R., Q	1 P
<i>macleayi</i> Lea 1911 (1912)	<i>Rybaxis</i>	Pselaphidae	Richmond R., NSW	3 P
<i>macleayi</i> Lea 1896	<i>Stereoderus</i>	Curculionidae	Cairns, Q	2 P
<i>macleayi</i> Montrouzier 1860	<i>Onthobium</i>	Scarabaeidae	New Caledonia	1 S
<i>macleayi</i> Olliff 1887	<i>Actinus</i>	Staphylinidae	Cairns, Q	4 T
<i>macleayi</i> Olliff 1885	<i>Brontes</i>	Cucujidae	Richmond R., NSW	1 T
<i>macleayi</i> Pascoe 1866	<i>Byrsax</i>	Tenebrionidae	Manning R., NSW	2 T
<i>macleayi</i> Pascoe 1864	<i>Catypnes</i>	Cerambycidae	Richmond R., NSW	1 T
<i>macleayi</i> Pascoe 1866	<i>Sympetes</i>	Tenebrionidae	King George Sound, WA	2 T
<i>macleayi</i> Pascoe 1863	<i>Typhocesis</i>	Cerambycidae	Port Denison, Q	1 T
<i>macleayi</i> Sloane 1896	<i>Clivina</i>	Carabidae	NT	1 S
<i>macleayi</i> Sloane 1907	<i>Mochtherus</i>	Carabidae	Cairns, Q	2 S
<i>macleayi</i> Sloane 1899	<i>Pediomorphus</i>	Carabidae	King Sound, WA	2 S
<i>macleayi</i> Sloane 1894	<i>Pheropsophus</i>	Carabidae	King Sound, WA	4 S
<i>macleayi</i> Sloane 1889	<i>Sarticus</i>	Carabidae	Coonabarabran, NSW	2 T
<i>macleayi</i> Sloane 1896	<i>Tachys</i>	Carabidae	King Sound, WA	4 P
<i>macrocephalus</i> Ferguson 1912	<i>Peritalausrinus</i>	Curculionidae	WA	H
<i>macrocephalus</i> Lea 1912	<i>Batrisodes</i>	Pselaphidae	Gayndah, Wide Bay, Q	3 P
<i>macrocephalus</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	WA	2 P
<i>maculata</i> Carter 1926	<i>Helmis</i>	Helminthidae	NSW	2 P
<i>maculata</i> Lea 1904	<i>Matesia</i>	Curculionidae	King Sound, WA	2 P
<i>maculatus</i> Lea 1922	<i>Mecynotarsus</i>	Anthicidae	Hobart, Tas	2 P
<i>maculatus</i> Macleay 1865	<i>Cubicorrhynchus</i>	Curculionidae	Murrumbidgee, NSW	2 S
<i>maculatus</i> Macleay 1865	<i>Hyborrhynchus</i>	Curculionidae	King George Sound, WA	2 S
<i>maculatus</i> Macleay 1871	<i>Stenus</i>	Staphylinidae	Gayndah, Q	4 PL
<i>maculatus</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	New Holland	2 S
<i>maculiceps</i> Macleay 1871	<i>Philhydrus</i>	Hydrophilidae	Gayndah, Q	6 S
<i>maculicollis</i> Lea 1910	<i>Cubicorrhynchus</i>	Curculionidae	SA; Vic	3 P
<i>maculipennis</i> Lea 1911	<i>Talauminus</i>	Curculionidae	Coolgardie, Bardoc, WA	3 P
<i>maculipennis</i> Macleay 1871	<i>Adelotopus</i>	Carabidae	Gayndah, Q	1 S
<i>maculiventris</i> Armstrong 1953	<i>Pseudomicrocara</i>	Helodidae	Vic	1 P
<i>maculiventris</i> Macleay 1863	<i>Stigmodera</i>	Buprestidae	Q	H
<i>maculosus</i> Macleay 1888	<i>Lacon</i>	Elateridae	King George Sound, WA	L♂, PL ♀

Specific Name	Original Genus	Family	Type Locality	Types
<i>maculosus</i> W. S. Macleay 1821	<i>Scarabaeus</i> (<i>Gymnopleurus</i>)	Scarabaeidae	India	2 S
<i>maechidioides</i> Macleay 1886	<i>Liparetrus</i> (<i>Automolius</i>)	Scarabaeidae	Pipers Flats, NSW	2 S
<i>magnificum</i> Macleay 1887	<i>Eutoma</i> (<i>Carenum</i>)	Carabidae	Peak Downs, Q.	H
<i>major</i> Blackburn 1892	<i>Seirotrana</i>	Tenebrionidae	Tamworth, NSW	2 T
<i>major</i> Lea 1908	<i>Decilaus</i>	Curculionidae	King I., Tas	2 P
<i>major</i> Lea 1895	<i>Helcogaster</i>	Melyridae	WA	3 P
<i>major</i> Lea 1905	<i>Pantoreites</i>	Curculionidae	Vic	1 P
<i>majorinus</i> Lea 1913	<i>Tyrtaeosus</i>	Curculionidae	Cairns, Q.	2 P
<i>mandibularis</i> Macleay 1871	<i>Bledius</i>	Staphylinidae	Gayndah, Q.	3 S
<i>mandibularis</i> Macleay 1885	<i>Neolamprima</i>	Lucanidae	Herbert R., Q.	2 S
<i>mandibularis</i> Sloane 1899	<i>Simodontus</i>	Carabidae	Mulwala, NSW	1 S
<i>marginalis</i> Lea 1919	<i>Maechidinus</i>	Scarabaeidae	King George Sound, WA	2 P
<i>marginatus</i> Blackburn 1889	<i>Heteronyx</i>	Scarabaeidae	Endeavour R., Q.	5 S
<i>marginatus</i> Macleay 1888	<i>Haplaner</i>	Carabidae	King Sound, WA	4 S
<i>marginatus</i> Macleay 1864	<i>Phylloptonus</i>	Scarabaeidae	Sydney, NSW	4 S
<i>marginicollis</i> Lea 1917	<i>Cacochroa</i>	Scarabaeidae	Cape York, Q.	1 P
<i>marginicollis</i> Macleay 1872	<i>Metriorrhynchus</i>	Lycidae	Gayndah, Q.	1 S
<i>marginipennis</i> Macleay 1871	<i>Homothes</i>	Carabidae	Gayndah, Q.	1 S
<i>marginipennis</i> Macleay 1864	<i>Phylloptonus</i>	Scarabaeidae	NSW	2 S
<i>marginipennis</i> Macleay 1863	<i>Schizorrhina</i> (<i>Trichaulax</i>)	Scarabaeidae	Port Denison, Q.	2 S
<i>maritima</i> Lea 1917	<i>Copidita</i>	Oedemeridae	Ulverstone, Tas	2 P
<i>maritima</i> Lea 1911	<i>Sediantha</i>	Curculionidae	WA	2 P
<i>marmorata</i> Macleay 1887	<i>Pelecotomoides</i>	Rhipiphoridae	Cairns, Q.	2 S
<i>marmorata</i> Lea 1903	<i>Phyllocharis</i>	Chrysomelidae	Richmond R., NSW	2 S
<i>marmoratus</i> Lea 1914	<i>Polyphrades</i>	Curculionidae	Murray Bridge, SA	2 P
<i>marmoratus</i> Lea 1924	<i>Pronus</i>	Ptinidae	Norfolk I	2 P
<i>marmoratus</i> Lea 1904	<i>Schizosternus</i>	Chrysomelidae	SA	H
<i>marmoratus</i> Macleay 1871	<i>Philhydrus</i>	Hydrophilidae	Gayndah, Q.	1 S
<i>marmorea</i> Pascoe 1870	<i>Metacymia</i>	Curculionidae	King George Sound, WA	1 T
<i>masculina</i> Lea 1927	<i>Emplisia</i>	Curculionidae	Fortescue R., WA	2 P
<i>mastersi</i> Blackburn 1897	<i>Penthea</i>	Cerambycidae	WA	1 T
<i>mastersi</i> Carter 1909	<i>Byallius</i>	Tenebrionidae	NSW	2 S
<i>mastersi</i> Carter 1910	<i>Saragus</i>	Tenebrionidae	WA	H
<i>mastersi</i> Castelnau 1867	<i>Sarticus</i> (<i>Feronia</i>)	Carabidae	Port Lincoln, SA	2 T
<i>mastersi</i> Castelnau 1868	<i>Zuphium</i>	Carabidae	Rope's Creek, NSW	1 T
<i>mastersi</i> King 1869	<i>Formicomus</i>	Anthicidae	SA	1 T
<i>mastersi</i> Lea 1910	<i>Articerus</i>	Pselaphidae	SA	H
<i>mastersi</i> Lea 1908	<i>Calochromus</i>	Lycidae	NSW	1 P
<i>mastersi</i> Lea 1907	<i>Lemidia</i>	Cleridae	Cairns, Q.	2 P
<i>mastersi</i> Lea 1895	<i>Mordella</i>	Mordellidae	Rope's Creek, NSW	2 P
<i>mastersi</i> Lea 1911	<i>Myllocerus</i>	Curculionidae	WA	2 P
<i>mastersi</i> Lea 1915	<i>Scydmaenus</i>	Curculionidae	NSW	3 P
<i>mastersi</i> Macleay 1866	<i>Acantholophus</i>	Curculionidae	Stirling Range, WA	3 S
<i>mastersi</i> Macleay 1871	<i>Acupalpus</i> (<i>Lecanomerus</i>)	Carabidae	Gayndah, Q.	2 S
<i>mastersi</i> Macleay 1871	<i>Adelotopus</i>	Carabidae	Gayndah, Q.	1 S
<i>mastersi</i> Macleay 1872	<i>Allecula</i>	Alleculidae	Gayndah, Q.	2 S
<i>mastersi</i> Macleay 1872	<i>Apellatus</i>	Alleculidae	Q	H
<i>mastersi</i> Macleay 1872	<i>Astraeus</i>	Buprestidae	Gayndah, Q.	1 S
<i>mastersi</i> Macleay 1872	<i>Balanophorus</i>	Melyridae	Gayndah, Q.	5 S
<i>mastersi</i> Macleay 1871	<i>Bothrideres</i>	Colydiidae	Gayndah, Q.	2 S
<i>mastersi</i> Macleay 1871	<i>Canthonosoma</i>	Scarabaeidae	Gayndah, Q.	4 S
<i>mastersi</i> Macleay 1873	<i>Calloodes</i>	Scarabaeidae	Port Denison, Cleveland Bay, Q	2 S
<i>mastersi</i> Macleay 1872	<i>Cardiothorax</i> (<i>Atryphodes</i>)	Tenebrionidae	Gayndah, Q.	1 S
<i>mastersi</i> Macleay 1872	<i>Charopteryx</i>	Tenebrionidae	Gayndah, Q.	1 S
<i>mastersi</i> Macleay 1872	<i>Chromomaea</i>	Alleculidae	Gayndah, (Wide Bay), Q.	2 S
<i>mastersi</i> Macleay 1872	<i>Chrysobothris</i>	Buprestidae	Gayndah, Q.	1 S
<i>mastersi</i> Macleay 1872	<i>Clerus</i>	Cleridae	Gayndah, Q.	4 S
<i>mastersi</i> Macleay 1871	<i>Cryptobium</i>	Staphylinidae	Gayndah, Q.	4 S
<i>mastersi</i> Macleay 1871	<i>Cyclonotum</i>	Hydrophilidae	Gayndah, Q.	4 S
<i>mastersi</i> Macleay 1871	<i>Dasygnathus</i>	Scarabaeidae	Gayndah, Q.	2 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>mastersi</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	King George Sound, WA	4 S
<i>mastersi</i> Macleay 1871	<i>Distipsidera</i>	Carabidae	Wide Bay, Q	H
<i>mastersi</i> Macleay 1871	<i>Dryptia</i>	Carabidae	Gayndah, Q	4 S
<i>mastersi</i> Macleay 1871	<i>Eucalypticola</i> (<i>Coptodera</i>)	Carabidae	Gayndah, Q	4 S
<i>mastersi</i> Macleay 1871	<i>Heterocerus</i>	Heteroceridae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1871	<i>Hololecta</i>	Histeridae	Gayndah, Q	3 S
<i>mastersi</i> Macleay 1866	<i>Hyborrhynchus</i>	Curculionidae	Port Lincoln, SA	2 S
<i>mastersi</i> Macleay 1871	<i>Hydatotrepis</i>	Hydrophilidae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1871	<i>Hydroporus</i> (<i>Bidesus</i>)	Dytiscidae	Gayndah, Q	4 S
<i>mastersi</i> Macleay 1872	<i>Laius</i>	Melyridae	Gayndah, Q	6 S
<i>mastersi</i> Macleay 1872	<i>Lemodes</i>	Anthicidae	Gayndah, Q	1 S
<i>mastersi</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Salt R., King George Sound, WA	4 S
<i>mastersi</i> Macleay 1872	<i>Mychestes</i>	Tenebrionidae	Gayndah, Q	2 T
<i>mastersi</i> Macleay 1872	<i>Neocuris</i>	Buprestidae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1872	<i>Nyctozoilus</i>	Tenebrionidae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1872	<i>Ommatophorus</i>	Alleculidae	Gayndah, Q	5 S
<i>mastersi</i> Macleay 1871	<i>Onthophagus</i>	Scarabaeidae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1872	<i>Opatrum</i> (<i>Gonocephalum</i>)	Tenebrionidae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1871	<i>Philoscaphus</i>	Carabidae	Gayndah, Q	4 S
<i>mastersi</i> Macleay 1871	<i>Pinobius</i>	Staphylinidae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1871	<i>Pinophilus</i>	Staphylinidae	Gayndah, Q	1 S
<i>mastersi</i> Macleay 1871	<i>Agabus</i> (<i>Platynectes</i>)	Dytiscidae	Gayndah, Q	3 S
<i>mastersi</i> Macleay 1873	<i>Promecoderus</i>	Carabidae	Monaro, NSW	2 S
<i>mastersi</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	Ipswich, Q	2 S
<i>mastersi</i> Macleay 1872	<i>Pseudhelops</i> (<i>Coriperata</i>)	Tenebrionidae	Gayndah, Q	1 S
<i>mastersi</i> Macleay 1871	<i>Rhytidernus</i> (<i>Omaseus</i>)	Carabidae	Gayndah, Q	4 S
<i>mastersi</i> Macleay 1871	<i>Saprinus</i>	Histeridae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1871	<i>Sarothrocrepis</i>	Carabidae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1871	<i>Schizorrhina</i>	Scarabaeidae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1866	<i>Selerorinus</i>	Curculionidae	Flinders Range, SA	2 S
<i>mastersi</i> Macleay 1872	<i>Selenopalpus</i>	Oedemeridae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1864	<i>Silphomorpha</i>	Carabidae	Port Denison, Q	2 S
<i>mastersi</i> Macleay 1872	<i>Stigmatum</i>	Cleridae	Gayndah, Q	1 S
<i>mastersi</i> Macleay 1872	<i>Stigmodera</i>	Buprestidae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1872	<i>Strongylum</i>	Tenebrionidae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1865	<i>Talaurinus</i>	Curculionidae	Rope's Creek, NSW	2 S
<i>mastersi</i> Macleay 1872	<i>Telephorus</i>	Cantharidae	Gayndah, Q	4 S
<i>mastersi</i> Macleay 1872	<i>Trigmodera</i> (<i>Pelecotomooides</i>)	Rhipiphoridae	Gayndah, Q	2 S
<i>mastersi</i> Macleay 1871	<i>Tyrus</i> (<i>Tyromorphus</i>)	Pselaphidae	Gayndah, Q	4 S
<i>mastersi</i> Pascoe 1871	<i>Cherrus</i>	Curculionidae	King George Sound, WA	2 T
<i>mastersi</i> Pascoe 1870	<i>Helaeus</i>	Tenebrionidae	Salt R., WA	2 T
<i>mastersi</i> Pascoe 1870	<i>Mecistocerus</i>	Curculionidae	Illawarra, NSW	4 T
<i>mastersi</i> Pascoe 1873	<i>Oxypus</i>	Curculionidae	Rope's Creek, NSW	2 T
<i>mastersi</i> Pascoe 1873	<i>Psepholax</i>	Curculionidae	Wide Bay, Q	2 T
<i>mastersi</i> Pascoe 1870	<i>Seirotrana</i>	Tenebrionidae	Gayndah, Q	2 T
<i>mastersi</i> Pascoe 1875	<i>Tryphocharia</i>	Cerambycidae	Vic	1 T
<i>mastersi</i> Pascoe 1871	<i>Zygocera</i>	Cerambycidae	Wide Bay, Q	2 T
<i>mastersi</i> Sloane 1894	<i>Bembidium</i>	Carabidae	Sydney, NSW	2 P
<i>mastersi</i> Sloane 1896	<i>Clivina</i>	Carabidae	Darwin, NT	H
<i>mastersi</i> Sloane 1903	<i>Epiosmus</i> (<i>Craspedophorus</i>)	Carabidae	Neighbourhood of Sydney, NSW	2 T
<i>maximus</i> Macleay 1865	<i>Cubicorrhynchus</i>	Curculionidae	Swan R., WA	H
<i>mediocalbus</i> Lea 1915	<i>Phaunaeus</i>	Curculionidae	Endeavour R., Q	1 P
<i>mediocris</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	Endeavour R., Q	1 P
<i>medioflava</i> Lea 1924	<i>Aulacophora</i>	Chrysomelidae	Cairns district, Q	3 P
<i>mediofusca</i> Lea 1914	<i>Essolithna</i>	Curculionidae	Alexandria, NT	1 P
<i>mediomaculatus</i> Lea 1913	<i>Metryculus</i>	Curculionidae	Cooktown, Q	1 P
<i>mediorufa</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Coen R., Q	1 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>mediovittata</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Derby (W. D. Dodd), WA	1 P
<i>megacephalus</i> Lea 1925	<i>Leptacinus</i>	Staphylinidae	Lord Howe 1	2 P
<i>megalongensis</i> Ferguson 1912	<i>Talaurinus</i>	Curculionidae	NSW	H
<i>megalops</i> Lea 1902	<i>Balanophorus</i>	Melyridae	Otford, NSW	H
<i>megalops</i> Lea 1917	<i>Euctenia</i>	Rhipiphoridae	Mullewa, WA	1 P
<i>megalops</i> Lea 1925	<i>Rhamphus</i>	Curculionidae	SA	1 P
<i>melaena</i> W.S. Macleay 1838	<i>Cetonia</i> (<i>Oxythyraea</i> , <i>Leucocelis</i>)	Scarabaeidae	Cape of Good Hope, S. Africa	2 S
<i>melaleucae</i> Lea 1917	<i>Liparetrus</i>	Scarabaeidae	SA	
<i>melancholica</i> Lea 1921	<i>Thallis</i>	Erotylidae	Galston, NSW	2 P
<i>melancholicus</i> Lea 1911	<i>Poropterus</i>	Curculionidae	Hobart, Tas	1 P
<i>melanocephalus</i> Lea 1921	<i>Heteromastix</i>	Cantharidae	Bribie I., Q	2 P
<i>melanopus</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	WA	H
<i>melanosticta</i> Pascoe 1875	<i>Penthea</i>	Cerambycidae	Nicol Bay, WA	2 T
<i>melasoma</i> Lea 1917	<i>Tomoxia</i>	Mordellidae	Cairns, Q	1 P
<i>meleagris</i> Pascoe 1870	<i>Orthorrhinus</i>	Curculionidae	Wide Bay, Q	2 T
<i>meleoides</i> Pascoe 1872	<i>Demysrus</i>	Curculionidae	Sydney, NSW	2 T
<i>m - elevatus</i> Lea 1911	<i>Talaurinus</i>	Curculionidae	Blackheath, NSW	1 P
<i>melvilleense</i> Lea 1926	<i>Apion</i>	Curculionidae	Melville I., NT	2 P
<i>melvilleensis</i> Lea 1919	<i>Adoretus</i>	Scarabaeidae	Melville I., NT	1 P
<i>meridianus</i> Carter 1926	<i>Mesomorphus</i>	Tenebrionidae	Port Lincoln, SA	1 S
<i>meridionalis</i> Lea 1907	<i>Lemidia</i>	Cleridae	SA	3 S
<i>mesosternalis</i> Lea 1906	<i>Ipsichora</i>	Curculionidae	Q	2 P
<i>metallica</i> Carter 1936	<i>Pedaria</i>	Scarabaeidae	Clarence R., NSW	H
<i>metallica</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	Kewell, Vic	2 P
<i>metallicus</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	SA	2 S
<i>metallicus</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Sheffield, Tas	2 P
<i>metasternalis</i> Lea 1917	<i>Mordella</i>	Mordellidae	Cairns district, Q	2 P
<i>metasternalis</i> Lea 1911 (1912)	<i>Rybaxis</i>	Pselaphidae	Rope's Creek, NSW	1 P
<i>micans</i> Blackburn 1889	<i>Ailitus</i>	Chrysomelidae	NT	2 P
<i>micans</i> Lea 1908	<i>Lamproolina</i>	Chrysomelidae	Cairns, Q	H
<i>micans</i> Macleay 1864	<i>Odacantha</i> (<i>Casnonia</i>)	Carabidae	Port Denison, Q	3 S
<i>micans</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Endeavour River, Q	H
<i>microcalla</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Port Denison, Q	2 S
<i>microcopsis</i> Lea 1911	<i>Titinia</i>	Curculionidae	Gayndah, Q	2 P
<i>microscopica</i> Lea 1906	<i>Baris</i>	Curculionidae	WA	2 P
<i>microscopica</i> Lea 1920	<i>Scaptia</i>	Scaptiidae	WA	2 P
<i>microscopicum</i> Lea 1910	<i>Apion</i>	Curculionidae	Tas	2 P
<i>microscopicus</i> Lea 1904	<i>Loxopleurus</i>	Chrysomelidae	WA	2 P
<i>microscopicus</i> Lea 1925	<i>Rhamphus</i>	Curculionidae	WA	1 P
<i>microtrichopterus</i> Lea 1923	<i>Ataenius</i>	Scarabaeidae	Cunnamulla, Q	2 P
<i>miliaris</i> Ferguson 1913	<i>Talaurinus</i>	Curculionidae	NSW	H, A
<i>mimicus</i> Lea 1917	<i>Belus</i>	Curculionidae	Mt Lofty Range, SA	2 P
<i>mimicus</i> Lea 1914	<i>Cyllophramphus</i>	Curculionidae	NSW	1 P
<i>miniaticollis</i> Macleay 1887	<i>Xylobanus</i>	Lycidae	Barron R., Q	H
<i>miniatus</i> Macleay 1887	<i>Cladophorus</i>	Lycidae	Barron R., Q	2 S
<i>miniatus</i> Pascoe 1872	<i>Atelicus</i>	Curculionidae	Moreton Bay, Q	2 T
<i>minima</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Cairns district, Q	3 P
<i>minima</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	Kurrajong, NSW	H
<i>minima</i> Macleay 1885	<i>Lamprima</i>	Lucanidae	SA	H
<i>minima</i> Macleay 1864	<i>Sarothrocrepis</i> (<i>Agonochila</i>)	Carabidae	Port Denison, Q	3 S
<i>minimus</i> Lea 1927	<i>Storeus</i>	Curculionidae	Taveuni, Fiji	2 P
<i>minimus</i> Pascoe 1869	<i>Pterohelaeus</i>	Tenebrionidae	Coopers Creek, SA	4 T
<i>minor</i> Ferguson 1915	<i>Cubicorhynchus</i>	Curculionidae	WA	H, A
<i>minor</i> Lea 1921	<i>Metriorrhynchus</i>	Lycidae	Brisbane, Q	3 P
<i>minor</i> Lea 1908	<i>Stenocorynus</i>	Curculionidae	Endeavour R., Q	1 P
<i>minor</i> Lea 1918 var. of <i>spencei</i>	<i>Sympiezoscelus</i>	Curculionidae	Dorrigo, NSW	2 P
Waterhouse				
<i>minuscula</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Mt. Tambourine, Q	2 P
<i>minuscula</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Cairns district, Q	2 P
<i>minusculus</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	SA	2 P
<i>minusculus</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	King Sound, WA	H
<i>minuta</i> Lea 1908	<i>Orchesia</i>	Melandryidae	Tas	2 P
<i>minuta</i> Lea 1907	<i>Rodwayia</i>	Limulodidae	Tas	4 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>minutus</i> Castelnau 1868	<i>Amblygnathus</i>	Carabidae	King George Sound, WA	1 T
<i>minutus</i> Lea 1915	<i>Cleptor</i>	Chrysomelidae	King George Sound, WA	1 P
<i>minutus</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Tas	4 P
<i>mira</i> Lea 1912	<i>Daveyia</i>	Pselaphidae	Geelong, Vic	2 P
<i>mira</i> Lea 1911	<i>Eupines</i>	Pselaphidae	Swan R., WA	2 P
<i>mirabilis</i> Lea 1911	<i>Myllocerus</i>	Curculionidae	WA	2 P
<i>miracula</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Cairns district, Q	2 P
<i>mirus</i> Lea 1919	<i>Leanythus</i>	Pselaphidae	Cairns district, Q	2 P
<i>miscella</i> Pascoe 1863	<i>Niphona</i> (<i>Prosoplus</i> , <i>Micracatha</i>)	Cerambycidae	Port Denison, Q	2 T
<i>mitchelli</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Victoria R., NT	H
<i>mitchelli</i> Macleay 1865	<i>Talaureinus</i>	Curculionidae	Victoria R., NT	H
<i>mitchelli</i> Sloane 1894	<i>Tachys</i>	Carabidae	Urana, NSW	3 S
<i>mitificus</i> Lea 1904	<i>Loxopleurus</i>	Chrysomelidae	Newcastle, NSW	2 S
<i>mixta</i> Lea 1917	<i>Haplonycha</i>	Scarabaeidae	Murray R., Crecy, Grunthal, SA	1 P
<i>mixtus</i> Lea 1904	<i>Loxopleurus</i>	Chrysomelidae	King George Sound, WA	2 S
<i>molesta</i> Olliff 1886	<i>Homalota</i>	Staphylinidae	Sydney, NSW	4 T
<i>mollis</i> Lea 1908	<i>Decilas</i>	Curculionidae	King I., Tas	1 P
<i>monarensis</i> Sloane 1889	<i>Sarticus</i>	Carabidae	Monaro, NSW	3 T
<i>monilicorne</i> Macleay 1872	<i>Adelium</i>	Tenebrionidae	Gayndah, Q	1 S
<i>monilicornis</i> Sloane 1896	<i>Civina</i>	Carabidae	Port Denison, Q	3 S
<i>moniliferus</i> Pascoe 1866	<i>Helaeus</i>	Tenebrionidae	SA	2 T
<i>monilis</i> King 1869	<i>Anthicus</i>	Anthicidae	Port Lincoln, SA	1 T
<i>monstrosa</i> Pascoe 1868	<i>Orcopazia</i>	Tenebrionidae	Illawarra, NSW	2 T
<i>montana</i> Carter 1928	<i>Hesthesis</i>	Cerambycidae	Mt Kosciusko, NSW	H, A
<i>montana</i> Castelnau 1868	<i>Celanida</i>	Carabidae	Vic	1 T
<i>montanus</i> Ferguson 1923	<i>Mythites</i>	Curculionidae	Blue Mts, NSW	H, A, 2P
<i>montanus</i> Ferguson 1913 var. of <i>foveatus</i> Macleay	<i>Talaureinus</i>	Curculionidae	NSW	H, A
<i>montanus</i> King 1864	<i>Elmis</i>	Helminthidae	Illawarra, NSW	4 T
<i>montanus</i> Lea 1911	<i>Haplonyx</i>	Curculionidae	Mt Kosciusko, NSW	2 P
<i>montanus</i> Lea 1919	<i>Macrohelodes</i>	Helodidae	Mt Wellington, Tas	1 P
<i>montanus</i> Lea 1910	<i>Merimnetes</i>	Curculionidae	Summit of Mt Wellington, Tas	2 P
<i>montanus</i> Macleay 1873	<i>Anoplognathus</i>	Scarabaeidae	Monaro, NSW	H, A
<i>monticola</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	Buffalo Mts, Vic	H, A
<i>montivaga</i> Olliff 1889	<i>Idotasia</i> (now <i>Ampagia</i>)	Curculionidae	Lord Howe I.	3 S
<i>moratus</i> Pascoe 1863	<i>Syphyletes</i>	Cerambycidae	Port Denison, Q	1 T
<i>morio</i> Pascoe 1873	<i>Diatethes</i>	Curculionidae	Cape York, Q	3 T
<i>morio</i> Pascoe 1869	<i>Tanylypa</i>	Tenebrionidae	Tas	2 T
<i>moriformis</i> Macleay 1876	<i>Misculus</i>	Carabidae	New Guinea	H
<i>mossmani</i> Macleay 1887	<i>Telephorus</i>	Cantharidae	Mossman R., Q	H
<i>mucidus</i> Lea 1910	<i>Haplonyx</i>	Curculionidae	WA	2 P
<i>mucronatum</i> Macleay 1866	<i>Carenum</i> (<i>Conopterum</i>)	Carabidae	SA	H
<i>mucronatus</i> Ferguson 1923	<i>Aedriodes</i>	Curculionidae	WA	H
<i>mucronatus</i> Macleay 1887	<i>Colpodes</i>	Carabidae	Cairns (Mossman R.), Q	H
<i>mucronatus</i> Macleay 1865	<i>Selerorinus</i>	Curculionidae	Vic	H
<i>mucronipennis</i> Ferguson 1914	<i>Selerorinus</i>	Curculionidae	Vic	2 P
<i>muelleri</i> Macleay 1885	<i>Lamprima</i> (<i>Phalacrognathus</i>)	Lucanidae	North Australia	H
<i>multicarinata</i> Lea 1915	<i>Trypocolaspis</i>	Chrysomelidae	Mt Tambourine, Q	2 P
<i>multicolor</i> Lea 1915	<i>Cleptor</i>	Chrysomelidae	Q	2 P
<i>multimaculatus</i> Lea 1928	<i>Mechistocerus</i>	Curculionidae	Q	2 P
<i>multimaculatus</i> Lea 1924	<i>Trypopites</i>	Anobiidae	Tas	1 P
<i>multinodosus</i> Lea 1906	<i>Leptops</i>	Curculionidae	Tilba Tilba, NSW	1 P
<i>multipunctatus</i> Macleay 1888	<i>Diaphoromerus</i> (<i>Gnathaphanus</i>)	Carabidae	King Sound, WA	3 S
<i>mulwalensis</i> Sloane 1899	<i>Tachys</i>	Carabidae	Mulwala, NSW	1 P
<i>munda</i> Lea 1902	<i>Queenslandica</i>	Curculionidae	Cape York, Q	2 P
<i>munitus</i> Pascoe 1863	<i>Syphyletes</i>	Cerambycidae	NSW	2 T
<i>murchisoni</i> Blackburn 1892	<i>Onthophagus</i>	Scarabaeidae	Murchison district, WA	2 T
<i>murchisoni</i> Ferguson 1921 var. of <i>tatei</i> Blackburn	<i>Acantholophus</i>	Curculionidae	WA	H, A, 2P
<i>murex</i> Thompson 1968	<i>Catasarcus</i>	Curculionidae	WA	3 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>muriceus</i> Ferguson 1915	<i>Amorphorhinus</i>	Curculionidae	WA	H
<i>murrayi</i> Lea 1923	<i>Mandalotus</i>	Curculionidae	Pearson I., SA	2 P
<i>murrayi</i> Macleay 1871	<i>Brachypeplus</i>	Nitidulidae	Gyndah, Q	2 S
<i>murrumbidgense</i> Macleay 1865	<i>Carenum</i>	Carabidae	Murumbidgee, NSW	5 S
<i>murrumbidgensis</i> Macleay 1865	<i>Gnathoxys</i>	Carabidae	Murumbidgee, NSW	H
<i>murrumbidgensis</i> Macleay 1865	<i>Talaurinus</i>	Curculionidae	Murumbidgee, NSW	2 S
<i>muscivorus</i> Lea 1909	<i>Mandalotus</i>	Curculionidae	Waratah, Tas	2 P
<i>musculus</i> Pascoe 1872	<i>Poropterus</i> (<i>Exithius</i>)	Curculionidae	Tas	2 T
<i>muticus</i> Macleay 1861	<i>Onthophagus</i>	Scarabaeidae	Port Denison, Q	2 S
<i>myrmecophilum</i> Lea 1905	<i>Tribolium</i>	Tenebrionidae	Birchip, Vic	1 S
<i>myrteus</i> King 1869	<i>Anthicus</i>	Anthicidae	NSW	4 T
<i>mythitoides</i> Ferguson 1913	<i>Talaurinus</i>	Curculionidae	Coonabarabran, NSW	H
<i>naevia</i> Olliff 1888	<i>Dysthaeta</i>	Cerambycidae	Norfolk I.	3 T
<i>namoyensis</i> Sloane 1894	<i>Prosopogmus</i>	Carabidae	Namoi R., NSW	1 P
<i>nana</i> Sloane 1896	<i>Clivina</i>	Carabidae	Tamworth, NSW	1 P
<i>nanus</i> Ferguson 1921	<i>Acantholophus</i>	Curculionidae	NSW	H, 4 P
<i>navicularis</i> Pascoe 1869	<i>Euthyrrhinus</i>	Curculionidae	King George Sound, WA	2 T
<i>nebulosa</i> Lea 1911	<i>Enopea</i>	Curculionidae	Swan R., WA	1 P
<i>nebulosus</i> Kirby 1818	<i>Rhyssonotus</i>	Lucanidae	NSW	2 T
<i>nebulosus</i> Macleay 1864	<i>Anoplognathus</i>	Scarabaeidae	Rockhampton, Q	H, A
<i>nebulosus</i> Macleay 1871	<i>Hydroporus</i> (<i>Chostonectes</i>)	Dytiscidae	Gyndah, Q	4 S
<i>neglectus</i> Ferguson 1914	<i>Sclerorinus</i>	Curculionidae	SA	H, A
<i>neglectus</i> Lea 1908	<i>Stenocorynus</i>	Curculionidae	Rockhampton, Q	2 P
<i>neglectus</i> Pascoe 1863	<i>Symplyletes</i>	Cerambycidae	NSW	2 T
<i>neophyta</i> Pascoe 1869	<i>Adelium</i>	Tenebrionidae	Vic	2 T
<i>nicholsoni</i> Carter 1926	<i>Helmis</i>	Helminthidae	NSW	H, A
<i>nicholsoni</i> Carter 1926	<i>Nyctozoilus</i>	Tenebrionidae	NSW	H
<i>nidicola</i> Lea 1928	<i>Glaucopela</i>	Curculionidae	Ooldea, SA	2 P
<i>nigella</i> Sloane 1906 var. of <i>leai</i> Sloane	<i>Cicindela</i>	Carabidae	Coen, Q	3 S
<i>niger</i> Castelnau 1868	<i>Meonis</i>	Carabidae	Clarence R., NSW	2 T
<i>niger</i> Lea 1919	<i>Anodontonyx</i>	Scarabaeidae	Tas	2 P
<i>niger</i> Lea 1909	<i>Helcogaster</i>	Melyridae	SA	H
<i>niger</i> Macleay 1871	<i>Cychramus</i>	Nitidulidae	Gyndah, Q	4 S
<i>niger</i> Sloane 1899	<i>Eudalia</i>	Carabidae	Mulwala, NSW	2 T
<i>niger</i> Macleay 1871	<i>Tibarius</i> (<i>Cratogaster</i> , <i>Cyphosoma</i>)	Carabidae	Gyndah, Q	2 S
<i>nigerrima</i> Macleay 1873	<i>Adotela</i>	Carabidae	Percy Islands, N.E. Coast	H
<i>nigerrimum</i> Macleay 1865	<i>Carenum</i>	Carabidae	SA	4 S
<i>nigra</i> Lea 1903	<i>Calomela</i>	Chrysomelidae	Rockhampton, Q	2 S
<i>nigra</i> Macleay 1872	<i>Anthaxia</i>	Buprestidae	Gyndah, Q	2 S
<i>nigra</i> Macleay 1888	<i>Trachys</i>	Buprestidae	Barrier Range, King Sound, WA	H
<i>nigrans</i> Macleay 1888	<i>Diaphoromerus</i>	Carabidae	King Sound, WA	H
<i>nigrans</i> Macleay 1887	<i>Mordella</i>	Mordellidae	Q	*
<i>nigrans</i> Macleay 1871	<i>Schizorrhina</i>	Scarabaeidae	Gyndah, Q	5 S
<i>nigrescens</i> Macleay 1888	<i>Lacon</i>	Elateridae	Barrier Range, WA	L
<i>nigricans</i> Macleay 1871	<i>Anthrenus</i>	Dermestidae	Gyndah, Q	3 S
<i>nigriceps</i> Lea 1909	<i>Helcogaster</i>	Melyridae	Nowra, NSW	H
<i>nigriclavus</i> Lea 1920	<i>Aspidiphorus</i>	Byrrhidae	Cairns, Q	2 P
<i>nigricollis</i> Lea 1894	<i>Dromaeolus</i>	Eucnemidae	Lane Cove, NSW	2 P
<i>nigricollis</i> Macleay 1864	<i>Trigonothops</i>	Carabidae	Port Denison, Q	4 S
<i>nigricornis</i> Lea 1903	<i>Calomela</i>	Chrysomelidae	Forest Reefs, NSW	1 P
<i>nigricornis</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	Wide Bay, Q	H
<i>nigrina</i> Macleay 1864	<i>Cicindela</i>	Carabidae	Port Denison, Q	2 S
<i>nigrinus</i> Macleay 1871	<i>Valgus</i> (<i>Microvalgus</i>)	Scarabaeidae	Gyndah, Q	2 S
<i>nigripennis</i> Lea 1903	<i>Calomela</i>	Chrysomelidae	Rockhampton, Q	2 S
<i>nigripennis</i> Macleay 1888	<i>Ciseis</i>	Buprestidae	WA	H
<i>nigripennis</i> Macleay 1885	<i>Lamprima</i>	Lucanidae	Australia	H
<i>nigripennis</i> Macleay 1887	<i>Palaestrida</i>	Meloidae	Cairns, Q	2 S

* Missing in Macleay Museum.

Specific Name	Original Genus	Family	Type Locality	Types
<i>nigripes</i> Lea 1906	<i>Misophrice</i>	Curculionidae	Tas	2 P
<i>nigripes</i> Macleay 1872	<i>Metriorrhynchus</i>	Lycidae	Gayndah, Q	2 S
<i>nigrostris</i> Lea 1915	<i>Micraonychus</i>	Curculionidae	Hobart, Tas	2 P
<i>nigriventris</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Port Denison, Q	H
<i>nigriventris</i> Pascoe 1873	<i>Rhinoncus</i>	Curculionidae	Gayndah, Q	2 T
<i>nigrohirtus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Q	2 S
<i>nigrolateralis</i> Lea 1917	<i>Pelecotomoides</i>	Rhipiphoridae	Cairns district, Q	2 P
<i>nigromaculatus</i> Lea 1913	<i>Tytaeosus</i>	Curculionidae	Cairns, Q	1 P
<i>nigropunctatus</i> Lea 1906	<i>Leptops</i>	Curculionidae	Narramine, Wellington, NSW	4 P
<i>nigrosuffusus</i> Carter 1939	<i>Paracardiophorus</i>	Elateridae	Bogart R., NSW	1 P
<i>nigrosuturale</i> Lea 1910	<i>Apion</i>	Curculionidae	WA	2 P
<i>nigroterminale</i> Lea 1915	<i>Apion</i>	Curculionidae	Sydney, NSW	1 P
<i>nigroterminalis</i> Lea 1908	<i>Telephorus</i>	Cantharidae	Port Denison, Q	2 P
<i>nigrovaria</i> Lea 1907	<i>Lemidia</i>	Cleridae	King I., Tas	1 P
<i>nigrovaria</i> W. S. Macleay 1827	<i>Podonta</i>	Chrysomelidae	Australia	3 S
<i>nigrovarius</i> Lea 1914	<i>Mylocerus</i>	Curculionidae	Coen R., Q	2 P
<i>nigrovarius</i> Lea 1909	<i>Omorophius</i>	Curculionidae	Swan R., WA	2 P
<i>nigrovarius</i> Lea 1908 (1907)	<i>Rhizobius</i>	Coccinellidae	King I., Tas	2 P
<i>nigrovittata</i> Lea 1908	<i>Metriorrhynchus</i>	Lycidae	Blu Mts., NSW	H, 1 P
<i>nigrum</i> Carter 1905	<i>Encara</i>	Tenebrionidae	Moruya, NSW	2 T
<i>niphonoides</i> Pascoe 1863	<i>Hebecerus</i>	Cerambycidae	Port Denison, Q	2 T
<i>nitens</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	Endeavour R., Q	2 S
<i>nitescens</i> Macleay 1869	<i>Carenum</i>	Carabidae	Salt Lake, Hummock Range, SA	H*
<i>nitida</i> Lea 1910	<i>Dabra</i>	Staphylinidae	Vic	3 P
<i>nitida</i> Pascoe 1869	<i>Licinoma</i>	Tenebrionidae	Mt Macedon, Vic	3 T
<i>nitidicollis</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	Illawarra, NSW	3 S
<i>nitidior</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	2 S
<i>nitidipennis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	H
<i>nitidipennis</i> Macleay 1871	<i>Platynus</i> (<i>Loxandrus</i>)	Carabidae	Gayndah, Q	1 S
<i>nitidissimus</i> Pascoe 1869	<i>Pterohelaeus</i>	Tenebrionidae	SA	2 T
<i>nitidiusculus</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	SA	2 S
<i>nitidiventris</i> Lea 1916	<i>Leptops</i>	Curculionidae	WA	2 P
<i>nitidivirgatus</i> Lea 1915	<i>Agetinus</i>	Chrysomelidae	Swan R., WA	2 P
<i>nitiduloides</i> Carter 1908	<i>Pterohelaeus</i>	Tenebrionidae	Blue Mts., NSW	2 S
<i>nitidulus</i> Macleay 1873	<i>Sitophagus</i> (<i>Isaphes</i>)	Tenebrionidae	Gayndah, Q	2 S
<i>nitidulus</i> Macleay 1871	<i>Sternolophus</i>	Hydrophilidae	Gayndah, Q	4 S
<i>nitidus</i> Macleay 1887	<i>Paraphanes</i>	Tenebrionidae	Q	2 S
<i>nivea</i> Pascoe 1870	<i>Alphitopis</i>	Curculionidae	King George Sound, WA	2 T
<i>niveonotata</i> Lea 1906	<i>Baris</i>	Curculionidae	WA	2 P
<i>niveo pictus</i> Lea 1909	<i>Balaninus</i>	Curculionidae	Q	1 P
<i>niveosparsa</i> Armstrong 1941	<i>Neothrenus</i>	Dermestidae	Lane Cove, NSW	2 P
<i>niveovittatus</i> Ferguson 1912	<i>Talaurinus</i>	Curculionidae	Q	H, A, 2 P
<i>nobile</i> Macleay 1888	<i>Eudema</i> (<i>Craspedophorus</i> , <i>Epicosmus</i>)	Carabidae	King Sound, WA	2 S
<i>nociva</i> Lea 1909	<i>Desiantha</i>	Curculionidae	Vic	2 P
<i>noctivagus</i> Lea 1923	<i>Astenus</i>	Staphylinidae	Sydney, NSW	1 P
<i>noctivagus</i> Lea 1920	<i>Byrrhinus</i>	Limichidae	Cairns district, Q	3 P
<i>noctuabundus</i> Lea 1914	<i>Rhizobius</i>	Coccinellidae	Murray R., SA	2 P
<i>nodicollis</i> Lea 1904	<i>Leptops</i>	Curculionidae	Cairns, Q	4 P
<i>nodicollis</i> Lea 1907	<i>Mandalotus</i>	Curculionidae	Gayndah, Q	2 P
<i>nodicollis</i> Macleay 1888	<i>Trox</i>	Trogidae	WA	L, 1 PL
<i>nodipennis</i> Lea 1909	<i>Timareta</i>	Curculionidae	King George Sound, WA	4 P
<i>nodosus</i> Ferguson 1923	<i>Euomus</i>	Curculionidae	WA	H
<i>nodosus</i> Ferguson 1923 var. of <i>basalis</i> Boisduval	<i>Mythites</i>	Curculionidae	Yalgoo, Cue, WA	H, 1 P
<i>nodulosus</i> Carter 1910	<i>Pterohelaeus</i>	Tenebrionidae	Roper R., NT	H
<i>nodulosus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	H
<i>norfolkensis</i> Lea 1915	<i>Colaspoides</i>	Chrysomelidae	Norfolk I.	2 T
<i>norfolkensis</i> Lea 1928	<i>Microcryptorhynchus</i>	Curculionidae	Norfolk I.	4 P
<i>norfolkensis</i> Lea 1929 var. of <i>flavifrons</i> Blackburn	<i>Scymnus</i>	Coccinellidae	Norfolk I.	4 P

* Hind body only.

Specific Name	Original Genus	Family	Type Locality	Types
<i>norfalcensis</i> Lea 1913	<i>Sympiezoscelus</i>	Curculionidae	Norfolk I.	2 P
<i>nosodermoides</i> Pascoe 1870	<i>Seirotrana</i>	Tenebrionidae	Wide Bay, Q	4 T
<i>notabilis</i> Pascoe 1865	<i>Aesiotes</i>	Curculionidae	Pine Mt., Q	2 T
<i>notabilis</i> Macleay 1888	<i>Mordella</i>	Mordellidae	Cairns district, Mossman R., Q	2 S
<i>notabilis</i> Macleay 1888	<i>Sarothrocrepis</i>	Carabidae	King Sound, WA	3 S
<i>notaticollis</i> Carter 1916	<i>Stigmodera</i>	Buprestidae	Berrima, NSW	H, 1 P
<i>notus</i> Olliff 1886	<i>Polylobus</i>	Staphylinidae	Sydney, NSW	2 T
<i>novenmoiatatus</i> King 1864	<i>Elmis</i>	Helminthidae	Parramatta, NSW	2 T
<i>nutans</i> Macleay 1871	<i>Hygrotrophus</i>	Hydrophilidae	Gayndah, Q	2 S
<i>obesus</i> Macleay 1863	<i>Eurysaphus</i> (<i>Scaraphites</i>)	Carabidae	NSW	H
<i>obesus</i> Olliff 1886	<i>Polylobus</i>	Staphylinidae	Sydney, NSW	2 T
<i>obliqua</i> Lea 1927	<i>Emplesis</i>	Curculionidae	Lucindale, SA; Launceston, Tas	2 P
<i>obliquifasciatus</i> King 1869	<i>Formicomus</i>	Anthicidae	NSW	2 T
<i>obliterata</i> Sloane 1896	<i>Clivina</i>	Carabidae	Mulwala, NSW	1 T
<i>obliteratus</i> Ferguson 1923	<i>Amorphorrhinus</i>	Curculionidae	Muswellbrook, NSW	H, 1 P
<i>obliteratus</i> Ferguson 1921	<i>Anascoptes</i>	Curculionidae	WA	H
<i>obliteratus</i> Ferguson 1923 var. of <i>Mythites</i> <i>basalis</i> Boisduval		Curculionidae	WA	H
<i>obliteratus</i> Macleay 1888	<i>Pterohelaeus</i>	Tenebrionidae	Peak Downs, Q	H
<i>obliteratus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	Vic	H
<i>oblonga</i> Lea 1906	<i>Baris</i>	Curculionidae	WA	2 P
<i>oblongatus</i> Ferguson 1915	<i>Sclerorinus</i>	Curculionidae	Vic	2 P
<i>oblongicollis</i> Macleay 1888	<i>Cicindela</i>	Carabidae	Barrier Range, WA	H
<i>oblongipennis</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Launceston, Tas; Forest Reefs, 4 P Tas	
<i>oblongum</i> Macleay 1864	<i>Carenum</i>	Carabidae	SA	H
<i>oblongus</i> Lea 1912	<i>Austrectopsis</i>	Curculionidae	Cairns, Q	1 P
<i>oblongus</i> Lea 1903	<i>Elaphodes</i>	Chrysomelidae	Thursday I., Q	2 P
<i>obscura</i> Macleay 1872	<i>Anthaxia</i>	Buprestidae	Wide Bay (Gayndah), Q	4 S
<i>obscura</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	NSW	2 S
<i>obscura</i> Macleay 1872	<i>Melobasis</i>	Buprestidae	Gayndah, Q	5 S
<i>obscuripenne</i> Macleay 1887	<i>Homalosoma</i> (<i>Trichosternus</i>)	Carabidae	Mossman R. (Cairns district), Q	4 S
<i>obscuripenni</i> Lea 1917	<i>Neosalpingus</i>	Pythidae	NSW	1 P
<i>obscuripennis</i> Macleay 1887	<i>Mordella</i> (<i>Mordelista</i>)	Mordellidae	Cairns, Q	H
<i>obscuripes</i> Lea 1915	<i>Trypocolaspis</i>	Chrysomelidae	Cairns, Q	1 P
<i>obscurum</i> Macleay 1865	<i>Carenum</i>	Carabidae	NSW	H
<i>obscurus</i> Lea 1926	<i>Auletes</i>	Curculionidae	Goolwa, SA	2 P
<i>obscurus</i> Macleay 1871	<i>Amoecius</i> (<i>Ataenius</i>)	Scarabaeidae	Gayndah, Q	4 S
<i>obscurus</i> Macleay 1871	<i>Catops</i> (<i>Choleva</i>)	Anisotomidae	Gayndah, Q	4 S
<i>obscurus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	H
<i>obscurus</i> Reiche 1842	<i>Gnathoxys</i>	Carabidae	Swan R., WA	2 T
<i>obsolete</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	NSW	3 S
<i>obsoleta</i> Macleay 1888	<i>Silphomorpha</i>	Carabidae	King Sound, WA	H
<i>obsoletus</i> Ferguson 1914	<i>Macramycterus</i>	Curculionidae	WA	H
<i>obtusa</i> Sloane 1920	<i>Nemaglossa</i> (<i>Lecanomerus</i>)	Carabidae	Tas	1 P
<i>occidentale</i> Macleay 1888	<i>Temnoplectron</i>	Scarabaeidae	King Sound, WA	2 S
<i>occidentalis</i> Lea 1925	<i>Acritus</i>	Histeridae	WA	2 P
<i>occidentalis</i> Lea 1917	<i>Epacticus</i>	Curculionidae	Geraldton, WA	2 P
<i>occidentalis</i> Lea 1907	<i>Rodwayia</i>	Limulodidae	WA	2 P
<i>occidentalis</i> Lea 1912	<i>Roptoperus</i>	Curculionidae	Rottnest I., WA	1 P
<i>occidentalis</i> Macleay 1888	<i>Amoecius</i>	Scarabaeidae	King Sound, WA	2 S
<i>occidentalis</i> Macleay 1888	<i>Aphanisticus</i>	Buprestidae	Barrier Range, WA	H
<i>occidentalis</i> Macleay 1888	<i>Cheiroplatys</i>	Scarabaeidae	King Sound, WA	2 S
<i>occidentalis</i> Macleay 1888	<i>Cyphosoma</i> (<i>Cratogaster</i>)	Carabidae	King Sound, WA	2 S
<i>occidentalis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	King George Sound, WA	2 S
<i>occidentalis</i> Macleay 1888	<i>Simodontus</i>	Carabidae	King Sound, WA	2 S
<i>occidentalis</i> Sloane 1898	<i>Lecanomerus</i>	Carabidae	Pinjarrah, WA	2 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>occultum</i> Macleay 1871	<i>Carenum</i>	Carabidae	Gayndah, Q	3 S
<i>ocellata</i> Macleay 1863	<i>Schizorrhina</i> (<i>Lyraphora</i>)	Scarabaeidae	Port Denison, Q	2 S
<i>ocellata</i> Pascoe 1869	<i>Coripera</i>	Tenebrionidae	Mt. Macedon, Vic	5 T
<i>ochrenotatus</i> Lea 1913	<i>Perissops</i>	Curculionidae	Cairns district, Q	2 P
<i>octoarticulata</i> Lea 1896	<i>Mastersinella</i>	Curculionidae	Q	1 P
<i>octosignatus</i> Carter 1939	<i>Paracardiophorus</i>	Elateridae	SA	2 S
<i>ocularis</i> Carter 1925	<i>Ceratognathus</i>	Lucanidae	Barrington Tops, NSW	3 P
<i>odewahni</i> Macleay 1873	<i>Anoplognathus</i>	Scarabaeidae	SA	3 S
<i>odewahni</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	SA	H
<i>odewahni</i> Pascoe 1866	<i>Cassyphus</i>	Tenebrionidae	Singleton, NSW	4 T
<i>olivaceus</i> Macleay 1873	<i>Promecoderus</i>	Carabidae	Piper's Flats, NSW	3 S
<i>olivaceus</i> Macleay 1871	<i>Stenus</i>	Staphylinidae	Gayndah, Q	4 P
<i>olivieri</i> Lea 1915	<i>Atypella</i>	Lampyridae	Cairns, Little Mulgrave R., Q	4 P
<i>oodiformis</i> Macleay 1871	<i>Argutor</i> (<i>Simodontus</i> , <i>Prosopogmus</i>)	Carabidae	Gayndah, Q	2 S
<i>opaca</i> Lea 1917	<i>Haplonycha</i>	Scarabaeidae	SA	1 P
<i>opacieps</i> Lea 1921	<i>Ditropidus</i>	Chrysomelidae	Bribie I., Q	2 P
<i>opacicollis</i> Macleay 1872	<i>Amarygmus</i> (<i>Chalcopterus</i>)	Tenebrionidae	Gayndah, Q	2 S
<i>opacicollis</i> Macleay 1872	<i>Cardiothorax</i> (<i>Atryphodes</i>)	Tenebrionidae	Gayndah, Q	2 S
<i>opacicollis</i> Macleay 1872	<i>Hypaulax</i>	Tenebrionidae	Gayndah, Q	2 S
<i>opacicollis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	King George Sound, WA	2 S
<i>opacipennis</i> Macleay 1888	<i>Hypharpax</i>	Carabidae	King Sound, WA	H
<i>opacipennis</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	Derby, WA	2 S
<i>opaciistratus</i> Sloane 1902	<i>Notonomus</i>	Carabidae	Cairns, Q	3 S
<i>opacula</i> Bates 1874	<i>Hypaulax</i>	Tenebrionidae	Rockhampton, Q	2 T
<i>opacum</i> Macleay 1869	<i>Carenum</i>	Carabidae	Clarence R., NSW	2 S
<i>opus</i> Macleay 1888	<i>Diaphoromerus</i>	Carabidae	King Sound, WA	4 S
<i>opatroides</i> Macleay 1887	<i>Pterohelaetus</i>	Tenebrionidae	Clyde R., NSW	2 S
<i>orbicollis</i> Sloane 1904	<i>Rhysopleura</i>	Carabidae	Kuranda, Q	1 S
<i>orbiculatus</i> Lea 1910	<i>Haplonyx</i> (<i>Ailles</i>)	Curculionidae	SA	1 P
<i>ordinatum</i> Macleay 1869	<i>Carenum</i>	Carabidae	SA	6 S
<i>ordinatus</i> Carter 1937	<i>Mychestes</i>	Tenebrionidae	Little Mulgrave R., Q	1 P
<i>ordinatus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA (interior)	H
<i>orientalis</i> Armstrong 1953	<i>Pseudomicrocara</i>	Helodidae	Sydney, NSW	1 P
<i>orientalis</i> Carter 1924	<i>Notobubastes</i>	Buprestidae	Dawson R., Q	H, 1 P
<i>orientalis</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Galston, NSW	2 P
<i>orientalis</i> Lea 1907	<i>Rodwayia</i>	Limulodidae	NSW; Tas	2 P
<i>ornata</i> Macleay 1888	<i>Silphomorpha</i>	Carabidae	Barrier Range, WA	2 S
<i>ornata</i> Macleay 1888				(hind bodies only)
<i>ornata</i> Macleay 1888	<i>Trigonothops</i>	Carabidae	King Sound, WA	H
<i>ornatus</i> Macleay 1888	<i>Acupalpus</i>	Carabidae	King Sound, WA	2 S
<i>orthodoxus</i> Olliff 1887	<i>Xantholinus</i>	Staphylinidae	Sydney, NSW	1 T
<i>ovalis</i> Macleay 1873	<i>Saragus</i>	Tenebrionidae	Gayndah, Q	4 S
<i>ovalis</i> Sloane 1899	<i>Psilonothus</i> (<i>Amblystomus</i>)	Carabidae	Urana, NSW	2 P
<i>ovalistica</i> Lea 1927	<i>Emplesis</i>	Curculionidae	Atherton, Q	2 P
<i>ovalistica</i> Macleay 1887	<i>Mordella</i>	Mordellidae	Cairns, Q	H
<i>ovata</i> Lea 1907	<i>Rodwayia</i>	Limulodidae	Tas	1 P
<i>ovata</i> Pascoe 1869	<i>Melytra</i>	Tenebrionidae	Tas	3 T
<i>ovatum</i> Macleay 1871	<i>Bembidium</i>	Carabidae	Gayndah, Q	6 S
<i>ovatus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	WA	H
<i>ovensis</i> Carter 1909	<i>Byallus</i>	Tenebrionidae	Bright, Vic	2 P
<i>ovicollis</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	SA	2 S
<i>pachycera</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Mt. Lofty, SA	2 P
<i>pacificus</i> Olliff 1887	<i>Hesperus</i>	Staphylinidae	Lord Howe I.	4 T
<i>pacificus</i> Sloane 1888	<i>Scaraphites</i>	Carabidae	Eucla, WA	2 T
<i>pallens</i> Lea 1904	<i>Cryptcephalus</i>	Chrysomelidae	SA	2 P
<i>palliatus</i> Macleay 1864	<i>Phyllotocus</i>	Scarabaeidae	NSW	2 S
<i>pallida</i> Carter 1915	<i>Hybrenia</i>	Alleculidae	Q	1 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>pallida</i> Lea 1907	<i>Lemidia</i>	Cleridae	Sydney, NSW	2 P
<i>pallida</i> Macleay 1864	<i>Cheiragra</i>	Scarabaeidae	Parramatta, NSW	5 S
<i>pallida</i> Macleay 1871	<i>Sarothrocrepis</i>	Carabidae	Gayndah, Q	2 S
<i>pallida</i> Macleay 1872	<i>Zonitis</i>	Meloidae	Cairns, Q	H
<i>pallidicollis</i> Macleay 1864	<i>Trigonothops</i>	Carabidae	Port Denison, Q	3 S
<i>pallidicornis</i> Lea 1911	<i>Eristus</i>	Curculionidae	Mt. Barker, WA	2 P
<i>pallidior</i> Macleay 1888	<i>Trigonothops</i>	Carabidae	King Sound, WA	4 S
<i>pallidipennis</i> Lea 1894	<i>Rhinosimus</i>	Pythidae	Illawarra, NSW	1 P
<i>pallidipennis</i> Macleay 1871	<i>Homalota</i> (<i>Polylobus</i>)	Staphylinidae	Gayndah, Q	2 S
<i>pallidipennis</i> Macleay 1864	<i>Macrothops</i>	Scarabaeidae	Victoria R., NT	H
<i>pallidipes</i> Carter 1926	<i>Helmis</i>	Helminthidae	NSW	H
<i>pallidiventris</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	SA	1 P
<i>pallidula</i> Macleay 1888	<i>Scitala</i> (<i>Liparetrus</i>)	Scarabaeidae	WA	L + 1 PL
<i>pallidus</i> Macleay 1888	<i>Helaeus</i>	Tenebrionidae	SA	2 S
<i>pallidus</i> Macleay 1871	<i>Liparetrus</i>	Scarabaeidae	Gayndah, Q	3 S
<i>pallipes</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Cairns district, Q	1 P
<i>palpalis</i> Blackburn 1895	<i>Colpochila</i>	Scarabaeidae	Callabonna, SA	1 P
<i>palpalis</i> Macleay 1872	<i>Apellatus</i>	Alleculidae	Gayndah, Q	1 S
<i>palustris</i> Sloane 1910	<i>Lachnotherax</i> (<i>Deipyurus</i> , <i>Casnonia</i>)	Carabidae	Cairns, Q	2 T
<i>panagaecicolle</i> Macleay 1872	<i>Adelium</i>	Tenebrionidae	Gayndah, Q	3 S
<i>parudiriformis</i> Ferguson 1912	<i>Talauminus</i>	Curculionidae	Q	H, A
<i>papuensis</i> Macleay 1876	<i>Harpalus</i>	Carabidae	Hall Sound, New Guinea	3 S
<i>papuensis</i> Macleay 1876	<i>Lebia</i>	Carabidae	Hall Sound, New Guinea	H
<i>paradoxus</i> Lea 1914	<i>Platypteroctis</i>	Curculionidae	SA	2 P
<i>paradoxus</i> W. S. Macleay 1819	<i>Cryptodus</i>	Scarabaeidae	NSW	H
<i>parallelicornis</i> Macleay 1887	<i>Oinophagrus</i>	Scarabaeidae	Cairns, Q	2 S
<i>parallelus</i> Armstrong 1941	<i>Neoanthenrus</i>	Dermestidae	Lane Cove, NSW	4 P
<i>parallelus</i> Lea 1895	<i>Helcogaster</i>	Melyridae	King George Sound, WA	2 P
<i>parallelus</i> Macleay 1871	<i>Hydrochus</i>	Hydrochidae	Gayndah, Q	4 S
<i>parilis</i> Lea 1903	<i>Calomela</i>	Chrysomelidae	Armidale, NSW	2 T
<i>parva</i> Macleay 1887	<i>Distipsidera</i>	Carabidae	Cairns, Q	4 S
<i>parvicornis</i> Lea 1906	<i>Leptops</i>	Curculionidae	Flinders Range, SA	2 P
<i>parvicornis</i> Lea 1911	<i>Perperus</i>	Curculionidae	Hobart, Tas	2 P
<i>parvidens</i> Lea 1899	<i>Melanterius</i>	Curculionidae	Port Curtis, Q	2 P
<i>parvidens</i> Lea 1911	<i>Rybaxis</i>	Pselaphidae	Mt. Wellington, Tas	2 P
<i>parvula</i> Dequert 1956	<i>Stigmadera</i> (<i>Castiarina</i>)	Buprestidae	NSW	2 P
<i>parvulum</i> Macleay 1872	<i>Adelium</i>	Tenebrionidae	Gayndah, Q	1 S
<i>parvulum</i> Macleay 1873	<i>Carenum</i>	Carabidae	Murrurundi, NSW	H
<i>parvulum</i> Macleay 1888	<i>Eudema</i>	Carabidae	King Sound, WA	4 S
	(<i>Craspedophorus</i> , <i>Epicosmus</i>)			
<i>parvulus</i> Ferguson 1921	<i>Acantholophus</i>	Curculionidae	NSW	H
<i>parvulus</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	King Sound, WA	7 S
<i>parvulus</i> Macleay 1888	<i>Lacon</i>	Elateridae	King George Sound, WA	L, 1 PL
<i>parvulus</i> Macleay 1871	<i>Liparetrus</i>	Scarabaeidae	Gayndah, Q	3 S
<i>parvulus</i> Macleay 1871	<i>Maechidius</i>	Scarabaeidae	Gayndah, Q	1 S
<i>parvulus</i> Macleay 1872	<i>Menephilus</i>	Tenebrionidae	Gayndah, Q	4 S
<i>parvulus</i> Macleay 1873	<i>Promecoderus</i>	Carabidae	Upper Murrumbidgee, NSW	2 S
<i>parvulus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	3 S
<i>parvus</i> Lea 1910	<i>Lissotes</i>	Lucanidae	Hobart, Tas	2 P
<i>parvus</i> W. S. Macleay 1821	<i>Scarabaeus</i> (<i>Gymnopus</i> - <i>leurus</i>)	Scarabaeidae	India	H
<i>pascoei</i> F. Bates 1868	<i>Chromomoea</i>	Alleculidae	Q	2 T
<i>pascoei</i> Macleay 1872	<i>Allecula</i>	Alleculidae	Gayndah, Q	2 S
<i>pascoei</i> Macleay 1871	<i>Bothrideres</i>	Colydiidae	Gayndah, Q	2 S
<i>pascoei</i> Macleay 1871	<i>Deretraphus</i>	Colydiidae	Gayndah, Q	1 S
<i>pascoei</i> Macleay 1887	<i>Distipsidera</i>	Carabidae	Cairns, Q	4 S
<i>pascoei</i> Macleay 1872	<i>Metistete</i>	Alleculidae	Gayndah, Q	2 S
<i>pascoei</i> Macleay 1872	<i>Platydema</i>	Tenebrionidae	Gayndah, Q	4 S
<i>pascoei</i> Macleay 1872	<i>Promethis</i>	Tenebrionidae	Gayndah, Q	4 S
<i>pascoei</i> Macleay 1872	<i>Pterohelaeus</i>	Tenebrionidae	Gayndah, Q	3 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>pascoei</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	Port Augusta, SA	2 S
<i>patruelis</i> Pascoe 1885	<i>Orthorrhinus</i>	Curculionidae	New Guinea	2 P
<i>pectoralis</i> Lea 1899	<i>Melanterius</i>	Curculionidae	SA	1 P
<i>pedunculata</i> Lea 1915	<i>Phagomophana</i>	Scydmaenidae	Clarence R.; Sydney, NSW	2 P
<i>pencillatus</i> Macleay 1865	<i>Talaureinus</i>	Curculionidae	Tas	2 S
<i>perarmatus</i> Lea 1929	<i>Myllocerus</i>	Curculionidae	Magnetic I., Q	2 P
<i>peregrina</i> Pascoe 1866	<i>Ceropria</i>	Tenebrionidae	NSW	2 T
<i>perissus</i> Britton 1957	<i>Anthotocus</i>	Scarabaeidae	Richmond R., NSW	4 P
<i>perlata</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	Eucla, WA	H, A
<i>perlatus</i> Lea 1904	<i>Cadmus</i>	Chrysomelidae	Sydney, NSW	H
<i>perphilos</i> Macleay 1871	<i>Onthophagus</i>	Scarabaeidae	Gayndah, Q	2 S
<i>perplexus</i> Ferguson 1915	<i>Talaureinus</i>	Curculionidae	Vic	H, A, 2 P
<i>phanophila</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Cairns, Q	1 P
<i>phanophilus</i> Lea 1923	<i>Monoplistes</i>	Scarabaeidae	Gordonvale, Cairns, Q	2 P
<i>phylarchus</i> Sloane 1899	<i>Pterostichus</i> (<i>Cratoferomia</i>)	Carabidae	Bellinger R., NSW	1 S
<i>phyamatodes</i> Lea 1906	<i>Leptops</i>	Curculionidae	Cairns, Q	2 P
<i>piceoniger</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	King Sound, WA	H
<i>picosetosus</i> Macleay 1865	<i>Cubicorrhynchus</i>	Curculionidae	Yass, NSW	2 S
<i>piceus</i> King 1865	<i>Tyrus</i>	Pselaphidae	Sydney, NSW	1 T
<i>picipennis</i> Macleay 1871	<i>Eulebia</i>	Carabidae	Wide Bay, Q	1 S
<i>picipennis</i> Macleay 1888	<i>Isodon</i>	Scarabaeidae	King Sound, WA	H
<i>picipes</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	South country, nr. Yass, NSW	H
<i>picipes</i> Macleay 1864	<i>Harpalus</i> (<i>Gnathaphanus</i>)	Carabidae	Port Denison, Q	H
<i>picipes</i> Macleay 1871	<i>Heteronychus</i>	Scarabaeidae	Gayndah, Q	17 S
<i>picta</i> Castelnau 1868	<i>Silphomorpha</i>	Carabidae	Port Denison, Q	1 T
<i>picta</i> Pascoe 1869	<i>Dinoria</i>	Tenebrionidae	Tas	4 T
<i>picta</i> Pascoe 1863	<i>Penthea</i> (<i>Corrhenes</i>)	Cerambycidae	SA	2 T
<i>picticollis</i> Lea 1921	<i>Cychramus</i>	Nitidulidae	Brisbane, Q	2 P
<i>picticornis</i> Lea 1915	<i>Colaspoides</i>	Chrysomelidae	Brisbane, Q	1 P
<i>picticornis</i> Lea 1915	<i>Tomyris</i>	Chrysomelidae	Warren R., WA	1 P
<i>pictus</i> Lea 1910	<i>Mecopus</i>	Curculionidae	Cairns, Q	2 P
<i>piliger</i> W. S. Macleay 1827	<i>Acanthocinus</i> (<i>Symplyctes</i>)	Cerambycidae	Australia	H
<i>piliger</i> W. S. Macleay 1827	<i>Probatodes</i>	Cerambycidae	Hobart, Tas	2 S
<i>pili</i> Macleay 1871	<i>Carpophilus</i>	Nitidulidae	Gayndah, Q	2 S
<i>pilistratius</i> Lea 1908	<i>Ephrycinus</i>	Curculionidae	Lord Howe I.	2 P
<i>pilosella</i> Pascoe 1869	<i>Bryocarpus</i>	Tenebrionidae	Vic	4 T
<i>pilosipennis</i> Lea 1913	<i>Neocarphurus</i>	Melyridae	Narromine, NSW	1 P
<i>pilosus</i> Ferguson 1915	<i>Acherres</i>	Curculionidae	Cue, WA	H, 2 P
<i>pilosus</i> Macleay 1871	<i>Liparetrus</i>	Scarabaeidae	Gayndah, Q	1 S
<i>pilularius</i> Macleay 1866	<i>Sclerorinus</i>	Curculionidae	Flinders Range, SA	4 S
<i>pilulifer</i> Lea 1916	<i>Leptops</i>	Curculionidae	WA	1 P
<i>pinguis</i> Blackburn 1890	<i>Heteronyx</i>	Scarabaeidae	NSW	H
<i>pini</i> Lea 1911	<i>Car</i>	Curculionidae	WA	2 P
<i>pisciformis</i> Carter 1916	<i>Castiarina</i>	Buprestidae	SA	2 S
<i>pisoniae</i> Lea 1921	<i>Carphurus</i>	Melyridae	Cairns district, Q	3 P
<i>pisoniae</i> Lea 1923	<i>Panelus</i>	Scarabaeidae	Cairns district, Q	2 P
<i>pithecius</i> Pascoe 1879	<i>Mythites</i>	Curculionidae	Monaro, NSW	2 T
<i>placidus</i> Lea 1908	<i>Elleschedes</i>	Curculionidae	WA	2 P
<i>plagiatus</i> Macleay 1876	<i>Phloeodromius</i>	Carabidae	Hall Sound, New Guinea	H
<i>planiceps</i> Macleay 1871	<i>Platysoma</i>	Histeridae	Gayndah, Q	1 S
<i>planicollis</i> Macleay 1872	<i>Allecula</i>	Alleculidae	Gayndah, Q	2 S
<i>planicollis</i> Macleay 1871	<i>Isomalus</i> (<i>Eleusis</i>)	Staphylinidae	Gayndah, Q	1 S
<i>planipenne</i> Macleay 1873	<i>Carenum</i>	Carabidae	Port Wakefield, SA	4 A
<i>planipennis</i> Macleay 1878	<i>Coptocarpus</i>	Carabidae	Port Darwin, NT	3 S
<i>planipennis</i> Macleay 1871	<i>Platynus</i>	Carabidae	Gayndah, Q	2 S
<i>planipennis</i> Macleay 1871	<i>Colpodes</i>			
<i>platygastrus</i> Lea 1908	<i>Harpalus</i> (<i>Gnathaphanus</i>)	Carabidae	Gayndah, Q	2 S
<i>plebejus</i> Carter 1915	<i>Luciola</i>	Lampyridae	Cairns, Q	3 S
<i>pligicerus</i> Pascoe 1869	<i>Apellatus</i>	Alleculidae	Murray R., SA.	1 P
<i>plumbbeus</i> Lea 1898	<i>Adelium</i>	Tenebrionidae	Port Denison, Q	2 T
<i>poeциloderma</i> Lea 1915	<i>Syarbis</i>	Curculionidae	NSW	2 P
	<i>Colaspoides</i>	Chrysomelidae	NSW	2 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>polita</i> King 1863	<i>Bryaxis</i> (<i>Eupines</i>)	Pselaphidae	Parramatta, NSW	2 T
<i>polita</i> Macleay 1871	<i>Silphomorpha</i>	Carabidae	Gayndah, Q	1 S
<i>politallis</i> Bates 1879	<i>Cardiothorax</i>	Tenebrionidae	Hunter R., NSW	2 T
<i>politulum</i> Macleay 1871	<i>Carenum</i>	Carabidae	Gayndah, Q	1 S
<i>politulum</i> Macleay 1871	<i>Gigadema</i>	Carabidae	Gayndah, Q	2 S
<i>politulum</i> Macleay 1871	<i>Lathrobium</i>	Staphylinidae	Gayndah, Q	2 S
<i>politulum</i> Macleay 1887	<i>Temnoptlectron</i>	Scarabaeidae	Cairns, Q	4 S
<i>politulus</i> Macleay 1888	<i>Liparochrus</i> (<i>Antiochrus</i>)	Scarabaeidae	King Sound, WA	H
<i>politum</i> Macleay 1871	<i>Scaphisoma</i>	Scaphidiidae	Gayndah, Q	L + PL
<i>politus</i> King 1865	<i>Elmis</i> (<i>Australimnius</i>)	Helminthidae	Parramatta R., NSW	3 T
<i>politus</i> Lea 1906	<i>Gymnobaris</i>	Curculionidae	Q	1 P
<i>politus</i> Macleay 1888	<i>Diaphoromerus</i>	Carabidae	King Sound, WA	2 S
<i>pollux</i> Lea 1904	<i>Loxopleurus</i>	Chrysomelidae	Tas	2 P
<i>polymorpha</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Vic	1 P
<i>polyphyllus</i> W. S. Macleay 1827	<i>Passalus</i>	Passalidae	'New Holland'	H
<i>porcatulus</i> Macleay 1888	<i>Diaphoromerus</i>	Carabidae	King Sound, WA	2 S
<i>porcatum</i> Macleay 1887	<i>Steganomma</i>	Carabidae	Russell R., nr Cairns, Q	H
<i>porcatus</i> Lea 1908	<i>Syarbis</i>	Curculionidae	WA	1 P
<i>porosa</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Gosford, NSW	2 P
<i>porrigineus</i> Pascoe 1872	<i>Poropterus</i>	Curculionidae	Vic	2 T
<i>postcoxalis</i> Lea 1926	<i>Mandalotus</i>	Curculionidae	Gippsland, Vic	3 P
<i>posthumeralis</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	Sydney, NSW	2 P
<i>posticalis</i> Ferguson 1915	<i>Talauminus</i>	Curculionidae	Coramba, NSW	H
<i>posticalis</i> Lea 1903	<i>Queenslandica</i>	Curculionidae	Lizard I., Q	4 P
<i>posticalis</i> Macleay 1866	<i>Acantholophus</i>	Curculionidae	Stirling Range, WA	H, 2 P
<i>posticalis</i> Macleay 1887	<i>Cladophorus</i> (<i>Metriorrhynchus</i>)	Lycidae	Barren R., Q	2 S
<i>potamophilus</i> Lea 1921	<i>Aphanocephalus</i>	Corylophidae	WA	2 P
<i>prasina</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	Bargo (Picton), NSW	4 S
<i>prasinus</i> Macleay 1873	<i>Calloodes</i>	Scarabaeidae	North Australia	2 S
<i>pretiosa</i> Lea 1911	<i>Lybaeba</i>	Curculionidae	Vic	2 P
<i>princeps</i> King 1864	<i>Heterognathus</i>	Scydmaenidae	Parramatta, NSW	2 T
<i>prionoides</i> Thomson 1864	<i>Diocides</i>	Cerambycidae	Salt R., WA	2 T
<i>procerum</i> Olliff 1890	<i>Ceresium</i>	Cerambycidae	Lord Howe I.	1 T
<i>procerus</i> Olliff 1889	<i>Cossonus</i> (<i>Aphanocorynes</i>)	Curculionidae	Lord Howe I.	2 S
<i>prodigus</i> Macleay 1866	<i>Hyborrhynchus</i>	Curculionidae	King George Sound, WA	2 S
<i>promptus</i> Harold 1869	<i>Onthophagus</i>	Scarabaeidae	Cape York, Q	2 T
<i>propinquus</i> Carter 1916	<i>Stigmadera</i>	Buprestidae	SA	H
<i>propinquum</i> Macleay 1869	<i>Carenum</i>	Carabidae	Liverpool Plains, NSW	H
<i>propinquus</i> Macleay 1872	<i>Anthicus</i>	Anthicidae	Gayndah, Q	2 S
<i>propinquus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Port Denison, Q	H
<i>propinquus</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	King Sound, WA	2 S
<i>proxima</i> Pascoe 1869	<i>Seirotrana</i>	Tenebrionidae	Vic	2 T
<i>prymnoides</i> Ferguson 1912	<i>Talauminus</i>	Curculionidae	SA	H, A, 1P
<i>pubescens</i> Carter 1939	<i>Limoniust</i>	Elateridae	Mt Tambourine, Q	2 P
<i>pubescens</i> Lea 1911	<i>Bubaris</i>	Curculionidae	NSW	6 P
<i>pubescens</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Leigh Creek, SA	3 P
<i>pubescens</i> Lea 1922	<i>Gcoendomychus</i>	Endomychidae	Lord Howe I.	2 P
<i>pubescens</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	Q	H
<i>pubescens</i> Macleay 1871	<i>Heteronyx</i>	Scarabaeidae	Gayndah, Q	1 S
<i>pubiventris</i> Pascoe 1862	<i>Symplytes</i>	Cerambycidae	SA	2 T
<i>pubicum</i> Olliff 1889	<i>Ostoma</i>	Trogossitidae	Lord Howe I.	2 T
<i>pulcher</i> King 1869	<i>Anthicus</i>	Anthicidae	Gawler, SA	3 T
<i>pulcher</i> Lea 1915	<i>Chrysophoracis</i>	Chrysomelidae	Tas	1 P
<i>pulchra</i> Brown 1869	<i>Megacephala</i> (<i>Tetracha</i>)	Carabidae	Champion Bay, WA	1 T
<i>pulchra</i> Macleay 1871	<i>Schizorrhina</i>	Scarabaeidae	Gayndah, Q	5 S
<i>pulchripennis</i> Lea 1897	<i>Syarbis</i>	Curculionidae	WA	2 P
<i>pulchrivaria</i> Lea 1917	<i>Lagria</i>	Lagriidae	NSW	1 P
<i>pulverulenta</i> Macleay 1887	<i>Mordella</i>	Mordellidae	Cairns, Q	2 S
<i>pulverulentus</i> Macleay 1865 var.	<i>Talauminus</i>	Curculionidae	Q	3 P
<i>prosternalis</i> Ferguson				

Specific Name	Original Genus	Family	Type Locality	Types
<i>punctatissima</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Cairns, Q	H
<i>punctatissima</i> Macleay 1888	<i>Silphomorpha</i>	Carabidae	King Sound, WA	H
<i>punctatus</i> King 1865	<i>Cyathiger</i>	Pselaphidae	Petersham; Blue Mts, NSW	2 T
<i>punctatus</i> Lea 1910	<i>Lissoes</i>	Lucanidae	Tas	2 P
<i>punctatus</i> Sloane 1894	<i>Cyclothorax</i> (<i>Mecyclothorax</i>)	Carabidae	Urana, NSW	2 P
<i>puncticolle</i> Macleay 1873	<i>Bolboceras</i>	Geotrupidae	SA	L♂ + 2♂ 1♀ PL
<i>puncticolle</i> Macleay 1864	<i>Carenus</i>	Carabidae	SA	H
<i>puncticollis</i> Carter 1910	<i>Pterohelaeus</i>	Tenebrionidae	WA	H
<i>puncticollis</i> Lea 1909	<i>Timareta</i>	Curculionidae	Tas	2 P
<i>puncticollis</i> Macleay 1873	<i>Arthropiterus</i>	Carabidae	Liverpool Plains, NSW	H
<i>puncticollis</i> Macleay 1888	<i>Haplaner</i> (<i>Hypharpax</i>)	Carabidae	King Sound, WA	4 S
<i>puncticollis</i> Macleay 1873	<i>Promecoderus</i>	Carabidae	Monaro, NSW	H
<i>puncticollis</i> Macleay 1871	<i>Stenus</i>	Staphylinidae	Gayndah, Q	2 P
<i>punctifera</i> Macleay 1872	<i>Seirotrana</i>	Tenebrionidae	Gayndah, Q	4 S
<i>punctifrons</i> Lea 1903	<i>Calomela</i>	Chrysomelidae	Rockhampton, Q	2 S
<i>punctilatera</i> Lea 1924	<i>Dorcatoma</i>	Anobiidae	Lord Howe I.	1 P
<i>punctipenne</i> Macleay 1871	<i>Scaphidium</i>	Scaphidiidae	NSW	L
<i>punctipennis</i> Carter 1926	<i>Athemistus</i>	Cerambycidae	Barrington Tops, NSW	H
<i>punctipennis</i> Lea 1910	<i>Auletes</i>	Curculionidae	Illawarra, NSW	1 P
<i>punctipennis</i> Lea 1909	<i>Helcogaster</i>	Melyridae	Cairns, Q	2 S
<i>punctipennis</i> Lea 1912	<i>Notocalviceps</i>	Curculionidae	Q	H
<i>punctipennis</i> Macleay 1872	<i>Chalcopterus</i> (<i>Amarygmus</i>)	Tenebrionidae	Gayndah, Q	1 S
<i>punctipennis</i> Macleay 1871	<i>Cyclotheta</i> (<i>Mecyclothorax</i>)	Carabidae	Gayndah, Q	1 S
<i>punctipennis</i> Macleay 1873	<i>Gnathoxys</i>	Carabidae	SA	2 S
<i>punctipennis</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Cape York, Q	2 S
<i>punctirostris</i> Lea 1908	<i>Belus</i>	Belidae	SA	2 P
<i>punctivarius</i> Lea 1921	<i>Ditropidus</i>	Chrysomelidae	Hobart, Tas	2 P
<i>punctulata</i> Blackburn 1889	<i>Rhyparida</i>	Chrysomelidae	SA (north)	1 P
<i>punctulatum</i> Macleay 1864	<i>Carenus</i>	Carabidae	Byalla, NSW	H
<i>punctulatum</i> Macleay 1887	<i>Eutoma</i>	Carabidae	Dawson R., Q	2 S
<i>punctum</i> W. S. Macleay 1827	<i>Oedemera</i> (<i>Sessinia</i>)	Oedemeridae	New Holland	H
<i>purpurascens</i> Macleay 1888	<i>Anthaxia</i> (<i>Anilara</i>)	Buprestidae	King Sound, WA	H (missing)
<i>purpurea</i> Lea 1915	<i>Cleorina</i>	Chrysomelidae	Cairns district, Q	2 P
<i>purpureicollis</i> Macleay 1864	<i>Onthophagus</i>	Scarabaeidae	Port Denison, Q	3 S
<i>purpureipennis</i> Bates 1873	<i>Metisopus</i>	Tenebrionidae	Norfolk I.	4 T
<i>purpureipennis</i> Lea 1921	<i>Carphurus</i>	Melyridae	Q	1 P
<i>purpureipennis</i> Lea 1916	<i>Stethomela</i>	Chrysomelidae	Coen R., Q	1 P
<i>purpureipennis</i> Macleay 1887	<i>Lagria</i>	Lagriidae	Mulgrave R., Q	2 S
<i>purpureipennis</i> Macleay 1871	<i>Notonomus</i>	Carabidae	Gayndah, Q	2 S
<i>purpureitarsis</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	NSW	H
1887	<i>Carenus</i>	Carabidae	Coonabarabran, NSW	4 S
<i>pureoerincta</i> Macleay 1888	<i>Cisseis</i>	Buprestidae	WA	H
<i>pureoerinctus</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	Kurrajong, NSW	2 P
<i>pusillus</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Barron R., Q	2 S
<i>pygidialis</i> Lea 1917	<i>Mordella</i>	Mordellidae	Illawarra, Sydney, NSW	3 P
<i>pygmaea</i> Macleay 1864	<i>Cheiragra</i>	Scarabaeidae	NSW	2 S
<i>pygmaeum</i> Macleay 1871	<i>Cyclonotum</i>	Hydrophilidae	Gayndah, Q	3 S
1888	<i>Temnoptlectron</i> (<i>Lepanus</i>)	Scarabaeidae	King Sound, WA	2 S
<i>pygmaeus</i> Carter 1906	<i>Cardiothorax</i>	Tenebrionidae	NSW	2 S
<i>pygmaeus</i> Carter 1926	<i>Hypaulax</i>	Tenebrionidae	Darwin, NT	H, 1 P
<i>pygmaeus</i> Carter 1939	<i>Limonioides</i>	Elateridae	SA	2 S
<i>pygmaeus</i> Lea 1908	<i>Microcryptor-</i> <i>hynchus</i>	Curculionidae	King I., Tas	2 P
<i>pygmaeus</i> Macleay 1888	<i>Oodes</i>	Carabidae	King Sound, WA	2 S
<i>pyriferus</i> Lea 1910	<i>Dialeptopus</i>	Curculionidae	SA	1 P
<i>pyrrha</i> Olliff 1886	<i>Calodera</i>	Staphylinidae	Hunter R., NSW	1 T

Specific Name	Original Genus	Family	Type Locality	Types
<i>quadraticollis</i> Ferguson 1915	<i>Cubicorrhynchus</i>	Curculionidae	Mt Lofty, SA	2 P
<i>quadripennis</i> Macleay 1888	<i>Abacetus</i>	Carabidae	King Sound, WA	2 S
<i>quadratus</i> Carter 1910	<i>Sympetes</i>	Tenebrionidae	Shark Bay, WA	1 S
<i>quadricolor</i> Lea 1926	<i>Apion</i>	Curculionidae	Darwin, NT	2 P
<i>quadricolor</i> Lea 1907	<i>Lemidia</i>	Cleridae	NSW	H
<i>quadriguttata</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Port Denison, Q	2 S
<i>quadrimaculata</i> Lea 1917	<i>Mordella</i>	Mordellidae	NSW	3 S
<i>quadrimaculata</i> Macleay 1864	<i>Silphomorpha</i>	Carabidae	Port Denison, Q	4 S
<i>quadrimaculatus</i> Macleay 1888	<i>Acupalpus</i>	Carabidae	King Sound, WA	4 S
<i>quadriplagiatus</i> Carter 1926	<i>Helmis</i>	Helminthidae	Vic	1 P
<i>quadripunctatum</i> Macleay 1863	<i>Carenum</i>	Carabidae	Port Denison, Q	4 S
<i>quadrisignata</i> Castelnau 1868	<i>Silphomorpha</i>	Carabidae	SA	3 T
<i>quadrituberculata</i> Lea 1911	<i>Rybaxis</i>	Pselaphidae	Tas	2 T
<i>quatuordecimmaculata</i> Macleay 1872	<i>Mordella</i>	Mordellidae	Gayndah (Wide Bay), Q	2 S
<i>queenslandica</i> Sloane 1909	<i>Cicindela</i>	Carabidae	Cairns, Q	1 P
<i>queenslandica</i> Sloane 1896	<i>Clivina</i>	Carabidae	Darling Downs, Q	1 P
<i>queenslandicus</i> Ferguson 1915	<i>Sclerorinus</i>	Curculionidae	Q	3 P
<i>queenslandicus</i> Sloane 1902	<i>Notonomus</i>	Carabidae	Q	1 P
<i>quinquenotatus</i> Lea 1921	<i>Stenotarsus</i>	Endomychidae	Sydney, NSW	1 P
<i>quintana</i> Lea 1911	<i>Eupines</i>	Pselaphidae	Tas	2 P
<i>raffrayi</i> Lea 1910	<i>Articerus</i>	Pselaphidae	WA	2 P
<i>rainbowi</i> Sloane 1902	<i>Notonomus</i>	Carabidae	Mt Kosciusko, NSW	2 T
<i>ramsayi</i> Olliff 1885	<i>Laemophlaeus</i>	Cucujidae	Wide Bay, Q	1 T
<i>rara</i> Lea 1915	<i>Colaspoides</i>	Chrysomelidae	SA	H
<i>rayneri</i> Macleay 1864	<i>Calloides</i>	Scarabaeidae	Port Denison, Q	2 S
<i>rayneri</i> Macleay 1865	<i>Talaurious</i>	Curculionidae	West Coast, New Holland	H
<i>rectangulare</i> Macleay 1864	<i>Carenum</i>	Carabidae	SA	2 S
<i>rectangularis</i> Macleay 1864	<i>Bothridieres</i>	Colydiidae	Port Denison, Q	2 S
<i>recticarinatus</i> Lea 1926	<i>Mandalotus</i>	Curculionidae	Myponga, SA	2 P
<i>recticollis</i> Macleay 1888	<i>Haplaner</i>	Carabidae	King Sound, WA	H
<i>rectifasciatus</i> Lea 1895	<i>Anthicus</i>	Anthicidae	Fitzroy I., Q	2 P
<i>rectipes</i> Ferguson 1916	<i>Cubicorrhynchus</i>	Curculionidae	Cue, WA	H, 2 P
<i>regalis</i> Olliff 1887	<i>Colonia</i>	Staphylinidae	Richmond R., NSW	2 T
<i>regius</i> King 1869	<i>Articerus</i>	Pselaphidae	Liverpool, NSW	1 T
<i>regularis</i> Lea 1906	<i>Leptops</i>	Curculionidae	Darling R., NSW	1 P
<i>regularis</i> Macleay 1872	<i>Homotrysis</i>	Alleculidae	Gayndah, Q	1 S
<i>regularis</i> Sloane 1893	<i>Talaurious</i>	Curculionidae	SA	H, A
<i>reichei</i> Castelnau 1868	<i>Prosopogmus</i>	Carabidae	Kiama, NSW	2 T
<i>repandum</i> Pascoe 1869	<i>Seirotrana</i>	Tenebrionidae	Q	2 T
<i>resplendens</i> Castelnau 1867	<i>Notonomus</i>	Carabidae	Merimbula, NSW	2 T
<i>reticulatus</i> Bates 1872	<i>Nyctozoilus</i>	Tenebrionidae	Monaro, NSW	H, 1 P
<i>rhaebocnema</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	WA	H
<i>rhinoceros</i> Macleay 1864	<i>Bolboceras</i>	Geotrupidae	Port Denison, Q	Lo + 19 PL
<i>rhipidius</i> W. S. Macleay 1827	<i>Lycus</i> (<i>Metriorrhynchus</i>)	Lycidae	Australia	H
<i>rhizophagus</i> Lea 1914	<i>Leptops</i>	Curculionidae	Wirrabara, WA	1 P
<i>rhizophagus</i> Lea 1923	<i>Rhyssenus</i>	Scarabaeidae	Swan R.; Vasse R., WA	2 P
<i>rhyncoliformis</i> Wollaston 1873	<i>Pentanimus</i>	Curculionidae	King George Sound, WA	1 P
<i>rhytiphorulus</i> Lea 1908	<i>Helcogaster</i>	Melyridae	NSW	2 P
<i>richmondia</i> Macleay 1886	<i>Diphucephala</i>	Scarabaeidae	Richmond R., NSW	4 S
<i>riverinae</i> Macleay 1873	<i>Arthropiterus</i>	Carabidae	Murrumbidgee, NSW	H
<i>riverinae</i> Macleay 1865	<i>Carenum</i> (<i>Conopiterum</i>)	Carabidae	Lower Murrumbidgee (= R. Murray), Mulwala, NSW	3 S
<i>riverinae</i> Macleay 1873	<i>Coptocarpus</i>	Carabidae	Murrumbidgee, NSW	2 S
<i>riverinae</i> Macleay 1873	<i>Promecoderus</i>	Carabidae	Lower Murrumbidgee, NSW	2 S
<i>riverinae</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Murrumbidgee, NSW	2 S
<i>riverinae</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	Lower Murrumbidgee, NSW	3 S
<i>riverinae</i> Macleay 1865	<i>Talaurious</i>	Curculionidae	Lower Murrumbidgee, NSW	2 S
<i>riverinae</i> Sloane 1894	<i>Bembidium</i>	Carabidae	Urana, NSW	2 P
<i>riverinae</i> Sloane 1896	<i>Clivina</i>	Carabidae	Urana, NSW	2 P
<i>rivularis</i> Lea 1926	<i>Apion</i>	Curculionidae	Derby, WA	2 P
<i>rivularis</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Vasse R., WA	1 P
<i>rivularis</i> Lea 1915	<i>Scydmaenus</i>	Scydmaenidae	NSW; Vic	3 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>robustus</i> Lea 1915	<i>Heterognathus</i>	Scydmidae	Mulggrave R., Q	1 P
<i>rockhamptonensis</i> Castelnau 1867	<i>Eudema</i> (<i>Epicosmus</i> , <i>Craspedophorus</i>)	Carabidae	Rockhampton, Q	1 T
<i>rockhamptonensis</i> Castelnau 1868	<i>Silphomorpha</i>	Carabidae	Rockhampton, Q	1 T
<i>rockhamptonensis</i> Macleay 1873	<i>Arthopterus</i>	Carabidae	Rockhampton, Q	H
<i>roei</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	King George Sound, WA	2 S
<i>rostralis</i> Lea 1906	<i>Leptops</i>	Curculionidae	Wide Bay, Q	2 P
<i>rostratus</i> Macleay 1864	<i>Macrothops</i>	Scarabaeidae	King George Sound, WA	5 S
<i>rotundata</i> Lea 1910	<i>Cassythicola</i>	Curculionidae	Geraldton, WA	2 P
<i>rotundicollis</i> Ferguson 1916	<i>Moluchthus</i>	Curculionidae	Onslow, Ashburton R., WA	H, A, 2P
<i>rotundicollis</i> Macleay 1871	<i>Scopaeus</i>	Staphylinidae	Gayndah, Q	2 S
<i>rotundiformis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	King George Sound, WA	2 S
<i>rotundipennis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	4 S
<i>rubefactus</i> Macleay 1866	<i>Liparetrus</i>	Scarabaeidae	King George Sound, WA	H
<i>rubescens</i> Macleay 1888	<i>Lacon</i>	Elateridae	Barrier Range, WA	L, 1 PL
<i>rubescens</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	King Sound, WA	4 S
<i>rubicunda</i> Macleay 1887	<i>Egestria</i>	Anthicidae	Cairns, Q	H
<i>rubicunda</i> Macleay 1871	<i>Pria</i>	Nitidulidae	Gayndah, Q	2 S
<i>rubicundulus</i> Macleay 1888	<i>Lacon</i>	Elateridae	King Sound, WA	L
<i>rubicundulus</i> Macleay 1871	<i>Onthophagus</i>	Scarabaeidae	Gayndah, Q	5 S
<i>rubicundum</i> Macleay 1871	<i>Bembidium</i> (<i>Tachys</i>)	Carabidae	Gayndah, Q	4 S
<i>rubicundus</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	SA	2 S
<i>rubicundus</i> Macleay 1864	<i>Liparetrus</i>	Scarabaeidae	Port Denison, Q	3 S
<i>rubiginosus</i> Macleay 1873	<i>Anoplognathus</i>	Scarabaeidae	New England, NSW	2 S
<i>rubriceps</i> Macleay 1887	<i>Telephorus</i>	Cantharidae	Cairns district (Mossman R.), Q	2 S
<i>rubrimaculatus</i> Macleay 1864	<i>Onthophagus</i>	Scarabaeidae	Port Denison, Q	3 S
<i>rubromarginata</i> Théry 1922	<i>Metaxydromia</i>	Buprestidae	? Patria' (Q)	H
<i>rudis</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	Mudgee, NSW	4 S
<i>rudis</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	NSW	2 S
<i>rufescens</i> F. Bates 1868	<i>Lycynnius</i> (<i>Chromomoea</i>)	Alleculidae	NSW	2 S
<i>rufescens</i> Macleay 1887	<i>Demetrias</i>	Carabidae	Cairns district, Q	4 S
<i>ruficeps</i> Lea 1919	<i>Odontonyx</i>	Scarabaeidae	Hunter R., NSW	H
<i>ruficeps</i> Macleay 1887	<i>Lagria</i>	Lagriidae	Q	2 S
<i>ruficeps</i> Macleay 1871	<i>Lecanomerus</i>	Carabidae	Gayndah, Q	2 S
<i>ruficollis</i> Macleay 1872	<i>Atractus</i> (<i>Neoatractus</i>)	Alleculidae	Gayndah, Q	4 S
<i>ruficollis</i> Macleay 1864	<i>Cheiragra</i>	Scarabaeidae	NSW	9 S
<i>ruficollis</i> Macleay 1864	<i>Phyllotocus</i>	Scarabaeidae	NSW	2 S
<i>ruficollis</i> Sloane 1898	<i>Agonochila</i>	Carabidae	Mt Barker, WA	3 P
<i>ruficornis</i> Lea 1908	<i>Belus</i>	Curculionidae	Q	1 P
<i>rufilabris</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	WA	2 S
<i>rufilabris</i> Macleay 1871	<i>Trechus</i> (<i>Perigona</i>)	Carabidae	Gayndah, Q	4 S
<i>rufimanus</i> Lea 1908	<i>Elleschedes</i>	Curculionidae	NSW	2 P
<i>rufimanus</i> Lea 1908	<i>Magdalis</i>	Curculionidae	King I., Tas	2 P
<i>rufimanus</i> Lea 1928	<i>Microcryptorhynchus</i>	Curculionidae	Norfolk I.	2 P
<i>rufipalpis</i> Macleay 1871	<i>Conurus</i> (<i>Conosoma</i>)	Staphylinidae	Gayndah, Q	3 S
<i>rufipennis</i> Macleay 1864	<i>Liparetrus</i>	Scarabaeidae	Port Denison, Q	4 S
<i>rufipes</i> Blackburn 1896	<i>Talauminus</i>	Curculionidae	Central Australia	1 P
<i>rufipes</i> Macleay 1872	<i>Amarygmus</i> (<i>Chalcopterus</i>)	Tenebrionidae	Gayndah, Q	2 S
<i>rufipes</i> Macleay 1872	<i>Microphyes</i>	Tenebrionidae	Gayndah, Q	3 S
<i>rufipes</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Port Denison, Q	2 S
<i>rufitincta</i> Macleay 1886	<i>Euryonia</i> (<i>Glycyphana</i>)	Scarabaeidae	Port Moresby, NG	2 S
<i>rufiventris</i> Macleay 1887	<i>Telephorus</i>	Cantharidae	Cairns district (Mossman R.), Q	2 S
<i>rufobrunneus</i> Lea 1928	<i>Haplonyx</i>	Curculionidae	SA	1 P
<i>rufolineata</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	Hunter R., NSW	2 S
<i>rufomarginata</i> Macleay 1871	<i>Silphomorpha</i>	Carabidae	Gayndah, Q	3 S
<i>rufopiceus</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	Barrier Range, WA	6 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>rufopiceus</i> Macleay 1888	<i>Lacon</i>	Elateridae	Barrier Range, WA	L, 2 PL
<i>rufosignatus</i> Macleay 1864	<i>Onthophagus</i>	Scarabaeidae	Port Denison, Q	4 S
<i>rufoterminalis</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	Yass, NSW	1 P
<i>rufus</i> Blackburn 1892	<i>Liparochrus</i>	Scarabaeidae	Murchison R., WA	1 P
<i>rugiceps</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	King George Sound, WA	4 S
<i>rugicollis</i> Carter 1915	<i>Hybrenia</i>	Alleculidae	NSW	1 P
<i>rugicollis</i> Macleay 1888	<i>Ammoecius</i>	Scarabaeidae	King Sound, WA	2 S
<i>rugicollis</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	H
<i>rugicollis</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	Singleton, NSW	H
<i>rugosicollis</i> Macleay 1872	<i>Adelium</i>	Tenebrionidae	Gayndah, Q	2 S
<i>rugospennis</i> Macleay 1871	<i>Heteronyx</i>	Scarabaeidae	Gayndah, Q	1 S
<i>rugospennis</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	Monaro, NSW	4 S
<i>rugosulum</i> Macleay 1869	<i>Neocarenus</i>	Carabidae	Salt Lake, Hummock Ridge, SA	H
<i>rugosus</i> Ferguson 1923	<i>Mythites</i>	Curculionidae	NSW	H, A, 1P
<i>rugosus</i> Kirby 1818	<i>Onthophagus</i>	Scarabaeidae	NSW; SA	2 T
<i>rugosus</i> Macleay 1865	<i>Hyborrhynchus</i>	Curculionidae	King George Sound, WA	2 S
<i>rugosus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	2 S
<i>rugosus</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	New Holland	2 S
<i>rutilans</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	SA	2 P
<i>sabulosa</i> Lea 1931	<i>Achopera</i>	Curculionidae	King I., Tas	2 P
<i>sabulosus</i> Lea 1907	<i>Mandalotus</i>	Curculionidae	Swansea, Tas	2 P
<i>salebrosus</i> Macleay 1871	<i>Carenus</i> (<i>Laccopterum</i>)	Carabidae	Gayndah, Q	4 S
<i>salebrosus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA; Vic; NSW	4 S
<i>salebrosus</i> Macleay 1888	<i>Onthophagus</i>	Scarabaeidae	King George Sound, WA	H
<i>salebrosus</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	New Holland	2 S
<i>satelles</i> Blackburn 1893	<i>Calomela</i>	Chrysomelidae	Fraser Range, WA	2 P
<i>satyrus</i> Pascoe 1873	<i>Poropterus</i>	Curculionidae	Tas	2 T
<i>saudersi</i> Macleay 1888	<i>Chrysodema</i> (<i>Chalcophora</i>)	Buprestidae	King Sound, WA	4 S
<i>savagei</i> Lea 1917	<i>Maechidius</i>	Scarabaeidae	SA	1 P
<i>scaber</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	Swan R., WA	H
<i>scabiosus</i> Lea 1904	<i>Cryptocephalus</i>	Chrysomelidae	SA	H
<i>scaphirostris</i> Ferguson 1915	<i>Acantholophus</i>	Curculionidae	WA	H
<i>scapularis</i> Ferguson 1912	<i>Talauminus</i>	Curculionidae	Dawson R., Q	1 P
<i>scapularis</i> Macleay 1863	<i>Megacephala</i> (<i>Tetracha</i>)	Carabidae	Port Denison, Q	2 S
<i>scitulum</i> Macleay 1863	<i>Carenus</i>	Carabidae	Moreton Bay, Q	H
<i>sciurus</i> Pascoe 1870	<i>Syrbis</i>	Curculionidae	Nicol Bay, WA	2 T
<i>scrobiculata</i> Lea 1908	<i>Wiburdia</i>	Curculionidae	NSW	1 P
<i>sculptipennis</i> Castelnau 1867	<i>Harpalus</i> (<i>Diaphoromerus</i>)	Carabidae	King George Sound, WA	2 T
<i>sculpturatus</i> Sloane 1894	<i>Lestianthus</i> (<i>Lithastrotus</i>)	Carabidae	Rope's Creek, NSW	4 T
<i>scutatus</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	King Sound, WA	2 S
<i>scutellare</i> Pascoe 1869	<i>Adelium</i>	Tenebrionidae	Darling Downs, Q	2 T
<i>scutellaris</i> Lea 1915	<i>Alitus</i>	Chrysomelidae	Stewart R., Q	2 P
<i>scutellaris</i> Macleay 1873	<i>Artropterus</i>	Carabidae	South Country, NSW	H
<i>scutellaris</i> Macleay 1864	<i>Phyllotocus</i>	Scarabaeidae	Sydney, NSW	4 S
<i>scutellaris</i> Pascoe 1871	<i>Catastygnus</i>	Curculionidae	Wide Bay, Q	1 T
<i>scutellatus</i> Lea 1895	<i>Anthicus</i>	Anthicidae	WA	4 P
<i>securigera</i> W. S. Macleay 1827	<i>Cistela</i>	Alleculidae	Australia	H
<i>sellatus</i> Ferguson 1921	<i>Acantholophus</i>	Curculionidae	NSW	2 S
<i>sellatus</i> Pascoe 1873	<i>Tychreus</i>	Curculionidae	NSW	2 T
<i>semicalvus</i> Lea 1917	<i>Pseudoryctes</i>	Scarabaeidae	Ooldea, SA	1 P
<i>semicoecus</i> Macleay 1888	<i>Ammoecius</i>	Scarabaeidae	WA	2 S
<i>semicornutus</i> Macleay 1871	<i>Ammoecius</i> (<i>Ataenius</i>)	Scarabaeidae	Gayndah, Q	3 S
<i>semicostatus</i> Macleay 1871	<i>Trox</i>	Trogidae	Gayndah, Q	3 S
<i>semicrudus</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Vic	1 P
<i>semiflava</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Bribie I., Q	2 P
<i>semimetallicus</i> Lea 1923	<i>Onthophagus</i>	Scarabaeidae	Q	1 P
<i>seminiger</i> Lea 1915	<i>Scydmaenus</i>	Scydmaenidae	Vic; NSW; Tas	5 P
<i>seminudus</i> Lea 1911	<i>Haplonyx</i>	Curculionidae	Q	1 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>semipaca</i> Lea 1917	<i>Haplomycha</i>	Scarabaeidae	SA	1 P
<i>semipacus</i> Lea 1910	<i>Polylobus</i>	Staphylinidae	Tas., Huon R.	2 P
<i>semiporus</i> Lea 1908	<i>Melanterius</i>	Curculionidae	Q	2 P
<i>semipunctatus</i> Lea 1917	<i>Anthicus</i>	Anthicidae	Geraldton, WA	1 P
<i>semiruber</i> Carter 1959	<i>Melanoxanthus</i>	Elateridae	Cairns, Q	H
<i>semirufostriatus</i> Lea 1915	<i>Aphanocorynes</i>	Curculionidae	WA	2 P
<i>semistriata</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Cairns, Q	H
<i>semiviolacea</i> Castelnau 1867	<i>Ceratalis</i>	Carabidae	Port Lincoln, SA	2 T
<i>semivittidis</i> Sloane 1906	<i>Cicindela</i>	Carabidae	Coen, Q	1 T
<i>semivittatus</i> Macleay 1888	<i>Plochionus</i> (<i>Phloeocarabus</i>)	Carabidae	King Sound, WA	H
<i>sepidioides</i> Macleay 1865	<i>Cubicorrhynchus</i>	Curculionidae	Murrumbidgee, NSW	2 S
<i>seposita</i> Olliff 1885	<i>Leperina</i>	Trogossitidae	King George Sound, WA	2 T
<i>septemcarus</i> W. S. Macleay 1827	<i>Lycus</i> (<i>Metriorrhynchus</i>)	Lycidae	Australia	H
<i>septemcostatus</i> Carter 1910	<i>Pterocephalus</i>	Tenebrionidae	Camooweal, Q	2 P
<i>septentrionale</i> Macleay 1887	<i>Carenidium</i> (<i>Conopierum</i>)	Carabidae	Peak Downs, Q	H
<i>septentrionalis</i> Ferguson 1912	<i>Talauminus</i>	Curculionidae	Q	H, A
<i>sericans</i> Lea 1917	<i>Mordella</i>	Mordellidae	Ardrossan, SA	1 P
<i>sericea</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	WA	1 P
<i>sericea</i> Macleay 1885 var. of <i>latreillei</i>	<i>Lamprima</i>	Lucanidae	Herbert R., Q	2 S
<i>sericeipennis</i> Lea 1919	<i>Cheiragra</i>	Scarabaeidae	Q	2 P
<i>sericeipennis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	NSW	H
<i>sericeus</i> Macleay 1871	<i>Liparetrus</i>	Scarabaeidae	Gayndah, Q	1 PL
<i>sericeus</i> Macleay 1871	<i>Phyllotocus</i>	Scarabaeidae	Gayndah, Q	2 S
<i>sericeus</i> Macleay 1871	<i>Scopodes</i>	Carabidae	Gayndah, Q	2 S
<i>sericippennis</i> Macleay 1888	<i>Diaphoromerus</i>	Carabidae	King Sound, WA	H
<i>serraticollis</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Wingello, NSW	H
<i>serraticornis</i> Macleay 1887	<i>Metriorrhynchus</i>	Lycidae	Mossman R., Q	H
<i>serraticornis</i> Macleay 1887	<i>Pelecotomoides</i>	Rhipiphoridae	Cairns, Q	H
<i>serratipes</i> Ferguson 1916	<i>Cubicorrhynchus</i>	Curculionidae	WA	H
<i>sericollis</i> Lea 1926	<i>Hydrochus</i>	Hydrochidae	East Tamar, Tas	2 P
<i>seticollis</i> Lea 1919	<i>Pseudoheteronyx</i>	Scarabaeidae	NSW	2 P
<i>seticollis</i> Macleay 1871	<i>Morio</i>	Carabidae	Gayndah, Q	4 S
<i>seticollis</i> Sloane 1896	<i>Tachys</i>	Carabidae	King Sound, WA	5 P
<i>setifera</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Cairns district, Q	2 P
<i>setipennis</i> Lea 1923	<i>Candezea</i>	Chrysomelidae	National Park, NSW	3 P
<i>setosus</i> Ferguson 1916	<i>Cubicorrhynchus</i>	Curculionidae	Onslow, WA	H, A, 2 P
<i>setosus</i> Lea 1904	<i>Polyphrades</i>	Curculionidae	WA	4 P
<i>sexfoveatus</i> Macleay 1888	<i>Scopodes</i>	Carabidae	Barrier Range, WA	2 S
<i>seguttata</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Port Denison, Q	H
<i>sexpunctatum</i> Macleay 1869	<i>Carenum</i>	Carabidae	Lower Murrumbidgee (= R. Murray), NSW	H
<i>sexpunctatus</i> Macleay 1888	<i>Diaphoromerus</i>	Carabidae	King Sound, WA	2 S
<i>sexspilota</i> Lea 1907	<i>Lemidia</i>	Cleridae	NSW	H
<i>silaceus</i> Pascoe 1871	<i>Cherrus</i> (<i>Leptops</i>)	Curculionidae	King George Sound, WA	2 T
<i>silenus</i> Westwood 1842	<i>Scaraphites</i>	Carabidae	Swan R., WA	1 T
<i>similis</i> Lea 1915	<i>Colaspoides</i>	Chrysomelidae	Brisbane, Q	2 P
<i>similis</i> Lea 1913	<i>Mechistocerus</i>	Curculionidae	Q	2 P
<i>similis</i> Macleay	<i>Stenus</i>	Staphylinidae	Gayndah, Q	2 S
<i>simillimus</i> Charpentier 1968	<i>Heterocerus</i>	Heteroceridae	WA	4 P
<i>simillimus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	3 S
<i>simillimus</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	Merimbula, NSW	H
<i>simius</i> Blackburn 1889	<i>Heteronyx</i>	Scarabaeidae	NSW	H
<i>simplex</i> Lea 1908	<i>Oxyops</i>	Curculionidae	Q	1 P
<i>simpliciceps</i> Lea 1908	<i>Helcogaster</i>	Melyridae	Kurrajong, NSW	1 P
<i>simplicipennis</i> Lea 1911	<i>Cherrus</i>	Curculionidae	Adelaide, Clifton, SA	2 P
<i>simplicitarsis</i> Carne 1958	<i>Amblyterus</i>	Scarabaeidae	Clarence R., NSW	H
<i>simoni</i> Lea 1911	<i>Cossonus</i>	Curculionidae	Beaconsfield, Tas	2 P
<i>simoni</i> Lea 1907	<i>Lemidia</i>	Cleridae	Tas	2 P
<i>simulans</i> Sloane 1896	<i>Clinina</i>	Carabidae	Urana, NSW	2 S
<i>simulator</i> Ferguson 1915	<i>Acantholophus</i>	Curculionidae	Kangaroo I., SA	3 P
<i>simulator</i> Lea 1907	<i>Mandalotus</i>	Curculionidae	NSW	1 P
<i>sinuaticollis</i> Carter 1911	<i>Apasis</i>	Tenebrionidae	NSW	1 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>sinuaticollis</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Cape York, Q	H
<i>sloanei</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	NSW	H, A
<i>sloanei</i> Ferguson 1921	<i>Sclerorinus</i>	Curculionidae	NSW	H, A, 2 P
<i>smithi</i> W. S. Macleay 1838	<i>Ceratorrhina</i>	Scarabaeidae	Delagoa Bay, South Africa	2 S
<i>smithi</i> W. S. Macleay 1838	<i>Orthopterus</i> (<i>Arthropterus</i>)	Carabidae	South Africa	H
<i>sobrinus</i> Ferguson 1913	<i>Talaurious</i>	Curculionidae	Q	H, 1 P
<i>sobrinus</i> Lea 1910	<i>Mecopus</i>	Curculionidae	Richmond R., NSW	1 P
<i>sobrinus</i> Lea 1911	<i>Neomerimnetes</i>	Curculionidae	Wide Bay, Q	2 P
<i>socialis</i> Pascoe 1869	<i>Barytipha</i>	Tenebrionidae	Vic	2 T
<i>sodalis</i> Olliff 1886	<i>Polylobus</i>	Staphylinidae	Sydney, NSW	4 T
<i>solida</i> Pascoe 1863	<i>Penthea</i>	Cerambycidae	Clarence R., NSW	2 T
<i>solidus</i> Blackburn 1889	<i>Heteronyx</i>	Scarabaeidae	SA	H
<i>solidus</i> Carne 1957	<i>Cheiropatys</i>	Scarabaeidae	Clyde R., NSW	A ♀ P ♂
<i>solidus</i> Sloane 1893	<i>Talaurious</i>	Curculionidae	Q	H, 1 P
<i>solutus</i> Lea 1921	<i>Ditropidus</i>	Chrysomelidae	Quorn, SA	2 P
<i>sordidus</i> Ferguson 1921	<i>Acantholophus</i>	Curculionidae	Vic	2 S
<i>sordidus</i> Ferguson 1916	<i>Cubicorrhynchus</i>	Curculionidae	Jindabyne, NSW	H, A
<i>sordidus</i> Lea 1908	<i>Hypattalus</i>	Melyridae	SA	2 P
<i>sordidus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	1 S
<i>sororia</i> Lea 1906	<i>Baris</i>	Curculionidae	Q	2 P
<i>soror</i> Lea 1914	<i>Misophrice</i>	Curculionidae	Pt. Lincoln, SA	2 P
<i>soror</i> Lea 1915	<i>Tomyris</i>	Chrysomelidae	Mt. Wellington, Tas	2 P
<i>spaldingi</i> Macleay 1878	<i>Carenidium</i> (<i>Gymnopleurus</i>)	Carabidae	Port Darwin, NT	H*
<i>sparsus</i> Ferguson 1916	<i>Cubicorrhynchus</i>	Curculionidae	Darling Ranges, WA	H, A
<i>speciosa</i> Pascoe 1863	<i>Silphomorpha</i>	Carabidae	Gayndah, Q	4 T
<i>speciosus</i> Sloane 1888	<i>Calliscapterus</i>	Carabidae	Gascoigne R., WA	1 T
<i>spencii</i> Armstrong 1953	<i>Macrocyphon</i>	Helodidae	Sydney, NSW	1 P
<i>spenceri</i> Ferguson 1914	<i>Sclerorinus</i>	Curculionidae	NW of SA	H, A, 1 P
var. of <i>convexus</i>				
<i>spenceri</i> Sloane 1896	<i>Tachys</i>	Carabidae	King Sound, WA	2 P
<i>spicata</i> Olliff 1889	<i>Platydema</i>	Tenebrionidae	Lord Howe I.	4 S
<i>spilota</i> W. S. Macleay 1821	<i>Scarabaeus</i> (<i>Gymnopleurus</i>)	Scarabaeidae	India	H
<i>spinicollis</i> Macleay 1866	<i>Cubicorrhynchus</i>	Curculionidae	Magadup, WA	2 S
<i>spinicollis</i> W. S. Macleay 1827	<i>Prionus</i>	Cerambycidae	NSW	2 S
<i>spinicollis</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Endeavour, Q	H
<i>spinifer</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Vic	H
<i>spiniger</i> Ferguson 1914	<i>Talaurious</i>	Curculionidae	SA	1 P
<i>spinipennis</i> Lea 1907	<i>Lemidia</i>	Cleridae	NSW	H
<i>spinosa</i> Carter 1939	<i>Melobasis</i>	Buprestidae	Q	H, 1 P
<i>spinosus</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	King George Sound, WA	4 S
<i>spinosus</i> Macleay 1865	<i>Talaurious</i>	Curculionidae	King George Sound, WA	4 S
<i>spissus</i> Lea 1920	<i>Coenobius</i>	Chrysomelidae	Sydney, NSW	1 P
<i>splendens</i> Macleay 1872	<i>Curis</i>	Buprestidae	Gayndah, Q	2 S
<i>splendens</i> W. S. Macleay 1827	<i>Notoclea</i>	Chrysomelidae	Australia	H
<i>splendidum</i> Macleay 1863	<i>Carenum</i>	Carabidae	King George Sound, WA	4 S
<i>squalidus</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Merimbula, NSW	2 S
<i>squalidus</i> Macleay 1872	<i>Cestrinus</i> (<i>Adelodemus</i>)	Tenebrionidae	Gayndah, Q	2 S
<i>squalidus</i> Macleay 1887	<i>Merodontus</i> (<i>Amphistomus</i>)	Scarabaeidae	Cairns, Q	2 S
<i>squalidus</i> Macleay 1887	<i>Pterohelaeus</i>	Tenebrionidae	Q	2 S
<i>squalidus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	Lambing Flat, NSW	2 S
<i>squamibunda</i> Pascoe 1870	<i>Eleagna</i>	Curculionidae	Port Augusta, SA	1 T
<i>squamibundus</i> Lea 1911	<i>Mandalotus</i>	Curculionidae	Port Denison, Q	2 P
<i>squamiger</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	SA	2 S
<i>squamigera</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	New Holland	H
<i>squamipennis</i> Lea 1904	<i>Decilaus</i>	Curculionidae	Gayndah, Q	2 P
<i>squamiventris</i> Lea 1913	<i>Gygaeus</i>	Curculionidae	Cairns district, Q	1 P
<i>squamiventris</i> Lea 1906	<i>Misophrice</i>	Curculionidae	Vic	2 P

*Pin bears a printed label 'Dawson River, Q' but stands over label '*Carenidium spaldingi* Macl. Port Darwin'. No other identified specimen exists.

Specific Name	Original Genus	Family	Type Locality	Types
<i>squamosus</i> Carter 1911	<i>Onosterrhus</i>	Tenebrionidae	NSW	2 P
<i>squamosus</i> Lea 1906	<i>Leptops</i>	Curculionidae	Clarence R., NSW	2 P
<i>squamosus</i> Lea 1908	<i>Onesorus</i>	Curculionidae	Onslow, WA	4 P
<i>squamosus</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Vic	H
<i>squamosus</i> Macleay 1872	<i>Apatelus</i>	Tenebrionidae	Gayndah, Q	1 S
<i>squamosus</i> Macleay 1865	<i>Talaurinus</i>	Curculionidae	Murrumbidgee, NSW	2 S
<i>squamosus</i> Macleay 1871	<i>Trox</i>	Trogidae	Gayndah, Q	3 S
<i>squamosus</i> Pascoe 1869	<i>Helaeus</i>	Tenebrionidae	Darling R., NSW	2 T
<i>squiresensis</i> Blackburn 1902	<i>Dasytes</i>	Melyridae	Mt. Squires, WA	2 P
<i>stenocerus</i> Lea 1904	<i>Cryptcephalus</i>	Chrysomelidae	Rockhampton, Q	2 S
<i>stephensi</i> Macleay 1865	<i>Illaphanus</i>	Carabidae	Illawarra (Wollongong), NSW	2 S
<i>sterculae</i> Pascoe 1873	<i>Zeneudes</i>	Curculionidae	Gayndah, Q	2 T
<i>sternalis</i> Blackburn 1912	<i>Stethaspis</i>	Scarabaeidae	Mt. Buffalo, Vic	1 P
<i>sterra</i> Olliff 1889	<i>Nyctobates</i>	Tenebrionidae	Lord Howe I.	4 T
<i>stigma</i> Pascoe 1873	<i>Lobotrichelus</i>	Curculionidae	*Gayndah, Q	2 T
<i>stigmaticus</i> Pascoe 1870	<i>Cryptorrhynchus</i>	Curculionidae	Q	1 T
<i>stilbum</i> Lea 1910	<i>Apion</i>	Curculionidae	Oxford, NSW	2 P
<i>storeoides</i> Lea 1902	<i>Bothynacrum</i>	Curculionidae	Endeavour R., Q	1 P
<i>strabonus</i> Lea 1899	<i>Melanterius</i>	Curculionidae	King George Sound, WA	2 P
<i>straminea</i> Macleay 1863	<i>Stigmodera</i>	Buprestidae	Port Denison, Q	H
<i>stratiopennis</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Cairns district, Q	1 P
<i>stratiopennis</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Piper's Flat, NSW	H
<i>stratiopennis</i> Macleay 1888	<i>Saragus</i>	Tenebrionidae	Monaro, NSW	2 S
<i>stratiopennis</i> Macleay 1888	<i>Silphomorpha</i>	Carabidae	King Sound, WA	2 S
<i>stratiopunctata</i> Macleay 1887	<i>Decialma</i>	Tenebrionidae	Q	2 S
<i>stratiopunctatum</i> Macleay 1865	<i>Carenum</i>	Carabidae	Daly Waters, NT	H
<i>stratiopunctatum</i> Macleay 1865	<i>Carenum</i>	Carabidae	Murrumbidgee, NSW	H
<i>stratus</i> Lea 1905	<i>Aonychus</i>	Curculionidae	WA	6 P
<i>stratus</i> Lea 1913	<i>Decilaus</i>	Curculionidae	Mt. Wellington, Tas	2 P
<i>stratus</i> Macleay 1872	<i>Amarygmus</i>	Tenebrionidae	Gayndah, Q	1 S
<i>strigata</i> Macleay 1863	<i>Stigmodera</i>	Buprestidae	Port Denison, Q	H
<i>strigiceps</i> Lea 1911	<i>Cherrus</i>	Curculionidae	SA	2 P
<i>strigicollis</i> Carter 1937	<i>Metopistes</i>	Colydiidae	Sydney, NSW	H
<i>strigicollis</i> Ferguson 1915	<i>Cubicorhynchus</i>	Curculionidae	Nathalia, Vic	H, 1 P
<i>strigicollis</i> Lea 1910	<i>Diplocotes</i>	Ptiniidae	SA	H
<i>striolatum</i> Macleay 1871	<i>Bembidium</i>	Carabidae	Gayndah, Q	6 S
<i>stuarti</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	Central Australia	H
<i>stuarti</i> Sloane 1895	<i>Rhytisternus</i>	Carabidae	Lake Callabonna, SA	1 P
<i>sturmi</i> W. S. Macleay 1821	<i>Scarabaeus</i>	Scarabaeidae	S. Europe	2 S
<i>suavis</i> Lea 1915	<i>Colaspoides</i>	Chrysomelidae	Q	2 P
<i>subaenea</i> Harold 1877	<i>Coptodactyla</i>	Scarabaeidae	Cape York, Q	1 T
<i>subaearia</i> Lea 1924	<i>Paropsis</i>	Chrysomelidae	Somerset, Q	1 P
<i>subampliatus</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	Monaro district, NSW	2 S
<i>subapterus</i> Lea 1911	<i>Myllocerus</i>	Curculionidae	WA	4 P
<i>subcaerulea</i> Lea 1908	<i>Eniopea</i>	Curculionidae	King 1., Tas	1 P
<i>subcarinatus</i> Ferguson 1916	<i>Sclerorinus</i>	Curculionidae	NSW	H, A, 1 P
<i>subcarinatus</i> Macleay 1864	<i>Trox</i>	Trogidae	Port Denison, Q	L
<i>subcingulatus</i> Macleay 1871	<i>Philonthus</i>	Staphylinidae	Gayndah, Q	1 S
<i>subcostata</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	Parramatta, NSW	2 S
<i>subcostatum</i> Macleay 1865	<i>Carenum</i>	Carabidae	Clarence R., NSW	3 S
<i>subcostatus</i> Macleay 1864	<i>Chlaenius</i>	Carabidae	Port Denison, Q	2 S
<i>subcostatus</i> Macleay 1871	<i>Cryptodus</i>	Scarabaeidae	Gayndah, Q	1 S
<i>subcostatus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	Wingello, NSW	2 S
<i>subcyanum</i> Macleay 1869	<i>Carenum</i>	Carabidae	SA	2 S
<i>subcylindricornis</i> Lea 1919	<i>Articerus</i>	Pselaphidae	WA	2 P
<i>subcylindricus</i> Lea 1924	<i>Dryophilodes</i>	Anobiidae	Myponga, SA	2 P
<i>subcylindricus</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	Bogalong, nr. Yass, NSW	2 S
<i>subdepressum</i> Carter 1908	<i>Adelium</i>	Tenebrionidae	NSW	1 P
<i>subdepressum</i> Macleay 1873	<i>Platysoma</i>	Histeridae	Gayndah, Q	1 S
<i>subellipticus</i> Lea 1921	<i>Dasytes</i>	Melyridae	Bribie I., Q	2 P
<i>subfasciatus</i> Pascoe 1870	<i>Imaliodes</i>	Curculionidae	Illawarra, NSW	1 T
<i>subfuscus</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	King Sound, WA	2 S
<i>subglaber</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	King Sound, WA	H
<i>subhumeralis</i> Lea 1924	<i>Pronus</i>	Ptiniidae	Lord Howe I.	1 P
<i>sublaevigata</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	NSW	H, A
<i>sublaevis</i> Macleay 1888	<i>Eudalia</i> (<i>Dicraspeda</i>)	Carabidae	Barrier Range (King Sound), WA	2 S

Specific Name	Original Genus	Family	Type Locality	Types
<i>sublaevis</i> Macleay 1887	<i>Hybrenia</i>	Alleculidae	Cairns, Q	H
<i>sublaminata</i> Lea 1906	<i>Baris</i>	Curculionidae	Q	1 P
<i>sublineatus</i> Lea 1911	<i>Prosyleus</i>	Curculionidae	Forest Reefs, NSW	2 P
<i>submaculatus</i> Lea 1904	<i>Balaninus</i>	Curculionidae	Kiama, NSW	H
<i>submetallicum</i> Macleay 1869	<i>Neocarenum</i>	Carabidae	Gayndah, Q	3 S
<i>submetallicus</i> Macleay 1864	<i>Gnathoxys</i>	Carabidae	SA	H
<i>subopaca</i> Lea 1906	<i>Baris</i>	Curculionidae	NSW	2 P
<i>subopacum</i> Lea 1910	<i>Apion</i>	Curculionidae	Chillagoe, Q	2 P
<i>subopacus</i> Lea 1913	<i>Tyrtaeosus</i>	Curculionidae	Cairns, Q	2 P
<i>subopacus</i> Macleay 1871	<i>Adelotopus</i>	Carabidae	Gayndah, Q	2 S
<i>subparallela</i> Champion 1894	<i>Hyocis</i>	Tenebrionidae	Swan R., WA	2 T
<i>subporcatulum</i> Macleay 1865	<i>Carenum</i>	Carabidae	Wide Bay, Q	2 S
<i>subquadratum</i> Macleay 1865	<i>Carenum</i>	Carabidae	SA	H
<i>subrugulosum</i> Macleay 1865	<i>Carenum</i>	Carabidae	'New Holland'	H
<i>subsericeus</i> Macleay 1888	<i>Haplaner</i>	Carabidae	King Sound, WA	H
<i>subsquamosum</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Port Darwin, NT	H
<i>substriata</i> Castelnau 1867	<i>Cerotalis</i>	Carabidae	King George Sound, WA	2 T
<i>substriatum</i> Macleay 1865	<i>Carenum</i> (<i>Eutoma</i>)	Carabidae	Richmond R., NSW	H
<i>substrigosus</i> Ferguson 1915	<i>Cubicorrhynchus</i>	Curculionidae	SA	2 P
<i>subsuturalis</i> Lea 1907	<i>Lemidia</i>	Cleridae	Hobart, Tas	1 P
<i>subsuturalis</i> Lea 1908	<i>Belus</i>	Belidae	Cairns, Q	1 P
<i>subtilis</i> Macleay 1888	<i>Lacon</i>	Elateridae	King George Sound, WA	L
<i>subtridentatus</i> Ferguson 1921	<i>Acantholophus</i>	Curculionidae	NSW	H
<i>subvariabilis</i> Lea 1927	<i>Misophrice</i>	Curculionidae	Ooldea, SA	3 P
<i>subviride</i> Macleay 1871	<i>Bembidium</i>	Carabidae	Gayndah, Q	6 S
<i>subvittata</i> Macleay 1887	<i>Hybrenia</i>	Alleculidae	Cairns, Q	2 S
<i>subvittata</i> Macleay 1887	<i>Mordella</i>	Mordellidae	Russell R., Q	H
<i>subvittatus</i> Ferguson 1912	<i>Talauminus</i>	Curculionidae	Q	H, A, 1 P
<i>subvittatus</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	King Sound, WA	H
<i>sulcaticeps</i> Sloane 1897	<i>Carenum</i>	Carabidae	Nullarbor Plain, WA	1 S
<i>sulcatus</i> Macleay 1888	<i>Poecilus</i> (<i>Chlaenioidius</i>)	Carabidae	King Sound, WA	H
<i>sulcatus</i> Macleay 1888	<i>Diaphoromerus</i>	Carabidae	Barrier Range (nr King Sound), WA	H
<i>sulcatus</i> Macleay 1878	<i>Coronocanthus</i> (<i>Sarticus</i>)	Carabidae	Port Denison, Q	4 S
<i>sulcatus</i> Macleay 1864	<i>Helluo</i> (<i>Gigadema</i>)	Carabidae	Port Denison, Q	H
<i>sulciceps</i> Lea 1908	<i>Helcogaster</i>	Melyridae	NSW	H
<i>sulcicollis</i> Sloane 1896	<i>Clivina</i>	Carabidae	WA	2 S
<i>sulcipennis</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	NSW	H, A
<i>sulcipennis</i> Macleay 1872	<i>Notograptus</i>	Buprestidae	Gayndah, Q	5 S
<i>sulcipennis</i> Macleay 1887	<i>Platydesmus</i> (<i>Pteroplatydesmus</i>)	Scarabaeidae	Mosman R., Q	H
<i>sulciventris</i> Ferguson 1912	<i>Talauminus</i>	Curculionidae	Q	H
<i>superans</i> Pascoe 1862	<i>Tryphocaria</i>	Cerambycidae	Tas	2 T
<i>superbas</i> Castelnau 1867	<i>Homalosoma</i> (<i>Trichosternus</i>)	Carabidae	Hunter R., NSW	2 T
<i>suturalis</i> Lea 1910	<i>Temialma</i>	Curculionidae	Endeavour R., Q	2 P
<i>suturalis</i> Macleay 1871	<i>Agonochila</i>	Carabidae	Gayndah, Q	4 S
<i>suturalis</i> Macleay 1873	<i>Bothrideres</i>	Colydiidae	Gayndah, Q	2 S
<i>suturalis</i> Macleay 1888	<i>Stenolophus</i>	Carabidae	King Sound, WA	H
<i>swanseaensis</i> Lea 1909	<i>Timarea</i>	Curculionidae	Swansea, Tas	2 P
<i>sweeri</i> Macleay 1873	<i>Bolboceras</i>	Geotrupidae	Sweers I., Q	L
<i>sydneyensis</i> Sloane 1896	<i>Clivina</i>	Carabidae	Sydney district, NSW	2 P
<i>sylvicola</i> Blackburn 1894	<i>Licinoma</i>	Tenebrionidae	Forest Reefs, NSW	2 T
<i>tabellicornis</i> Macleay 1864	<i>Onthophagus</i>	Scarabaeidae	Port Denison, Q	H
<i>taeniata</i> Pascoe 1871	<i>Egestria</i>	Anthicidae	Rockhampton, Q	2 T
<i>tantilla</i> Lea 1915	<i>Tomrys</i>	Chrysomelidae	Darling Ranges, WA	1 P
<i>tarsalis</i> Lea 1915	<i>Colaspoides</i>	Chrysomelidae	Cairns district, Q	2 P
<i>tarsalis</i> Lea 1911	<i>Eupines</i>	Pselaphidae	Tas	2 P
<i>tasmaniicum</i> Lea 1910	<i>Apion</i>	Curculionidae	Tas	4 P
<i>tasmaniicus</i> Bates 1878	<i>Scopodes</i>	Carabidae	Tas	3 T
<i>tasmaniensis</i> Lea 1911	<i>Acantholophus</i>	Curculionidae	Hobart, Tas	3 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>tasmaniensis</i> Lea 1910	<i>Polylobus</i>	Staphylinidae	Hobart; Launceston, Tas	4 P
<i>tasmaniensis</i> Lea 1908	<i>Roptoperus</i>	Curculionidae	King I., Tas	4 P
<i>taurus</i> Ferguson 1914	<i>Notonophas</i>	Curculionidae	WA	L, 1 PL
<i>taylori</i> Ferguson 1915	<i>Psalidura</i>	Curculionidae	NSW	H, A
<i>taylori</i> Sloane 1903	<i>Notonomus</i>	Carabidae	Oberon, NSW	1 T
<i>tectus</i> Lea 1902	<i>Protopalus</i>	Curculionidae	Cairns, Q	2 P
<i>tenebricosus</i> Ferguson 1912	<i>Talaureinus</i>	Curculionidae	Vic	H, A
<i>tenebricosus</i> Lea 1904	<i>Cryptcephalus</i>	Chrysomelidae	Ipswich, Q	2 S
<i>tennantensis</i> Ferguson 1915	<i>Acantholophus</i>	Curculionidae	Tennant Creek, NT	2 P
<i>tenuicollis</i> Macleay 1888	<i>Cicindela</i>	Carabidae	Barrier Range, WA	4 S
<i>tenuicornis</i> Lea 1916	<i>Calomela</i>	Chrysomelidae	Cue, WA	1 P
<i>tenuicornis</i> Lea 1915	<i>Scydmaenus</i>	Scydmaenidae	Tas	1 P
<i>tenuirostris</i> Lea 1911	<i>Elleschedes</i>	Curculionidae	Tas	2 P
<i>tenuis</i> Lea 1911	<i>Eniopea</i>	Curculionidae	WA	3 P
<i>tenuis</i> Lea 1899	<i>Melanterius</i>	Curculionidae	WA	H
<i>tenuis</i> Lea 1912	<i>Polylobus</i>	Staphylinidae	Tas	3 P
<i>tenuis</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Cairns district, Q	2 P
<i>tenuistrigata</i> Bates 1874	<i>Hypaulax</i>	Tenebrionidae	NSW	1 S
<i>tenuistrigata</i> Lea 1906	<i>Baris</i>	Curculionidae	Q	2 P
<i>tenuistrigatum</i> Lea 1910	<i>Apion</i>	Curculionidae	NSW	2 P
<i>terminalis</i> Lea 1910	<i>Lixus</i>	Curculionidae	Cairns, Q	2 P
<i>terminata</i> Pascoe 1863	<i>Atimua</i>	Cerambycidae	Port Denison, Q	2 T
<i>termiophila</i> Lea 1910	<i>Episaphula</i>	Erotylidae	Darnley I., Q	2 P
<i>terreus</i> Pascoe 1870	<i>Imaliodes</i>	Curculionidae	Wide Bay, Q	2 T
<i>tersus</i> Lea 1915	<i>Cleptor</i>	Chrysomelidae	WA	H
<i>tessellatus</i> Macleay 1864	<i>Gnathoxys</i>	Carabidae	Parramatta, NSW	H
<i>testaceicollis</i> Macleay 1887	<i>Cladophorus</i> (<i>Xylobanus</i>)	Lycidae	Q	3 S
<i>testaceipennis</i> Macleay 1888	<i>Colpochila</i> (<i>Haplonycha</i>)	Scarabaeidae	King George Sound, WA	H
<i>tetraspilota</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Cairns, Q	H
<i>tetrastrictoptera</i> Lea 1924	<i>Aulacophora</i>	Chrysomelidae	Roper R., NT	4 P
<i>tetricus</i> Pascoe 1874	<i>Poropterus</i>	Curculionidae	Gayndah, Q	2 T
<i>textilis</i> Pascoe 1871	<i>Catastgnus</i>	Curculionidae	Lizard I., Q	2 T
<i>thoracicus</i> Lea 1894	<i>Dromaeolus</i>	Eucnemidae	Lane Cove, NSW	2 P
<i>thymaloides</i> Macleay 1888	<i>Pterocephalus</i>	Tenebrionidae	SA	4 S
<i>tibialis</i> Carne 1957	<i>Trissodon</i>	Scarabaeidae	SA	1 P
<i>tibialis</i> Ferguson 1914	<i>Chriotyphus</i>	Curculionidae	Onslow, WA	H, A
<i>tibialis</i> Ferguson 1914	<i>Macramycterus</i>	Curculionidae	WA	H
<i>tibialis</i> Ferguson 1923	<i>Aedriodes</i>	Curculionidae	Cunderdin, WA	H, 1 P
<i>tibialis</i> Lea 1916	<i>Augomela</i>	Chrysomelidae	Coen R., Cape York, Q	2 P
<i>tibialis</i> Lea 1927	<i>Emplesis</i>	Curculionidae	Strahan, Tas	2 P
<i>tibialis</i> Lea 1915	<i>Geloptera</i>	Chrysomelidae	Cairns, Q	2 P
<i>tibialis</i> Lea 1921	<i>Heteromastix</i>	Cantharidae	Dorrigo, Tweed R., NSW	2 P
<i>tibialis</i> Lea 1917	<i>Mordellistena</i>	Mordellidae	Sydney, NSW	1 P
<i>tibialis</i> Lea 1911	<i>Prypnus</i>	Curculionidae	Venus Bay, SA	2 P
<i>tibialis</i> Lea 1908	<i>Sellechus</i>	Curculionidae	NSW	2 P
<i>tibialis</i> Macleay 1863	<i>Cetonia</i>	Scarabaeidae	Port Denison, Q	2 S
<i>tibialis</i> Sloane 1893	<i>Molochthus</i>	Curculionidae	Fraser Range, WA	H
<i>tigrina</i> Carter 1935	<i>Elodes</i>	Helodidae	Kosciusko, NSW	H, A
<i>timidus</i> Arrow 1909	<i>Liparochrus</i>	Scarabaeidae	Northern Australia, Alexandria	3 P
<i>titania</i> Carter 1916	<i>Stigmadera</i>	Buprestidae	Endeavour R., Q	H, 1 P
<i>torquatus</i> Pascoe 1875	<i>Symplyletes</i>	Cerambycidae	Gayndah, Q	3 T
<i>torrida</i> Janson 1874	<i>Dilochrosis</i>	Scarabaeidae	Nicol Bay, WA	H
<i>totipes</i> Lea 1912	<i>Tentegia</i>	Curculionidae	Port Denison, Q	H
<i>tragocephalus</i> Ferguson 1863	<i>Acantholophus</i>	Curculionidae	WA	H, 1 P
<i>tranquillus</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Como, NSW	1 P
<i>transitus</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Swan R., WA	2 S
<i>transversicollis</i> Macleay 1888	<i>Heteronyx</i>	Scarabaeidae	King Sound, WA	H
<i>trepidus</i> Pascoe 1885	<i>Myllocerus</i>	Curculionidae	Cape York, Q	2 T
<i>triangulifera</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Cairns district, Q	2 P
<i>trianguliferus</i> Lea 1913	<i>Tyrtaeosus</i>	Curculionidae	Cairns, Q	2 P
<i>tribulus</i> Macleay 1866	<i>Acantholophus</i>	Curculionidae	SA	H
<i>tricarinata</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Rockhampton, Q	2 S
<i>tricolor</i> Lea 1915	<i>Euclaspis</i>	Chrysomelidae	Mt Tambourine, Q	1 P
<i>tricolor</i> Lea 1911	<i>Lybaeba</i>	Curculionidae	NSW	1 P
<i>tricolor</i> Lea 1895	<i>Selenurus</i>	Cantharidae	Blackheath, NSW	2 P

Specific Name	Original Genus	Family	Type Locality	Types
<i>tricolor</i> Lea 1922	<i>Thallis</i>	Erotyidae	Dorrigo, NSW	2 P
<i>tridentatus</i> Macleay 1871	<i>Liparetrus</i>	Scarabaeidae	Q	2 S
<i>trifasciata</i> Lea 1911	<i>Lybaba</i>	Curculionidae	Vic	2 P
<i>trifasciatus</i> Lea 1909	<i>Haplonyx</i> (<i>Aolles</i>)	Curculionidae	SA	2 P
<i>trifidus</i> Blackburn 1895	<i>Pseudoryctes</i> (<i>Cryptoryctes</i>)	Scarabaeidae	Darling R., Q	2 T
<i>triguttata</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Port Denison, Q	4 S
<i>trilineatus</i> Lea 1904	<i>Schizosternus</i>	Chrysomelidae	NSW	H
<i>trimaculatus</i> Armstrong 1943	<i>Anthrenocerus</i>	Dermestidae	SA	1 P
<i>trisinuatus</i> Lea 1921	<i>Helcogaster</i>	Melyridae	Cairns district, Q	2 P
<i>trivirgatus</i> Lea 1913	<i>Declaus</i>	Curculionidae	Mt Tambourine, Q	2 P
<i>trivitticollis</i> Lea 1923	<i>Monolepta</i>	Chrysomelidae	Hastings R., NSW	2 P
<i>troglodytes</i> Lea 1914	<i>Idacarabus</i>	Carabidae	Tas	1 P
<i>tropica</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Cairns district, Q	2 P
<i>tropicale</i> Macleay 1887	<i>Carenidium</i> (<i>Conopterum</i>)	Carabidae	Endeavour R., Q	H
<i>tropicus</i> Lea 1925	<i>Acritus</i>	Histeridae	Q	2 P
<i>tropicus</i> Lea 1921	<i>Ditropidus</i>	Chrysomelidae	WA	4 P
<i>tropicus</i> Lea 1908	<i>Helcogaster</i>	Melyridae	Cairns, Q	H
<i>tropicus</i> Lea 1911	<i>Laemosaccus</i>	Curculionidae	Cape York, Q	2 P
<i>truncaticornis</i> Macleay 1865	<i>Acantholophus</i>	Curculionidae	Newcastle, NSW	H
<i>truncatus</i> Sloane 1898	<i>Philophloeus</i>	Carabidae	Mt Barker, WA	1 T
<i>t — squameus</i> Lea 1906	<i>Leptops</i>	Curculionidae	Cairns, Q	2 P
<i>tuberculata</i> Lea 1915	<i>Diethusa</i>	Curculionidae	NSW	1 P
<i>tuberculatus</i> Ferguson 1923	<i>Amorphorrhinus</i>	Curculionidae	SA	H, 2 P
<i>tuberculatus</i> Lea 1920	<i>Michrochaetes</i>	Byrrhidae	Gawler, SA	2 P
<i>tuberculatus</i> Lea 1911	<i>Mythites</i>	Curculionidae	Vic	6 P
<i>tuberculatus</i> Macleay 1863	<i>Carenum</i> (<i>Philoscaphus</i>)	Carabidae	Murrumbidgee, NSW	H
<i>tuberculatus</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	Vic	H
<i>tuberculifera</i> Champion 1894	<i>Brycupia</i>	Tenebrionidae	Tas	3 S
<i>tuberculosus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	Vic	2 S
<i>tulanus</i> Carne 1957	<i>Corynophyllus</i>	Scarabaeidae	Brisbane, Q	1 P
<i>tumulosus</i> Ferguson 1912	<i>Talauminus</i>	Curculionidae	NSW	H
<i>tumulosus</i> Pascoe 1873	<i>Poropterus</i>	Curculionidae	SA	2 T
<i>turbidum</i> Lea 1910	<i>Apion</i>	Curculionidae	SA	4 P
<i>turneri</i> Ferguson 1914	<i>Talauminus</i>	Curculionidae	NSW	H
<i>turneri</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	Lane Cove, nr Sydney, NSW	H
<i>turritus</i> Macleay 1888	<i>Caponus</i>	Scarabaeidae	King Sound, Barrier Range, WA	H
<i>typicus</i> Macleay 1863	<i>Talauminus</i>	Curculionidae	Argyle, NSW	2 S
<i>ubiquitosus</i> Lea 1924	<i>Dryophilodes</i>	Anobiidae	Sydney, NSW	2 P
<i>ubiquitosus</i> Lea 1925	<i>Heterothops</i>	Staphylinidae	Latrobe, Ulverstone, Tas	2 P
<i>ubiquitosus</i> Macleay 1886	<i>Liparetrus</i>	Scarabaeidae	Lake George, NSW	4 S
<i>undosa</i> Macleay 1887	<i>Mordella</i>	Mordellidae	Mossman R., Q	H
<i>undulata</i> Pascoe 1866	<i>Blepiarida</i>	Curculionidae	Wide Bay, Q	2 T
<i>undulata</i> Pascoe 1859	<i>Diotima</i>	Cerambycidae	Wide Bay, Q	2 T
<i>undulatum</i> Macleay 1865	<i>Carenum</i> (<i>Eutoma</i>)	Carabidae	Wingello, NSW	H
<i>undulatus</i> Lea 1911	<i>Poropterus</i>	Curculionidae	Vic	1 P
<i>unicolor</i> Masters 1871 (pro concolor Macleay 1864 nec Erichson)	<i>Liparetrus</i> (<i>Automolius</i>)	Scarabaeidae	Q	5 S
<i>unicolor</i> Macleay 1863	<i>Schizorhina</i> (<i>Metallesthes</i>)	Scarabaeidae	King George Sound, WA	H
<i>uniformis</i> Blackburn 1889	<i>Rhyparida</i>	Chrysomelidae	NT	2 P
<i>uniformis</i> Lea 1909	<i>Polyphrades</i>	Curculionidae	Boorabbin, WA	1 P
<i>uniformis</i> Macleay 1888	<i>Anthaxia</i>	Buprestidae	King Sound, WA	H
<i>uniformis</i> Pascoe 1863	<i>Mycerinopsis</i>	Cerambycidae	Port Denison, Q	4 T
<i>ursa</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	Oxford, NSW	3 P
<i>urticarium</i> Pascoe 1873	<i>Perperus</i>	Curculionidae	Gayndah, Q	2 T
<i>usitatus</i> Lea 1915	<i>Scydmaenus</i>	Scydmaenidae	Stanley, Waratah, Tas	2 P
<i>usitatus</i> Olliff 1886	<i>Polylobus</i>	Staphylinidae	Sydney, NSW	2 T

Specific Name	Original Genus	Family	Type Locality	Types
<i>vacillans</i> Lea 1917	<i>Oxyops</i>	Curculionidae	Ooldea, SA	1 P
<i>vagans</i> Lea 1906	<i>Baris</i>	Curculionidae	Tas	2 P
<i>vagans</i> Lea 1921	<i>Ciropes</i>	Nitidulidae	Bribie I., Q	2 P
<i>vagans</i> Lea 1921	<i>Ditropidus</i>	Chrysomelidae	Cairns, Q	2 S
<i>vagans</i> Lea 1914	<i>Microvalgus</i>	Scarabaeidae	Q; NSW	2 P
<i>vagans</i> Lea 1915	<i>Rhyparida</i>	Chrysomelidae	Quorn, SA	2 P
<i>valgus</i> Lea 1909	<i>Cubicorrhynchus</i>	Curculionidae	WA	2 P
<i>varia</i> King 1863	<i>Narcodes</i>	Pselaphidae	Parramatta, NSW	1 T
<i>variabilis</i> Carter 1939	<i>Mythites</i>	Curculionidae	Q	1 P
<i>variabilis</i> Lea 1915	<i>Antyllis</i>	Curculionidae	NSW	2 P
<i>variabilis</i> Lea 1917	<i>Belus</i>	Curculionidae	Lucindale, SA	2 P
<i>variabilis</i> Lea 1908	<i>Catastygnus</i>	Curculionidae	Cairns, Q	2 P
<i>variabilis</i> Lea 1919	<i>Cheiragra</i>	Scarabaeidae	Q	4 P
<i>variabilis</i> Lea 1907	<i>Mandalotus</i>	Curculionidae	Hobart, Tas	2 P
<i>variabilis</i> Lea 1911	<i>Rybaxis</i>	Pselaphidae	Tas	2 P
<i>variabilis</i> Macleay 1863	<i>Schizorhina</i> (<i>Cacochroa</i>)	Scarabaeidae	Port Denison, Q	3 S
<i>variabilis</i> Macleay 1887	<i>Synactractus</i>	Alleculidae	Cairns district, Q	5 S
<i>variabilis</i> Macleay 1888	<i>Xanthophaea</i>	Carabidae	King Sound, WA	7 S
<i>varians</i> Carter 1939	<i>Paracardiophorus</i>	Elateridae	Minnie Downs, SA	2 P
<i>varians</i> Lea 1902	<i>Cupes</i>	Cupedidae	Sydney, NSW	3 P*
<i>varians</i> Lea 1910	<i>Ficicis</i>	Curculionidae	Gosford, NSW	2 P
<i>varicosus</i> Pascoe 1873	<i>Poropterus</i>	Curculionidae	Illawarra, NSW	2 T
<i>variegata</i> Lea 1914	<i>Eutinophaea</i>	Curculionidae	Q	1 P
<i>variegata</i> Macleay 1871	<i>Soronia</i> (<i>Neaspis</i>)	Trogossitidae	Clarence R., NSW	2 S
<i>variegatus</i> Macleay 1865	<i>Talauminus</i>	Curculionidae	Cooper's Creek (= Victoria R.), Q	H
<i>variiceps</i> Lea 1920	<i>Ditropidus</i>	Chrysomelidae	Port Lincoln, SA	1 P
<i>variiceps</i> Lea 1929	<i>Scymnus</i>	Coccinellidae	Lord Howe I.	2 P
<i>variocollis</i> Lea 1910	<i>Auletes</i>	Curculionidae	Mt Wellington, Tas	1 P
<i>variocollis</i> Lea 1907	<i>Lemidia</i>	Cleridae	SA	H
<i>variocollis</i> Macleay 1871	<i>Phylloctonus</i>	Scarabaeidae	Gayndah, Q	1 S
<i>variopennis</i> Lea 1909	<i>Auletes</i>	Curculionidae	Dirk Hartog, Brown Station, WA	1 P
<i>variopennis</i> Lea 1908	<i>Notosalpingus</i>	Salpingidae	Tas	1 P
<i>variopipes</i> Lea 1908	<i>Eleschus</i>	Curculionidae	NSW	2 P
<i>variiventris</i> Lea 1921	<i>Telephorus</i>	Cantharidae	Malanda, Q	1 P
<i>variivitta</i> Lea 1925	<i>Oides</i>	Chrysomelidae	Coen R., Q	2 P
<i>variola</i> Ferguson 1909	<i>Psalidura</i>	Curculionidae	Q	H, A
<i>variolosus</i> Macleay 1864	<i>Laccopterus</i> (<i>Carenum</i>)	Carabidae	Murrumbidgee, NSW	H
<i>variolosus</i> Macleay 1888	<i>Tesserodon</i>	Scarabaeidae	King Sound, WA	H
<i>varius</i> Lea 1914	<i>Myllocerus</i>	Curculionidae	Cue, WA	1 P
<i>varus</i> Macleay 1888	<i>Hypharpax</i>	Carabidae	King Sound, WA	H
<i>velutina</i> Macleay 1863	<i>Schizorhina</i> (<i>Platydilosis</i> = <i>Lyraphora</i>)	Scarabaeidae	Port Denison; Cape York, Q	2 S, 1 T
<i>velutinus</i> W. S. Macleay 1827	<i>Chalcopterus</i>	Tenebrionidae	Australia	H
<i>velutinus</i> Macleay 1871	<i>Homethes</i>	Carabidae	Gayndah, Q	1 S
<i>ventralis</i> Macleay 1872	<i>Stigmatium</i>	Cleridae	Gayndah, Q	2 S
<i>ventralis</i> Lea 1911	<i>Limoniates</i>	Pselaphidae	WA	3 P
<i>ventralis</i> Lea 1899	<i>Melanterius</i>	Curculionidae	NSW	2 P
<i>veris</i> Olliff 1886	<i>Apphiana</i>	Staphylinidae	Sydney, NSW	4 T
<i>vermicollis</i> Ferguson 1912	<i>Talauminus</i>	Curculionidae	NSW	H, 1 P
<i>vernicosa</i> Pascoe 1883	<i>Leptops</i>	Curculionidae	Gayndah, Q	2 T
<i>vermiculatus</i> Lea 1911	<i>Perperus</i>	Curculionidae	National Park, NSW	1 P
<i>vermiculatus</i> Lea 1912	<i>Brachyporopterus</i>	Curculionidae	Clarence R., NSW	1 P
<i>vermiculatus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	Braidwood, NSW	H
<i>vernalis</i> King 1863	<i>Tmesiphorus</i> (<i>Ctenisophus</i>)	Pselaphidae	Parramatta, NSW	2 T
<i>verrucosa</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	New Holland	H
<i>verrucosus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	New Holland	H
<i>vertebrale</i> Lea 1910	<i>Apion</i>	Curculionidae	NSW	3 P
<i>vertebralis</i> Carter 1923	<i>Melobasis</i>	Buprestidae	Q	2 P

* Not conspecific with holotype: 2 C. *younanga* Neboiss, C. *eumana* Neboiss.

Specific Name	Original Genus	Family	Type Locality	Types
<i>verticalis</i> W. S. Macleay 1827	<i>Laius</i>	Melyridae	North Australia	H
<i>vestigialis</i> Pascoe 1864	<i>Symplyctes</i>	Cerambycidae	SA	4 T
<i>vestita</i> Ferguson 1915	<i>Psalidura</i>	Curculionidae	Q	A (♀)
<i>vestitus</i> Macleay 1865 (1866)	<i>Sclerorinus</i>	Curculionidae	Flinders Range, SA	4 S
<i>v - fasciata</i> Lea 1895	<i>Mordella</i>	Mordellidae	Blackheath, NSW	1 P
<i>vicarius</i> Lea 1904	<i>Cryptoccephalus</i>	Chrysomelidae	Port Denison, Gayndah, Q	2 S
<i>vicarius</i> Lea 1921	<i>Ditropidus</i>	Chrysomelidae	Cairns, Q	2 P
<i>vicarius</i> Pascoe 1869	<i>Pterohelaeus</i>	Tenebrionidae	NSW	2 T
<i>vicina</i> Lea 1906	<i>Misophrice</i>	Curculionidae	Tas	1 P
<i>vicina</i> Olliff 1886	<i>Aleochara</i>	Staphylinidae	King George Sound, WA	1 T
<i>vicinus</i> Sloane 1898	<i>Homothes</i>	Carabidae	Mt Barker, WA	1 S
<i>victoriae</i> Macleay 1866	<i>Talauminus</i>	Curculionidae	Vic	2 S
<i>vigilans</i> Lea 1924	<i>Dryophilodes</i>	Anobiidae	Forest Reefs, NSW	2 P
<i>villosa</i> Lea 1917	<i>Haplonycha</i>	Scarabacidae	Q	2 P
<i>villosa</i> Lea 1912	<i>Rybaxis</i>	Pselaphidae	Sydney, NSW	1 P
<i>villosicollis</i> Macleay 1886	<i>Liparetrus</i>	Scarabacidae	Southern districts of NSW	2 S
<i>villosipennis</i> Lea 1895	<i>Formicomus</i>	Anthicidae	Sydney, NSW	1 T
<i>villosus</i> Lea 1911	<i>Pselaphus</i>	Pselaphidae	Tas	2 P
<i>villosus</i> Macleay 1888	<i>Onthophagus</i>	Scarabacidae	WA	2 S
<i>violacea</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Port Denison, Gayndah, Q	H
<i>violaceum</i> Macleay 1887	<i>Conopterum</i>	Carabidae	Mudgee, NSW	H
<i>violaceum</i> Macleay 1864	<i>Carenum</i> (<i>Eutoma</i>)	Carabidae	SA	H
<i>virgata</i> Lea 1907	<i>Lemidia</i>	Cleridae	NSW	1 P
<i>viridescens</i> Castelnau 1867	<i>Homalosoma</i> (<i>Trichosternus</i>)	Carabidae	Clarence R., NSW	2 T
<i>viridiaeneum</i> Macleay 1888	<i>Calliscapterus</i> (<i>Carenum</i>)	Carabidae	King Sound (Barrier Range), WA	H
<i>viridicollis</i> Macleay 1873	<i>Anoplognathus</i>	Scarabaeidae	Darling Downs, Q	2 S
<i>viridicollis</i> Macleay 1872	<i>Eleale</i>	Cleridae	Gayndah, Q	2 S
<i>viridilatera</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	Galston, NSW	1 P
<i>viridimarginatum</i> Macleay 1871	<i>Carenum</i>	Carabidae	Gayndah, Q	2 S
<i>viridipenne</i> Macleay 1872	<i>Adelium</i>	Tenebrionidae	Gayndah, Q	2 S
<i>viridipennis</i> Lea 1903	<i>Calomela</i>	Chrysomelidae	WA	2 P
<i>viridipennis</i> Macleay 1887	<i>Decialma</i>	Tenebrionidae	Cairns distr. (Mossman R.), Q	4 S
<i>viridipennis</i> Macleay 1887	<i>Selenurus</i>	Cantharidae	Russell R., Q	2 S
<i>viridis</i> Lea 1910	<i>Merimnetes</i>	Curculionidae	Mt Kosciusko, NSW	2 P
<i>viridis</i> Macleay 1871	<i>Adotela</i> (<i>Promecoderus</i>)	Carabidae	Gayndah, Q	2 S
<i>viridisignata</i> Macleay 1863	<i>Schizorhina</i> (<i>Chlorobapta</i>)	Scarabaeidae	King George Sound, WA	2 S
<i>viridisquama</i> Lea 1911	<i>Eniopea</i>	Curculionidae	NSW	2 P
<i>viridissimus</i> Macleay 1888	<i>Carenoscaphus</i>	Carabidae	King Sound (Barrier Range), WA	2 S
<i>viridivaria</i> Lea 1911	<i>Hackeria</i>	Curculionidae	Coen district, Q	2 P
<i>viridiventris</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Port Denison, Q	H
<i>vitiensis</i> Lea 1929	<i>Ampagia</i>	Curculionidae	Moturiki, Fiji	2 P
<i>vitiensis</i> Lea 1928	<i>Microcryptor-</i> <i>hynchus</i>	Curculionidae	Viti Levu, Fiji	2 P
<i>vittiosa</i> Pascoe 1870	<i>Oxyops</i>	Curculionidae	Wide Bay, Q	2 T
<i>vittro - maculatus</i> Macleay 1888	<i>Trox</i>	Trogidae	WA	L, 1 P
<i>vittatus</i> Macleay 1871	<i>Philophoeus</i>	Carabidae	Gayndah, Q	4 S
<i>vittatus</i> Macleay 1887	<i>Phyllotocus</i>	Scarabacidae	Cairns, Q	2 S
<i>vittatus</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	2 S
<i>vittatus</i> Pascoe 1872	<i>Stenocorynus</i>	Curculionidae	Night I., Q	2 T
<i>vitticolle</i> Macleay 1888	<i>Polystigma</i>	Scarabaeidae	WA	2 S
<i>vitticollis</i> Ferguson 1914	<i>Talauminus</i>	Curculionidae	Q	H
<i>vitticollis</i> Macleay 1872	<i>Ananca</i> (<i>Sessinia</i>)	Oedemeridae	Gayndah, Q	2 S
<i>vitticollis</i> Macleay 1863	<i>Stigmadera</i>	Buprestidae	Port Denison, Q	H
<i>vittipenne</i> Macleay 1871	<i>Necterosoma</i>	Dytiscidae	Gayndah, Q	4 S
<i>vittipennis</i> Macleay 1887	<i>Actratus</i>	Alleculidae	Q	2 S
<i>vitolus</i> Pascoe 1871	<i>Tennosternus</i>	Cerambycidae	Wide Bay, Q	2 T
<i>volitans</i> Macleay 1863	<i>Distipsidera</i>	Carabidae	Port Denison, Cleveland Bay, Q	3 S
<i>vulgaris</i> Olliff 1889	<i>Menieristes</i>	Tenebrionidae	Lord Howe I.	4 T

Specific Name	Original Genus	Family	Type Locality	Types
<i>walteri</i> Macleay 1887	<i>Onthophagus</i>	Scarabaeidae	Cairns, Q	2 S
<i>waterhousei</i> Lea 1895	<i>Mordella</i>	Mordellidae	Blackheath, NSW	2 P
<i>waterhousei</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	SA	2 S
<i>waterhousei</i> Macleay 1864	<i>Euryscaphus</i> (<i>Scaraphites</i>)	Carabidae	NT	H
<i>waterhousei</i> Macleay 1865	<i>Scarites</i> (<i>Geoscaptus</i>)	Carabidae	Near Adelaide, SA	2 S
<i>waterhousei</i> Macleay 1865	<i>Sclerorinus</i>	Curculionidae	SA	4 S
<i>waterhousei</i> Pascoe 1859	<i>Ozotomerus</i> (<i>Dipiezia</i>)	Scolytidae	Wide Bay, Q	2 T
<i>westwoodii</i> Macleay 1871	<i>Arthropterus</i>	Carabidae	Gayndah, Q	1 S
<i>wiburdii</i> Lea 1895	<i>Mordella</i>	Mordellidae	Blackheath, NSW	4 P
<i>wilcoxi</i> Castelnau 1867	<i>Cicindela</i>	Carabidae	Clarence R., NSW	1 T
<i>wilcoxi</i> Macleay 1865	<i>Psalidura</i>	Curculionidae	Clarence R., NSW	2 S
<i>wollastoni</i> White 1857 (1856)	<i>Blax</i>	Cerambycidae	Lord Howe I.	2 T
<i>wyanamattae</i> Macleay 1873	<i>Arthropterus</i>	Carabidae	Camden, NSW	2 S
<i>xanthorrhoeae</i> Lea 1924	<i>Secretipes</i>	Ptinidae	SA	1 P
<i>xanthorrhoeae</i> Lea 1911	<i>Timareta</i>	Curculionidae	WA	2 P
<i>xerophilus</i> Lea 1917	<i>Anthicus</i>	Anthicidae	Geraldton, WA	2 P
<i>yorkensis</i> Lea 1907	<i>Sybulus</i>	Curculionidae	Cape York, Q	1 P
<i>ziczac</i> King 1869	<i>Mecynotarsus</i>	Anthicidae	SA	2 T
<i>ziczac</i> Lea 1915	<i>Edusa</i>	Chrysomelidae	Forest Reefs, NSW	2 P
<i>ziczac</i> Lea 1909	<i>Epamaebus</i>	Curculionidae	Tas	2 P

References

- ANDERSON, J., 1965. — The Macleay Museum at the University of Sydney. *Australian Natural History*, 15: 47-51.
- BLACKBURN, T., 1893. — Further notes on Australian Coleoptera with descriptions of new genera and species. *Trans R. Soc. S. Aust.* 27: 294-315.
- GOLDMAN, J., HILL, L., and STANBURY, P. J., 1969. — Type specimens in the Macleay Museum, University of Sydney. II. Amphibians and reptiles. *Proc. Linn. Soc. N.S.W.*, 93: 427-433.
- GRIFFIN, D., and STANBURY, P. J., 1970. — Type specimens in the Macleay Museum, University of Sydney, V. Decapod crustaceans. *Proc. Linn. Soc. N.S.W.*, 95: 122-131.
- HAHN, E., 1962. — A list of the designated type specimens in the Macleay Museum, Insecta. Duplicated book, University of Sydney, Macleay Museum, 184 pp.
- LEA A. M., 1898. — Revision of the Australian Curculionidae belonging to the subfamily Cryptorrhynchidae. Part I. *Proc. Linn. Soc. N.S.W.* 22, 1897: 449-513.
- PASCOE, F. P., 1870. — Descriptions of some genera and species of Australian Curculionidae. *Trans. ent. Soc. Lond.* 1870, pt. IV: 445-484.
- MONTERO, W. F., and STANBURY, P. J., 1972. — Type specimens in the Macleay Museum, University of Sydney. VI. Molluscs. *Proc. Linn. Soc. N.S.W.*, 97: 42-55.
- STANBURY, P. J., 1969a. — Type specimens in the Macleay Museum, University of Sydney. I. Fishes. *Proc. Linn. Soc. N.S.W.*, 93: 203-210.
- , 1969b. — Type specimens in the Macleay Museum, University of Sydney. III. Birds. *Proc. Linn. Soc. N.S.W.*, 93: 457-461.
- , 1969c. — Type specimens in the Macleay Museum, University of Sydney. IV. Mammals. *Proc. Linn. Soc. N.S.W.*, 93: 462-463.
- WHITLEY, G. P., and STANBURY, P. J., 1976. — Type specimens in the Macleay Museum, University of Sydney. VII. The holotype of *Gryllus spinulosus* Johansson. *Proc. Linn. Soc. N.S. W.* 100: 202-204.